



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30617004-001
 Harvest/Lot ID: 5187 5312 9902 0396
 Batch#: 5187 5312 9902 0396
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 3919 4061 2092 3458
 Batch Date: 03/09/23
 Sample Size Received: 960 gram
 Total Amount: 5130 units
 Retail Product Size: 69.9672 gram
 Ordered: 06/16/23
 Sampled: 06/16/23
 Completed: 06/21/23
 Sampling Method: SOP.T.20.010

Jun 21, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
 NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
0.122%

Total THC/Container : 85.36 mg


Total CBD
ND

Total CBD/Container : 0 mg


Total Cannabinoids
0.131%

Total Cannabinoids/Container : 91.657 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.122	ND	ND	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	85.359	ND	ND	ND	ND	3.498	ND	1.399	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3112, 1665, 585, 1440

 Weight:
 2.8497g

 Extraction date:
 06/19/23 11:37:57

 Extracted by:
 3112

 Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA061507POT
 Instrument Used : DA-LC-007
 Analyzed Date : 06/19/23 11:40:12

 Reviewed On : 06/21/23 08:09:08
 Batch Date : 06/18/23 20:13:49

 Dilution : 40
 Reagent : 061523.01; 061523.R03; 070122.11; 032123.11; 061523.R05
 Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 06/21/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-001

Harvest/Lot ID: 5187 5312 9902 0396

 Batch# : 5187 5312 9902
 0396

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 960 gram

Total Amount : 5130 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.0063g	06/18/23 17:58:43	4056		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061498PES			Reviewed On : 06/20/23 11:43:48		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/18/23 13:04:04		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 06/19/23 12:59:40					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R02; 061223.R05; 061223.R04; 060523.R26; 061423.R08					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 795, 585, 1440	1.0063g	06/18/23 17:58:43	4056		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA061499VOL			Reviewed On : 06/20/23 16:35:24		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 06/18/23 13:05:01		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 06/19/23 13:12:48					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-001

Harvest/Lot ID: 5187 5312 9902 0396

 Batch# : 5187 5312 9902
 0396

Sampled : 06/16/23

Ordered : 06/16/23

Sample Size Received : 960 gram

Total Amount : 5130 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0261g

 Extraction date:
 06/19/23 07:51:47

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061478SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/19/23 10:29:55

 Reviewed On : 06/19/23 11:23:27
 Batch Date : 06/17/23 11:52:11

 Dilution : 1
 Reagent : 030923.08
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617004-001

Harvest/Lot ID: 5187 5312 9902 0396

Batch# : 5187 5312 9902 0396

Sampled : 06/16/23

Ordered : 06/16/23



Sample Size Received : 960 gram

Total Amount : 5130 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED										
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA					Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE					Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS					Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS					Not Present	PASS		AFLATOXIN G1			0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS					Not Present	PASS		AFLATOXIN G2			0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER					Not Present	PASS		Analyzed by: 3379, 585, 1440			Weight: 1.0063g	Extraction date: 06/18/23 17:58:43		Extracted by: 4056	
TOTAL YEAST AND MOLD			10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)			Reviewed On : 06/20/23 10:26:41				
Analyzed by: 3621, 585, 1440			Weight: 0.9614g	Extraction date: 06/17/23 15:55:17		Extracted by: 3621,3390		Analytical Batch : DA061500MYC			Batch Date : 06/18/23 13:07:05				
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/20/23 16:38:03					Instrument Used : N/A							
Analytical Batch : DA061470MIC			Batch Date : 06/17/23 09:24:23					Analyzed Date : 06/19/23 12:59:18							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Dilution : 250												
Analyzed Date : 06/17/23 17:08:33			Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08												
Dilution : N/A			Consumables : 6697075-02												
Reagent : 031523.18; 052323.R22; 020823.16; 092122.09			Pipette : DA-093; DA-094; DA-219												
Consumables : 7562003041			Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.												
Pipette : N/A															
Analyzed by: 3621, 3702, 585, 1440			Weight: 0.9614g	Extraction date: N/A		Extracted by: 3621,3390		Hg			Heavy Metals		PASSED		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 06/20/23 10:44:29					Metal							
Analytical Batch : DA061483TYM			Batch Date : 06/17/23 12:26:56					TOTAL CONTAMINANT LOAD METALS							
Instrument Used : Incubator (25-27C) DA-096								0.08 ppm ND PASS 5							
Analyzed Date : 06/17/23 17:12:33								0.02 ppm ND PASS 1.5							
Dilution : 10								0.02 ppm ND PASS 0.5							
Reagent : 031523.18; 060723.R45								0.02 ppm ND PASS 3							
Consumables : N/A								0.02 ppm ND PASS 0.5							
Pipette : N/A								Analyzed by: 1022, 585, 1440							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.								Weight: 0.2068g							
								Extraction date: 06/19/23 08:03:36							
								Extracted by: 3619							
								Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
								Analytical Batch : DA061485HEA							
								Reviewed On : 06/20/23 10:30:44							
								Instrument Used : DA-ICPMS-003							
								Batch Date : 06/17/23 12:39:09							
								Analyzed Date : 06/19/23 12:56:38							
								Dilution : 50							
								Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 052523.R15; 061423.R46							
								Consumables : 179436; 15021042; 210508058							
								Pipette : DA-061; DA-191; DA-216							
								Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30617004-001
 Harvest/Lot ID: 5187 5312 9902 0396

 Batch# : 5187 5312 9902 0396
 Sample Size Received : 960 gram
 Total Amount : 5130 units
 Completed : 06/21/23 Expires: 06/21/24
 Sample Method : SOP.T.20.010
 Sampled : 06/16/23
 Ordered : 06/16/23

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 31

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA061489FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 06/17/23 18:19:19
 Reviewed On : 06/17/23 18:31:31
 Batch Date : 06/17/23 18:15:28

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.56	PASS	0.85

 Analyzed by: 4056, 585, 1440
 Weight: 5.329g
 Extraction date: 06/17/23 15:27:24
 Extracted by: 4056

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA061474WAT
 Instrument Used : DA256 Rotronic HygroPalm
 Analyzed Date : N/A
 Reviewed On : 06/19/23 11:26:16
 Batch Date : 06/17/23 11:38:19

 Dilution : N/A
 Reagent : 050923.03
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	22.493	25

 Analyzed by: 3605, 1665, 585, 1440
 Average Weight: 6.751g
 Extraction date : 06/17/23 16:33:44
 Extracted By : 3605

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
 Analytical Batch : DA061471HOM
 Instrument Used : DA-LC-006
 Analyzed Date : 06/17/23 16:34:27
 Reviewed On : 06/19/23 11:27:02
 Batch Date : 06/17/23 09:54:22

 Dilution : 40
 Reagent : 061523.01; 030322.03; 061523.R08; 060723.R16
 Consumables : 15021042; CE0123; R1KB14270
 Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.