



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30617007-002
Harvest/Lot ID: 8231 8705 3492 0425
Batch#: 8231 8705 3492 0425
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9335 0031 9406 2201
Batch Date: 05/11/23
Sample Size Received: 15.3 gram
Total Amount: 1377 units
Retail Product Size: 0.3 gram
Ordered: 06/17/23
Sampled: 06/17/23
Completed: 06/21/23
Sampling Method: SOP.T.20.010

Jun 21, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
83.797%
Total THC/Container : 251.391 mg

Total CBD
0.299%
Total CBD/Container : 0.897 mg

Total Cannabinoids
88.741%
Total Cannabinoids/Container : 266.223 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.726	0.081	0.299	ND	0.26	2.111	ND	0.706	0.505	ND	1.053
mg/unit	251.178	0.243	0.897	ND	0.78	6.333	ND	2.118	1.515	ND	3.159
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.1058g

Extraction date:
06/19/23 09:58:45

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061506POT

Instrument Used : DA-LC-007

Analyzed Date : 06/19/23 10:12:22

Reviewed On : 06/20/23 11:19:28

Batch Date : 06/18/23 20:13:18

Dilution : 400

Reagent : 061523.R03; 032123.11; 061523.R05

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
06/21/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30617007-002
Harvest/Lot ID: 8231 8705 3492 0425

Batch# : 8231 8705 3492
Sample Size Received : 15.3 gram
Total Amount : 1377 units
Completed : 06/21/23 Expires: 06/21/24
Ordered : 06/17/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.559	1.853		FARNESENE	0.001	0.219	0.073	
TOTAL TERPINEOL	0.007	0.102	0.034		ALPHA-HUMULENE	0.007	<0.06	<0.02	
ALPHA-BISABOLOL	0.007	0.114	0.038		VALENCENE	0.007	0.213	0.071	
ALPHA-PINENE	0.007	0.201	0.067		CIS-NEROLIDOL	0.007	<0.06	<0.02	
CAMPHENE	0.007	<0.06	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.087	0.029	
BETA-PINENE	0.007	0.276	0.092		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.531	0.177		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.192	0.064		Analyzed by: 2076, 585, 1440 Weight: 0.8887g Extraction date: 06/19/23 17:07:16 Extracted by: 2076				
3-CARENE	0.007	0.093	0.031		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	<0.06	<0.02		Analytical Batch : DA061508TER				
LIMONENE	0.007	0.477	0.159		Instrument Used : DA-GCMS-008 Reviewed On : 06/21/23 12:03:37				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : N/A Batch Date : 06/19/23 09:15:29				
OCIMENE	0.007	0.399	0.133		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.27				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	1.572	0.524		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.132	0.044						
FENCHYL ALCOHOL	0.007	0.087	0.029						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.06	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.864	0.288						
Total (%)				1.853					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617007-002

Harvest/Lot ID: 8231 8705 3492 0425

 Batch# : 8231 8705 3492
 0425

Sampled : 06/17/23

Ordered : 06/17/23


Sample Size Received : 15.3 gram

Total Amount : 1377 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.262g	Extraction date: 06/18/23 18:00:53	Extracted by: 4056	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA061495PES Instrument Used : DA-LCMS-003 (PES) Analyzed Date : 06/19/23 12:59:43 Dilution : 250 Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219	
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	450, 3379, 585, 1440	0.262g	06/18/23 18:00:53	4056		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061496VOL	Reviewed On : 06/21/23 11:38:36				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	Batch Date : 06/18/23 13:01:06				
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/19/23 13:12:59					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617007-002

Harvest/Lot ID: 8231 8705 3492 0425

Batch# : 8231 8705 3492 0425

Sampled : 06/17/23

Ordered : 06/17/23

Sample Size Received : 15.3 gram

Total Amount : 1377 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0267g

 Extraction date:
 06/21/23 10:24:55

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061510SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 06/21/23 10:33:51

 Reviewed On : 06/21/23 11:25:14
 Batch Date : 06/19/23 15:21:30

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30617007-002
 Harvest/Lot ID: 8231 8705 3492 0425

 Batch# : 8231 8705 3492 0425
 Sample Size Received : 15.3 gram
 Total Amount : 1377 units
 Completed : 06/21/23 Expires: 06/21/24
 Sample Method : SOP.T.20.010
 Sampled : 06/17/23
 Ordered : 06/17/23

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	Extracted by:
						3390, 585, 1440	0.262g	06/18/23 18:00:53	4056		
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.997g Extraction date: 06/18/23 11:25:39 Extracted by: 3702,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061472MIC Reviewed On : 06/20/23 16:44:35 Batch Date : 06/17/23 10:05:38 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/17/23 17:08:28 Dilution : N/A Reagent : 031523.18; 052323.R22; 020823.16; 092122.09 Consumables : 7562002013 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061497MYC Instrument Used : N/A Analyzed Date : 06/19/23 12:59:22 Dilution : 250 Reagent : 061423.R23; 040521.11; 061223.R02; 061623.R05; 061223.R04; 060523.R26; 061423.R08 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 1440 Weight: 0.997g Extraction date: N/A Extracted by: 3702,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061484TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 06/17/23 17:12:33 Dilution : 10 Reagent : 031523.18; 060723.R45 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2535g Extraction date: 06/19/23 07:40:24 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061479HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/19/23 12:40:45 Dilution : 50 Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 052523.R15; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30617007-002

Harvest/Lot ID: 8231 8705 3492 0425

Batch# : 8231 8705 3492 0425

Sampled : 06/17/23

Ordered : 06/17/23

Sample Size Received : 15.3 gram

Total Amount : 1377 units

Completed : 06/21/23 Expires: 06/21/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061544FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 06/20/23 16:55:29

Batch Date : 06/20/23 16:43:14

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.533	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.278g	Extraction date: 06/18/23 15:16:04	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061491WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/19/23 11:28:30

Batch Date : 06/18/23 12:24:06

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.