



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30620003-003
Harvest/Lot ID: 4381 3762 1855 5493
Batch#: 4381 3762 1855 5493
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4334 4678 0912 8979
Batch Date: 03/09/23
Sample Size Received: 960 gram
Total Amount: 5472 units
Retail Product Size: 60.0178 gram
Ordered: 06/19/23
Sampled: 06/19/23
Completed: 06/22/23
Sampling Method: SOP.T.20.010
PASSED

Jun 22, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0.144%
Total THC/Container : 86.426 mg

Total CBD
ND
Total CBD/Container : 0 mg

Total Cannabinoids
0.153%
Total Cannabinoids/Container : 91.827 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.144	ND	ND	ND	ND	0.007	ND	0.002	ND	ND	ND
mg/unit	86.425	ND	ND	ND	ND	4.201	ND	1.2	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
3.0238g

Extraction date:
06/20/23 10:50:36

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061520POT

Instrument Used : DA-LC-007

Analyzed Date : 06/20/23 11:04:09

Reviewed On : 06/21/23 12:51:16

Batch Date : 06/20/23 09:37:32

Dilution : 40

Reagent : 061523.R03; 061523.R05; 061523.01; 070122.11

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/22/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30620003-003

Harvest/Lot ID: 4381 3762 1855 5493

 Batch# : 4381 3762 1855
 5493

Sampled : 06/19/23

Ordered : 06/19/23

Sample Size Received : 960 gram

Total Amount : 5472 units

Completed : 06/22/23 Expires: 06/22/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.1731g	06/20/23 13:22:43	4056		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA061526PES			Reviewed On : 06/21/23 10:37:23		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/20/23 09:51:20		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 06/20/23 13:49:33					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 061423.R08; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.1731g	06/20/23 13:22:43	4056		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA061529VOL			Reviewed On : 06/21/23 10:36:42		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/20/23 09:53:36		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30620003-003

Harvest/Lot ID: 4381 3762 1855 5493

 Batch# : 4381 3762 1855
 5493

Sampled : 06/19/23

Ordered : 06/19/23

Sample Size Received : 960 gram

Total Amount : 5472 units

Completed : 06/22/23 Expires: 06/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0228g

 Extraction date:
 06/20/23 11:02:01

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061533SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 06/21/23 11:45:08

 Reviewed On : 06/21/23 12:36:28
 Batch Date : 06/20/23 10:39:12

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30620003-003

Harvest/Lot ID: 4381 3762 1855 5493

Batch# : 4381 3762 1855 5493

Sampled : 06/19/23

Ordered : 06/19/23


Sample Size Received : 960 gram


Total Amount : 5472 units


Completed : 06/22/23 Expires: 06/22/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3390, 3621, 585, 1440	Weight: 1.1779g	Extraction date: 06/20/23 10:44:53	Extracted by: 3621,3390			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/22/23 10:38:59			
Analytical Batch : DA061515MIC			Batch Date : 06/20/23 08:20:49			
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						
Analyzed Date : 06/20/23 13:06:59						
Dilution : N/A						
Reagent : 031523.14; 052323.R22; 092122.01; 092122.09						
Consumables : 7562002075						
Pipette : N/A						
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.1779g	Extraction date: N/A	Extracted by: 3621,3390			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 06/22/23 10:52:12			
Analytical Batch : DA061516TYM			Batch Date : 06/20/23 08:46:35			
Instrument Used : Incubator (25-27C) DA-097						
Analyzed Date : 06/20/23 11:14:48						
Dilution : 10						
Reagent : 031523.14; 060723.R45						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 1440	Weight: 1.1731g	Extraction date: 06/20/23 13:22:43	Extracted by: 4056			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA061528MYC		Reviewed On : 06/21/23 11:57:27				
Instrument Used : N/A		Batch Date : 06/20/23 09:53:34				
Analyzed Date : 06/20/23 13:49:22						
Dilution : 250						
Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 061423.R08; 040521.11						
Consumables : 6697075-02						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5	
ARSENIC	0.02	ppm	ND	PASS	1.5	
CADMIUM	0.02	ppm	ND	PASS	0.5	
MERCURY	0.02	ppm	ND	PASS	3	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2878g	Extraction date: 06/20/23 10:41:43	Extracted by: 3807,3619			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA061530HEA		Reviewed On : 06/21/23 12:44:51				
Instrument Used : DA-ICPMS-003		Batch Date : 06/20/23 09:53:50				
Analyzed Date : 06/20/23 15:03:32						
Dilution : 50						
Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 061923.R19; 061423.R46						
Consumables : 179436; 15021042; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30620003-003

Harvest/Lot ID: 4381 3762 1855 5493

Batch# : 4381 3762 1855 5493

Sampled : 06/19/23

Ordered : 06/19/23

Sample Size Received : 960 gram

Total Amount : 5472 units

Completed : 06/22/23 Expires: 06/22/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 34

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA061604FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/21/23 22:24:20

Reviewed On : 06/21/23 22:33:06

Batch Date : 06/21/23 22:10:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.569	PASS	0.85

 Analyzed by: 4056, 585, 1440
 Weight: 10.92g
 Extraction date: 06/20/23 12:45:11
 Extracted by: 4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA061534WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/20/23 15:37:52

Batch Date : 06/20/23 10:49:00

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	4.446	25

 Analyzed by: 3335, 585, 1440
 Average Weight: 6.044g
 Extraction date: 06/20/23 08:51:36
 Extracted By: 3605

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA061513HOM

Instrument Used : DA-LC-005

Analyzed Date : 06/20/23 09:08:17

Reviewed On : 06/21/23 12:44:42

Batch Date : 06/20/23 08:12:24

Dilution : 40

Reagent : 061523.01; 071222.46; 061523.R08; 061523.R06

Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.