



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30622004-001
Harvest/Lot ID: HYB-JD-060923-C0092
Batch#: 1820 0275 0565 5917
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0890 1949 9944 3174
Batch Date: 05/03/23
Sample Size Received: 38.5 gram
Total Amount: 2671 units
Retail Product Size: 3.5 gram
Ordered: 06/21/23
Sampled: 06/21/23
Completed: 06/24/23
Sampling Method: SOP.T.20.010

Jun 24, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	-------------	---------------



Analyzed by: 3112, 585, 4044	Weight: 0.2053g	Extraction date: 06/22/23 12:08:37	Extracted by: 3335
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA061640POT Instrument Used : DA-LC-002 (Flower) Analyzed Date : 06/22/23 12:33:06 Dilution : 400 Reagent : 061523.R07; 032123.11; 061523.R05 Consumables : 250346; 280670723; CE123; 115C4-1151; R1KB45277 Pipette : DA-079; DA-108; DA-078			
Reviewed On : 06/23/23 12:04:57 Batch Date : 06/22/23 10:15:28			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/24/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30622004-001
Harvest/Lot ID: HYB-JD-060923-C0092

Batch# : 1820 0275 0565 Sample Size Received : 38.5 gram
5917 Total Amount : 2671 units
Sampled : 06/21/23 Completed : 06/24/23 Expires: 06/24/24
Ordered : 06/21/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	91.735	2.621		FARNESENE		0.245	0.007	
TOTAL TERPINEOL	0.007	2.275	0.065		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	2.59	0.074		VALENCENE	0.007	<0.7	<0.02	
ALPHA-PINENE	0.007	2.73	0.078		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.98	0.028		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.735	0.021	
BETA-PINENE	0.007	3.92	0.112		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	24.325	0.695		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 4044Weight: 0.8915gExtraction date: 06/22/23 12:36:03Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 06/24/23 21:40:59</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA061624TERBatch Date : 06/22/23 09:42:18</div>				
LIMONENE	0.007	22.785	0.651		<div>Instrument Used : DA-GCMS-004</div>				
EUCALYPTOL	0.007	ND	ND		<div>Analyzed Date : N/A</div>				
OCIMENE	0.007	<0.7	<0.02		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : 020923.13</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	<0.7	<0.02		<div>Pipette : N/A</div>				
FENCHONE	0.007	<1.4	<0.04		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	4.55	0.13						
FENCHYL ALCOHOL	0.007	2.94	0.084						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	<0.7	<0.02						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	12.075	0.345						
Total (%)			2.621						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30622004-001

Harvest/Lot ID: HYB-JD-060923-C0092

 Batch# : 1820 0275 0565
 5917

 Sampled : 06/21/23
 Ordered : 06/21/23


Sample Size Received : 38.5 gram

Total Amount : 2671 units

Completed : 06/24/23 Expires: 06/24/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	1.1002g	06/22/23 14:25:08	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061641PES			Reviewed On : 06/24/23 12:47:52		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/22/23 10:16:10		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/22/23 14:16:55					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	1.1002g	06/22/23 14:25:08	3379,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061643VOL			Reviewed On : 06/23/23 11:53:43		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/22/23 10:19:06		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/22/23 14:48:19					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



FTH-Josh D OG WF 3.5g(1/8oz)
FTH-Josh D. OG Whole Flower
Matrix : Flower
Type: Flower-Cured



PASSED

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30622004-001
Harvest/Lot ID: HYB-JD-060923-C0092

Batch# : 1820 0275 0565	Sample Size Received : 38.5 gram
5917	Total Amount : 2671 units
Sampled : 06/21/23	Completed : 06/24/23 Expires: 06/24/24
Ordered : 06/21/23	Sample Method : SOP T.20.010

Page 4 of 5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/24/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30622004-001
 Harvest/Lot ID: HYB-JD-060923-C0092

 Batch# : 1820 0275 0565
 Sample Size Received : 38.5 gram
 Total Amount : 2671 units
 Completed : 06/24/23 Expires: 06/24/24
 Sample Method : SOP.T.20.010
 Sampled : 06/21/23
 Ordered : 06/21/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.63	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 06/22/23 13:20:29						Analyzed by: 3807, 585, 4044 Weight: 0.491g Extraction date: 06/22/23 15:35:11 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061654FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/22/23 13:29:09 Batch Date : 06/22/23 12:35:42						Analysis Method : SOP.T.40.021 Analytical Batch : DA061620MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/22/23 15:47:01 Batch Date : 06/22/23 09:25:26					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.581	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.611g Extraction date: 06/22/23 15:46:31 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061619WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/24/23 13:18:21 Batch Date : 06/22/23 09:25:05					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.