



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30622002-004  
**Harvest/Lot ID:** 9171 3277 3297 3031  
**Batch#:** 9171 3277 3297 3031  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 4081 6571 5028 2834  
**Batch Date:** 05/04/23  
**Sample Size Received:** 900 gram  
**Total Amount:** 4367 gram  
**Retail Product Size:** 62.0808 gram  
**Ordered:** 06/21/23  
**Sampled:** 06/21/23  
**Completed:** 06/25/23  
**Sampling Method:** SOP.T.20.010

Jun 25, 2023 | FLUENT  
 82 NE 26th street  
 Miami, FL, 33137, US



# PASSED

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

# PASSED



**Total THC**  
**0.155%**  
 Total THC/Container : 96.225 mg



**Total CBD**  
**ND**  
 Total CBD/Container : 0 mg



**Total Cannabinoids**  
**0.166%**  
 Total Cannabinoids/Container : 103.054 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.155	ND	ND	ND	ND	0.007	ND	0.002	ND	ND	0.002
mg/g	1.55	ND	ND	ND	ND	0.07	ND	0.02	ND	ND	0.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3112, 1665, 585, 4044

Weight:  
 3.0452g

Extraction date:  
 06/22/23 12:16:10

Extracted by:  
 3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061635POT

Instrument Used : DA-LC-007

Analyzed Date : 06/22/23 12:26:56

Reviewed On : 06/23/23 12:07:56

Batch Date : 06/22/23 10:13:28

Dilution : 40

Reagent : 061523.01; 061523.R03; 070122.11; 032123.11; 061523.R05

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 06/25/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-004

Harvest/Lot ID: 9171 3277 3297 3031

 Batch# : 9171 3277 3297  
 3031

 Sampled : 06/21/23  
 Ordered : 06/21/23


Sample Size Received : 900 gram

Total Amount : 4367 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	3	PASS	ND	3379, 585, 4044	0.9577g	06/22/23 14:22:51	3379		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061644PES					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/22/23 14:16:50					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	450, 585, 4044	0.9577g	06/22/23 14:22:51	3379		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061646VOL					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-001					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analyzed Date : 06/22/23 14:48:12					
MALATHION	0.01	ppm	2	PASS	ND	Dilution : 250					
METALAXYL	0.01	ppm	3	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHOMYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-004

Harvest/Lot ID: 9171 3277 3297 3031

Batch# : 9171 3277 3297 3031

Sampled : 06/21/23

Ordered : 06/21/23

Sample Size Received : 900 gram

Total Amount : 4367 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0299g

 Extraction date:  
 06/23/23 11:54:05

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA061699SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 06/25/23 00:53:55

 Reviewed On : 06/25/23 13:06:01  
 Batch Date : 06/23/23 11:32:40

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 27296; KF140  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-004

Harvest/Lot ID: 9171 3277 3297 3031

Batch# : 9171 3277 3297 3031

 Sampled : 06/21/23  
 Ordered : 06/21/23



Sample Size Received : 900 gram



Total Amount : 4367 gram



Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div>						<div> PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ECOLI SHIGELLA			Not Present	PASS							
SALMONELLA SPECIFIC GENE			Not Present	PASS							
ASPERGILLUS FLAVUS			Not Present	PASS							
ASPERGILLUS FUMIGATUS			Not Present	PASS							
ASPERGILLUS TERREUS			Not Present	PASS							
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 3621, 4044		Weight: 0.9522g	Extraction date: 06/22/23 12:17:46		Extracted by: 3390						
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 06/24/23 12:51:14								
Analytical Batch : DA061613MIC			Batch Date : 06/22/23 08:27:44								
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analyzed Date : 06/22/23 14:36:12											
Dilution : N/A											
Reagent : 050223.44; 052323.R22; 092122.01; 092122.09; 050223.41											
Consumables : 7562003034											
Pipette : N/A											
Analyzed by: 3390, 3963, 585, 4044		Weight: 0.9522g	Extraction date: N/A		Extracted by: 3390						
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 06/24/23 17:57:17								
Analytical Batch : DA061651TYM			Batch Date : 06/22/23 11:43:21								
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 06/22/23 16:38:11											
Dilution : 10											
Reagent : 050223.44; 060723.R45; 050223.41											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div> Mycotoxins</div>						<div> PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
Analyzed by: 3379, 585, 4044		Weight: 0.9577g	Extraction date: 06/22/23 14:22:51		Extracted by: 3379						
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Analytical Batch : DA061645MYC		Reviewed On : 06/23/23 11:37:47									
Instrument Used : N/A		Batch Date : 06/22/23 10:21:16									
Analyzed Date : 06/22/23 14:16:24											
Dilution : 250											
Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11											
Consumables : 6697075-02											
Pipette : DA-093; DA-094; DA-219											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

<div> Heavy Metals</div>						<div> PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044		Weight: 0.2193g	Extraction date: 06/22/23 10:39:28		Extracted by: 3807,1022						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL											
Analytical Batch : DA061615HEA		Reviewed On : 06/23/23 11:35:24									
Instrument Used : DA-ICPMS-003		Batch Date : 06/22/23 09:15:57									
Analyzed Date : 06/22/23 13:52:47											
Dilution : 50											
Reagent : N/A											
Consumables : N/A											
Pipette : N/A											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Watermelon Gels 10 Count  
Original Watermelon Gels  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30622002-004

Harvest/Lot ID: 9171 3277 3297 3031

Batch# : 9171 3277 3297 3031

Sampled : 06/21/23

Ordered : 06/21/23

Sample Size Received : 900 gram

Total Amount : 4367 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material**

**PASSED**

**Homogeneity**

Amount of tests conducted : 28

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061654FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/22/23 13:20:29

Reviewed On : 06/22/23 13:29:04

Batch Date : 06/22/23 12:35:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.568	PASS	0.85

Analyzed by: 3807, 585, 4044	Weight: 6.393g	Extraction date: 06/22/23 12:49:17	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061647WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/22/23 13:17:40

Batch Date : 06/22/23 10:41:46

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.072	25

3335, 585, 4044	Average Weight 6.264g	Extraction date : 06/22/23 10:57:09	Extracted By : 3335
-----------------	--------------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA061609HOM

Instrument Used : DA-LC-004

Analyzed Date : 06/22/23 11:02:04

Reviewed On : 06/23/23 12:04:00

Batch Date : 06/22/23 08:14:45

Dilution : 40

Reagent : 050923.01; 061523.R07; 071222.35; 060723.R14

Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
06/25/23