



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30622002-003
Harvest/Lot ID: 8063 7550 3096 9986
Batch#: 8063 7550 3096 9986
Source Facility : Tampa Cultivation
Seed to Sale# 9355 1029 2814 6714
Batch Date: 04/03/23
Sample Size Received: 15.3 gram
Total Amount: 755 gram
Retail Product Size: 0.3 gram
Ordered: 06/21/23
Sampled: 06/21/23
Completed: 06/25/23
Sampling Method: SOP.T.20.010

Jun 25, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

88.857%

Total THC/Container : 266.571 mg



Total CBD

0.235%

Total CBD/Container : 0.705 mg



Total Cannabinoids

93.042%

Total Cannabinoids/Container : 279.126 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.709	0.169	0.235	ND	0.326	1.217	ND	0.778	0.7	ND	0.908
mg/g	887.09	1.69	2.35	ND	3.26	12.17	ND	7.78	7	ND	9.08
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.1033g

Extraction date:
06/22/23 12:18:22

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061632POT

Instrument Used : DA-LC-007

Analyzed Date : 06/22/23 12:20:43

Reviewed On : 06/23/23 12:03:57

Batch Date : 06/22/23 10:11:33

Dilution : 400

Reagent : 061523.R03; 032123.11; 061523.R05

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/25/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30622002-003

Harvest/Lot ID: 8063 7550 3096 9986

Batch# : 8063 7550 3096 9986

Sampled : 06/21/23

Ordered : 06/21/23

Sample Size Received : 15.3 gram

Total Amount : 755 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007	22.94	2.294	<div></div>	FARNESENE	0.001	0.26	0.026	<div></div>
TOTAL TERPINEOL	0.007	0.42	0.042	<div></div>	ALPHA-HUMULENE	0.007	1.21	0.121	<div></div>
ALPHA-BISABOOL	0.007	0.29	0.029	<div></div>	VALENCENE	0.007	<0.2	<0.02	<div></div>
ALPHA-PINENE	0.007	0.48	0.048	<div></div>	CIS-NEROLIDOL	0.007	ND	ND	<div></div>
CAMPHERE	0.007	<0.2	<0.02	<div></div>	TRANS-NEROLIDOL	0.007	ND	ND	<div></div>
SABINENE	0.007	ND	ND	<div></div>	CARYOPHYLLENE OXIDE	0.007	0.7	0.07	<div></div>
BETA-PINENE	0.007	0.96	0.096	<div></div>	GUAJOL	0.007	ND	ND	<div></div>
BETA-MYRCENE	0.007	1.78	0.178	<div></div>	CEDROL	0.007	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.007	ND	ND	<div></div>	Analyzed by: 2076, 585, 4044				Weight: 0.913g
3-CARENE	0.007	ND	ND	<div></div>	Extraction date: 06/22/23 15:07:57				Extracted by: 2076
ALPHA-TERPINENE	0.007	ND	ND	<div></div>	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.007	7.67	0.767	<div></div>	Analytical Batch : DA061623TER				Reviewed On : 06/24/23 12:52:24
EUCALYPTOL	0.007	ND	ND	<div></div>	Instrument Used : DA-GCMS-008				Batch Date : 06/22/23 09:41:30
OCIMENE	0.007	<0.2	<0.02	<div></div>	Analyzed Date : 06/22/23 15:29:07				
GAMMA-TERPINENE	0.007	ND	ND	<div></div>	Dilution : 10				
SABINENE HYDRATE	0.007	ND	ND	<div></div>	Reagent : 121622.27				
TERPINOLENE	0.007	ND	ND	<div></div>	Consumables : 210414634; MKCN9995; CE123; R1KB45277				
FENCHONE	0.007	<0.4	<0.04	<div></div>	Pipette : N/A				
LINALOOL	0.007	3.78	0.378	<div></div>	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.007	0.87	0.087	<div></div>					
ISOPULEGOL	0.007	ND	ND	<div></div>					
CAMPHOR	0.007	ND	ND	<div></div>					
ISOBORNEOL	0.007	ND	ND	<div></div>					
BORNEOL	0.013	ND	ND	<div></div>					
HEXAHYDROTHYMOL	0.007	ND	ND	<div></div>					
NEROL	0.007	ND	ND	<div></div>					
PULEGONE	0.007	ND	ND	<div></div>					
GERANIOL	0.007	<0.2	<0.02	<div></div>					
GERANYL ACETATE	0.007	ND	ND	<div></div>					
ALPHA-CEDRENE	0.007	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.007	4.52	0.452	<div></div>					
Total (%)			2.294	<div></div>					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-003

Harvest/Lot ID: 8063 7550 3096 9986

 Batch# : 8063 7550 3096
 9986

Sampled : 06/21/23

Ordered : 06/21/23


Sample Size Received : 15.3 gram

Total Amount : 755 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 4044</div> <div>Weight: 0.2541g</div> <div>Extraction date: 06/22/23 14:26:28</div> <div>Extracted by: 3379,585</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA061636PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 06/22/23 14:16:56</div> <div>Dilution : 250</div> <div>Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 450, 585, 4044</div> <div>Weight: 0.2541g</div> <div>Extraction date: 06/22/23 14:26:28</div> <div>Extracted by: 3379,585</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)</div> <div>Analytical Batch : DA061639VOL</div> <div>Instrument Used : DA-GCMS-001</div> <div>Analyzed Date : 06/22/23 14:48:28</div> <div>Dilution : 250</div> <div>Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-003
Harvest/Lot ID: 8063 7550 3096 9986
Batch# : 8063 7550 3096 9986
Sampled : 06/21/23
Ordered : 06/21/23
Sample Size Received : 15.3 gram
Total Amount : 755 gram
Completed : 06/25/23 Expires: 06/25/24
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 4044

Weight:
 0.0225g

Extraction date:
 06/23/23 11:54:05

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA061699SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 06/25/23 00:53:55

Reviewed On : 06/25/23 13:06:00
Batch Date : 06/23/23 11:32:40

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-003

Harvest/Lot ID: 8063 7550 3096 9986

Batch# : 8063 7550 3096 9986

Sampled : 06/21/23

Ordered : 06/21/23




Sample Size Received : 15.3 gram

Total Amount : 755 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 3621, 4044 Weight: 1.045g Extraction date: 06/22/23 12:17:46 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061613MIC Reviewed On : 06/24/23 12:51:13 Batch Date : 06/22/23 08:27:44 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/22/23 14:36:12 Dilution : N/A Reagent : 050223.44; 052323.R22; 092122.01; 092122.09; 050223.41 Consumables : 7562003034 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.2541g Extraction date: 06/22/23 14:26:28 Extracted by: 3379, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061638MYC Instrument Used : N/A Analyzed Date : 06/22/23 14:16:29 Dilution : 250 Reagent : 061623.R05; 061923.R01; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3963, 585, 4044 Weight: 1.045g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061651TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 06/22/23 16:38:11 Dilution : 10 Reagent : 050223.44; 060723.R45; 050223.41 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2657g Extraction date: 06/22/23 12:31:05 Extracted by: 3807, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061616HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/22/23 13:52:36 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30622002-003

Harvest/Lot ID: 8063 7550 3096 9986

Batch# : 8063 7550 3096 9986

Sampled : 06/21/23

Ordered : 06/21/23

Sample Size Received : 15.3 gram

Total Amount : 755 gram

Completed : 06/25/23 Expires: 06/25/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061654FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/22/23 13:20:29

Reviewed On : 06/22/23 13:29:03

Batch Date : 06/22/23 12:35:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.486	PASS	0.85

Analyzed by: 3807, 585, 4044	Weight: 0.343g	Extraction date: 06/23/23 09:34:10	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061621WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/23/23 09:33:30

Reviewed On : 06/23/23 12:05:21

Batch Date : 06/22/23 09:26:00

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.