



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30623003-006
Harvest/Lot ID: SA-SOD-060623-A113
Batch#: 0397 4703 4942 3512
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 5197 7812 6704 7769
Batch Date: 06/01/23
Sample Size Received: 31.5 gram
Total Amount: 2218 units
Retail Product Size: 3.5 gram
Ordered: 06/22/23
Sampled: 06/22/23
Completed: 06/26/23
Sampling Method: SOP.T.20.010

Jun 26, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
22.91%
Dry Weight



Total CBD
0.072%
Dry Weight



Total Cannabinoids
26.951%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.327	22.254	ND	0.072	0.035	0.044	0.504	<0.01	ND	ND	0.107	0.072	22.91	26.951
mg/unit	11.445	778.89	ND	2.52	1.225	1.54	17.64	<0.35	ND	ND	3.745	2.52	801.85	943.285
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
19.843%
694.505 mg / Container

Total CBD
0.063%
2.205 mg / Container

Total Cannabinoids
23.343%
817.005 mg / Container

As Received

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.2016g

Extraction date:
06/23/23 10:57:08

Extracted by:
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061697POT
Instrument Used : DA-LC-002
Analyzed Date : 06/23/23 11:21:41

Reviewed On : 06/25/23 13:49:48
Batch Date : 06/23/23 10:12:27

Dilution : 400
Reagent : 062323.R05; 032123.11; 062323.R03
Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
06/26/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30623003-006

Harvest/Lot ID: SA-SOD-060623-A113

Batch# : 0397 4703 4942
3512

Sampled : 06/22/23
Ordered : 06/22/23

Sample Size Received : 31.5 gram

Total Amount : 2218 units

Completed : 06/26/23 Expires: 06/26/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	53.9	1.54		FARNESENE	0.001	<0.315	<0.009	
TOTAL TERPINEOL	0.007	<0.7	<0.02		ALPHA-HUMULENE	0.007	6.37	0.182	
ALPHA-BISABOLOL	0.007	2.45	0.07		VALENCENE	0.007	<0.7	<0.02	
ALPHA-PINENE	0.007	<0.7	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.875	0.025	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.84	0.024		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	6.405	0.183		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 4044 Weight: 1.0943g Extraction date: 06/23/23 12:26:39 Extracted by: 2076 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA061684TER Instrument Used : DA-GCMS-008 Analyzed Date : 06/23/23 17:24:47 Dilution : 10 Reagent : 121622.30 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Reviewed On : 06/26/23 11:28:36 Batch Date : 06/23/23 09:58:50				
3-CARENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	7.14	0.204						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	3.99	0.114						
FENCHYL ALCOHOL	0.007	0.98	0.028						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	17.64	0.504						
Total (%)				1.54					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30623003-006

Harvest/Lot ID: SA-SOD-060623-A113

 Batch# : 0397 4703 4942
 3512

Sampled : 06/22/23

Ordered : 06/22/23

Sample Size Received : 31.5 gram

Total Amount : 2218 units

Completed : 06/26/23 Expires: 06/26/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8427g	06/23/23 13:11:38	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA061692PES			Reviewed On : 06/26/23 13:01:22		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/23/23 10:09:21		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/23/23 13:08:52					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 061923.R01; 062223.R12; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8427g	06/23/23 13:11:38	3379,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061696VOL			Reviewed On : 06/26/23 13:00:31		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/23/23 10:11:09		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/23/23 13:15:00					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30623003-006

Harvest/Lot ID: SA-SOD-060623-A113

 Batch# : 0397 4703 4942
 3512

Sampled : 06/22/23

Ordered : 06/22/23



Sample Size Received : 31.5 gram


Total Amount : 2218 units

Completed : 06/26/23 Expires: 06/26/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	150	PASS	100000						
Analyzed by: 3390, 3621, 585, 4044 Weight: 0.9698g Extraction date: 06/23/23 09:56:06 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061666MIC Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/23/23 11:12:18 Dilution : N/A Reagent : 050223.41; 092122.01; 092122.09; 062323.R18 Consumables : 7562003044 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.8427g Extraction date: 06/23/23 13:11:38 Extracted by: 3379,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061695MYC Instrument Used : N/A Analyzed Date : 06/23/23 13:08:58 Dilution : 250 Reagent : 061923.R01; 062223.R12; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 06/24/23 13:05:25 Batch Date : 06/23/23 08:08:04						Reviewed On : 06/26/23 11:17:11 Batch Date : 06/23/23 10:11:01					

 Heavy Metals PASSED			
Metal	LOD	Units	Result
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND
ARSENIC	0.02	ppm	<0.1
CADMIUM	0.02	ppm	ND
MERCURY	0.02	ppm	ND
LEAD	0.02	ppm	ND
Analyzed by: 1022, 585, 4044 Weight: 0.2338g Extraction date: 06/23/23 09:32:27 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061670HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/23/23 12:04:06 Dilution : 50 Reagent : 061523.R17; 042623.R82; 061623.R25; 061623.R06; 061623.R23; 061623.R24; 061923.R19; 050923.01; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30623003-006

Harvest/Lot ID: SA-SOD-060623-A113

 Batch# : 0397 4703 4942
 3512

Sampled : 06/22/23

Ordered : 06/22/23

Sample Size Received : 31.5 gram

Total Amount : 2218 units

Completed : 06/26/23 Expires: 06/26/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.39	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 06/23/23 13:14:47						Analyzed by: 3807, 585, 4044 Weight: 0.48g Extraction date: 06/23/23 12:06:46 Analyzed Date : N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061702FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/23/23 13:17:48 Batch Date : 06/23/23 13:08:30						Analysis Method : SOP.T.40.021 Analytical Batch : DA061673MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/23/23 12:32:20 Batch Date : 06/23/23 09:17:43					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.558	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.665g Extraction date: 06/23/23 12:13:08 Analyzed Date : 06/23/23 11:12:10					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061674WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/23/23 12:32:22 Batch Date : 06/23/23 09:22:18					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.