



# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30624004-007**
**Harvest/Lot ID: 3871 0806 6071 4643**
**Batch#: 3871 0806 6071 4643**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 6105 4799 1801 5290**
**Batch Date: 04/06/23**
**Sample Size Received: 16 gram**
**Total Amount: 1959 units**
**Retail Product Size: 1 gram**
**Ordered: 06/23/23**
**Sampled: 06/23/23**
**Completed: 06/27/23**
**Sampling Method: SOP.T.20.010**
**PASSED**

Jun 27, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US


Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**88.841%**
**Total THC/Container : 888.41 mg**

**Total CBD**
**0.304%**
**Total CBD/Container : 3.04 mg**

**Total Cannabinoids**
**95.687%**
**Total Cannabinoids/Container : 956.87 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.841	ND	0.304	ND	0.428	3.735	ND	0.639	0.685	ND	1.055
mg/unit	888.41	ND	3.04	ND	4.28	37.35	ND	6.39	6.85	ND	10.55
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

**Analyzed by:**  
1665, 585, 1440

**Weight:**  
0.1033g

**Extraction date:**  
06/26/23 10:14:47

**Extracted by:**  
1665

**Analysis Method :** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch :** DA061752POT  
**Instrument Used :** DA-LC-007  
**Analyzed Date :** 06/26/23 10:17:06

**Reviewed On :** 06/27/23 11:09:24  
**Batch Date :** 06/25/23 16:46:49

**Dilution :** 400  
**Reagent :** 062323.R04; 070121.27; 062323.R02  
**Consumables :** 280670723; CE0123; R1KB14270  
**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164


**Signature**  
06/27/23



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30624004-007  
Harvest/Lot ID: 3871 0806 6071 4643

Batch# : 3871 0806 6071 4643

Sampled : 06/23/23  
Ordered : 06/23/23

Sample Size Received : 16 gram

Total Amount : 1959 units

Completed : 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.98	1.298		FARNESENE	<0.018	<0.0018		
TOTAL TERPENEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	<0.2	<0.02	
ALPHA-PINENE	0.007	0.29	0.029		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	0.34	0.034		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.78	0.178		CEDROL	0.007	<0.2	<0.02	
ALPHA-PHELLANDRENE	0.007	0.37	0.037						
3-CARENE	0.007	ND	ND		Analized by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINENE	0.007	<0.2	<0.02		1879, 2076, 585, 1440	0.9484g	N/A	2076	
LIMONENE	0.007	0.85	0.085		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND		Analytical Batch : DA061734TER			Reviewed On : 06/27/23 20:32:14	
OCIMENE	0.007	1.55	0.155		Instrument Used : DA-GCMS-004			Batch Date : 06/25/23 13:24:09	
GAMMA-TERPINENE	0.007	<0.2	<0.02		Analyzed Date : 06/26/23 17:38:52				
SABINENE HYDRATE	0.007	ND	ND		Dilution : 10				
TERPINOLENE	0.007	6.59	0.659		Reagent : 121622.30				
FENCHONE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
LINALOOL	0.007	0.21	0.021		Pipette : N/A				
FENCHYL ALCOHOL	0.007	<0.2	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1	0.1						
<b>Total (%)</b>			<b>1.298</b>						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30624004-007

Harvest/Lot ID: 3871 0806 6071 4643

Batch# : 3871 0806 6071 4643

Sampled : 06/23/23

Ordered : 06/23/23

Sample Size Received : 16 gram

Total Amount : 1959 units

Completed : 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2657g	06/26/23 15:15:23	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061745PES			Reviewed On : 06/27/23 11:55:06		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/25/23 14:13:03		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2657g	06/26/23 15:15:23	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061746VOL			Reviewed On : 06/27/23 11:39:44		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/25/23 14:13:57		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/26/23 15:27:58					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					







# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30624004-007

Harvest/Lot ID: 3871 0806 6071 4643

 Batch# : 3871 0806 6071  
 4643

Sampled : 06/23/23

Ordered : 06/23/23

Sample Size Received : 16 gram

Total Amount : 1959 units

Completed : 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0212g

 Extraction date:  
 06/27/23 12:04:40

 Extracted by:  
 850,585

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA061766SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 06/27/23 12:09:06

 Reviewed On : 06/27/23 12:26:09  
 Batch Date : 06/26/23 16:47:31

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : G201.062; KE136  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30624004-007

Harvest/Lot ID: 3871 0806 6071 4643

Batch# : 3871 0806 6071 4643

 Sampled : 06/23/23  
 Ordered : 06/23/23



Sample Size Received : 16 gram

Total Amount : 1959 units

Completed : 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.801g Extraction date: 06/24/23 13:52:01 Extracted by: 3621, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061714MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/26/23 14:24:47 Dilution : N/A Reagent : 050223.53; 062323.R18; 092122.01; 092122.09 Consumables : 7562003051 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2657g Extraction date: 06/26/23 15:15:23 Extracted by: 450, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061747MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 25 Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 06/27/23 12:57:50 Batch Date : 06/24/23 10:04:21						Reviewed On : 06/27/23 11:54:07 Batch Date : 06/25/23 14:15:50					
<b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 3807, 585, 1440 Weight: 0.2262g Extraction date: 06/24/23 13:06:50 Extracted by: 3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061723HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/26/23 14:35:26 Dilution : 50 Reagent : 061523.R17; 042623.R82; 062323.R15; 062623.R01; 062323.R13; 061923.R19; 050923.01; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30624004-007

Harvest/Lot ID: 3871 0806 6071 4643

Batch# : 3871 0806 6071 4643

Sampled : 06/23/23

Ordered : 06/23/23

Sample Size Received : 16 gram

Total Amount : 1959 units

Completed : 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061754FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/25/23 19:22:55

Reviewed On : 06/25/23 20:14:58

Batch Date : 06/25/23 19:07:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.484	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.323g	Extraction date: 06/24/23 16:38:07	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061722WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/25/23 15:11:04

Batch Date : 06/24/23 11:44:15

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.