

COMPLIANCE FOR RETAIL

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix: Derivative

Kaycha Labs



Type: Distillate

Sample: DA30624006-006 Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378 9128

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 2428 7297 5955 5351

> Batch Date: 04/27/23 Sample Size Received: 16 gram

Total Amount: 2443 units Retail Product Size: 1 gram

> Ordered: 06/24/23 Sampled: 06/24/23

Completed: 06/27/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

82 NE 26th street Miami, FL, 33137, US

Jun 27, 2023 | FLUENT

PRODUCT IMAGE

SAFETY RESULTS



Pesticides PASSED



CBD

0.258

0.001

2.58

%



Heavy Metals Microbials

Certificate of Analysis



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity

THCV

0.561

5.61

0.001

%



Moisture



MISC.

TESTED

PASSED

CBC 0.744

7.44

%

0.001



Cannabinoid

Total THC

86.787%

Total THC/Container: 867.87 mg

ND

0.001



D8-THC

0.252

2.52

0.001

%

CBDA

ND

ND

%

Weight: 0.1026g

rum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

0.001

Total CBD

0.258%

CRG

3 532

35.32

0.001

%

Extraction date: 06/26/23 10:14:57

Total CBD/Container: 2.58 mg



CRN

0.53

0.001

5.3

Total Cannabinoids

CRDV

ND

ND

%

Extracted by:

0.001

Total Cannabinoids/Container: 927.29 mg

THCA 86,787 ND

%	%				
Analyzed by: 1665, 585, 4044					
4 1 1 - 84 - 41 4 - COD T 4	0.021	CODT	-		

867.87

0.001

Analytical Batch : DA061752POT Instrument Used: DA-LC-007

ma/unit

LOD

Consumables: 280670723: CE0123: R1KB14270 Pipette : DA-079; DA-108; DA-078

Analyzed Date: 06/26/23 10:17:06 Reagent: 062323.R04; 070121.27; 062323.R02 Reviewed On: 06/27/23 11:27:33 Batch Date: 06/25/23 16:46:49

CRGA

0.065

0.65

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



DACC

PASSED

Certificate of Analysis

Sample: DA30624006-006

82 NE 26th street **Batch**#: 66 Miami, FL, 33137, US 9128

Miami, FL, 33137, US 9128

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

Ordered: 06/24/23

Ordered: 06/24/23

Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378

9128

Sample Size Received: 16 gram

Total Amount: 2443 units

Completed: 06/27/23 Expires: 06/27/24

Sample Method : SOP.T.20.010

ceived : 16 gram
2443 units
27/23 Expires: 06/27/24

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/ur	nit % Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	15	1.5	FARNESENE	,	< 0.018	< 0.0018		
TOTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE	0.007	0.26	0.026		
ALPHA-BISABOLOL	0.007	< 0.2	<0.02	VALENCENE	0.007	< 0.2	< 0.02		
ALPHA-PINENE	0.007	0.32	0.032	CIS-NEROLIDOL	0.007	ND	ND		
CAMPHENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND		
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	< 0.2	< 0.02		
BETA-PINENE	0.007	0.38	0.038	GUAIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	2.03	0.203	CEDROL	0.007	< 0.2	< 0.02		
ALPHA-PHELLANDRENE	0.007	0.93	0.093	Analyzed by:	Weight:		Extraction	date:	Extracted by:
-CARENE	0.007	0.26	0.026	1879, 2076, 585, 4044	1.027g		N/A		2076
LPHA-TERPINENE	0.007	0.21	0.021	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.06	61A.FL				
IMONENE	0.007	0.94	0.094	Analytical Batch : DA061734TER Instrument Used : DA-GCMS-004				/27/23 20:32:20 5/23 13:24:09	
UCALYPTOL	0.007	ND	ND	Analyzed Date: 06/26/23 17:38:52		battn	Date: 00/2	3/23 13.24.09	
CIMENE	0.007	1.83	0.183	Dilution: 10					
GAMMA-TERPINENE	0.007	< 0.2	<0.02	Reagent: 121622.30					
ABINENE HYDRATE	0.007	ND	ND	Consumables: 210414634; MKCN9995; CE0123;	R1KB14270				
ERPINOLENE	0.007	6.67	0.667	Pipette : N/A					
ENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatog	raphy Mass Spectro	metry. For all I	Flower sampl	es, the Total Terpenes %	is dry-weight corrected.
INALOOL	0.007	0.2	0.02						
ENCHYL ALCOHOL	0.007	< 0.2	<0.02						
OPULEGOL	0.007	ND	ND						
AMPHOR	0.007	< 0.6	< 0.06						
SOBORNEOL	0.007	ND	ND						
	0.013	ND	ND						
ORNEOL									
	0.007	< 0.2	<0.02						
EXAHYDROTHYMOL	0.007 0.007	<0.2 ND	<0.02 ND						
EXAHYDROTHYMOL EROL									
IEXAHYDROTHYMOL IEROL ULEGONE	0.007	ND	ND						
IEXAHYDROTHYMOL IEROL PULEGONE SERANIOL	0.007 0.007	ND ND	ND ND						
JORNEOL HEXAHYDROTHYMOL HEROL PULEGONE HERANIOL HERANIOL HERANIOL HERANYLACETATE LIPHA-CEDRENE	0.007 0.007 0.007	ND ND <0.2	ND ND <0.02						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30624006-006 Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378

Sampled: 06/24/23 Ordered: 06/24/23 Sample Size Received : 16 gram
Total Amount : 2443 units

Completed: 06/27/23 Expires: 06/27/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD		Action Level	Pass/Fail		Pesticide	LC	D	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.0	01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.0	01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.0	01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.0)1	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.0		ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.0		ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND		0.0			0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR			ppm			
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.0		ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.0		ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.0	01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.0	01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.0	01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.0	01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.0		ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.0		ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND				PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PC	0.0 0.0		PPM	0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *						
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.0		PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.0		PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.0	01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.0	05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.0	05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig	iht: Exti	racti	on date:		Extracted	bv:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.214			3 15:15:24		450,585	
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL ((Gainesville), SC	P.T.:	30.102.FL (Davie), SOP.	T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061745PES	-6)			On:06/27/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PE Analyzed Date : N/A	:5)		Batch Date	e:06/25/23	14:13:03	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 25						
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 040521.11;	061923 R01 · 06	222	R R12 · 0620	123 R01 · 060	1523 R26: 062	123 R
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	001325.1101, 00		J.IKIZ, 002K	,23.1101, 001	3323.1120, 002	125.10
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is perfo		quid (Chromatogr	aphy Triple-C	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. I						
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weigh			n date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.2143	3		15:15:24	(Davie) CO	450,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Analytical Batch : DA061746VOL	(Gainesville), SC			:06/27/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				100/27/23 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/26/23 15:27:58				.,,	<i>.</i>	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 25						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 040521.11;		1223	3.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 147254	401					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is perform accordance with F.S. Rule 64ER20-3		as Ch	romatograp	hy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30624006-006 Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378

Sampled: 06/24/23 Ordered: 06/24/23

Sample Size Received: 16 gram Total Amount : 2443 units Completed: 06/27/23 Expires: 06/27/24 Sample Method: SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0262g	Extraction date: 06/27/23 13:15:		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA061767SOL Instrument Used: DA-GCMS-002

Dilution: 1

Analyzed Date: 06/27/23 13:18:22

Reagent: 030420.09 Consumables: 27296; KF140 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 06/27/23 14:11:24 Batch Date: 06/26/23 17:27:34

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30624006-006 Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378

Sampled: 06/24/23 Ordered: 06/24/23

Sample Size Received: 16 gram Total Amount: 2443 units Completed: 06/27/23 Expires: 06/27/24 Sample Method: SOP.T.20.010

PASSED

Page 5 of 6

Reviewed On: 06/27/23 11:54:09

Batch Date: 06/25/23 14:15:50



Microbial



Mycotovino

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS	S			Not Present	PASS		AFLATOXIN B2
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FUMIGA	TUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1
SALMONELLA SPECIFIC	GENE			Not Present	PASS		AFLATOXIN G2
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:
TOTAL YEAST AND MO	LD	10	CFU/g	<10	PASS	100000	3379, 585, 4044
Analyzed by:	Weight:	Extra	action date:		Extracted	by:	Analysis Method : SOP.T.30

0.838g 3621, 585, 4044 06/25/23 14:54:41

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA061730MIC

Reviewed On: 06/27/23

Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems Batch Date: 06/25/23 Thermocycler DA-013, fisherbrand Isotemp Heat Block

DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : N/A

Dilution: N/A

Reagent: 050223.43; 062323.R18; 092122.01 Consumables: 7562003034; 7562003051

Pipette: N/A

A	W-1-ba	Extraction date:	Fortunate d leve
Analyzed by: 3390, 3621, 585, 4044	Weight: 0.838a	N/A	Extracted by: 3702.3390
5550, 5022, 500, 1011	0.0509	11/7	3702,3330

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA061731TYM Instrument Used : Incubator (25-27C) DA-097 Reviewed On: 06/27/23 14:11:49 Batch Date : 06/25/23 09:29:05 **Analyzed Date:** 06/26/23 12:31:21

Dilution: 10 Reagent: 050223.43; 060723.R45

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

کړه	мусотохі		P F		
yte		LOD	Units	Result	Pa Fai
TOXIN E	32	0.002	ppm	ND	PA
	2.1	0.000		NID	

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2 AFLATOXIN B1 OCHRATOXIN A AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
		0.002	ppm	ND ND ND	PASS PASS PASS	0.02
		0.002	ppm			0.02
		0.002	ppm			0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction dat		Extracted by:		
3379, 585, 4044	0.2143q	06/26/23 15:1	15:24	4	150,585	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061747MYC

Instrument Used : N/A

Analyzed Date: N/A

Dilution: 25 Reagent: 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2	
CADMIUM		0.02	ppm	ND	PASS	0.2	
MERCURY		0.02	ppm	ND	PASS	0.2	
LEAD		0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 4044	Weight: 0.2389g	Extraction da 06/26/23 09			Extracted by: 3619		

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061723HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 06/26/23 14:35:26 Reviewed On: 06/27/23 11:08:57 Batch Date: 06/24/23 12:08:02

Dilution: 50

Reagent: 061523.R17; 042623.R82; 062323.R15; 062623.R01; 062323.R13; 061923.R19; 050923.01; 061423.R46

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30624006-006 Harvest/Lot ID: 6606 1082 7378 9128

Batch#: 6606 1082 7378

Sampled: 06/24/23 Ordered: 06/24/23

Sample Size Received: 16 gram Total Amount : 2443 units

Completed: 06/27/23 Expires: 06/27/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Reviewed On: 06/25/23 20:15:03 Batch Date: 06/25/23 19:07:43

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 4044 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA061754FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 06/25/23 19:22:55

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.01 aw 0.476 0.85 Extraction date: 06/25/23 12:31:50 Extracted by: 4056 Analyzed by: 4056, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA061733WAT

Instrument Used : DA-028 Rotronic Hygropalm

Reviewed On: 06/25/23 15:13:10 Batch Date: 06/25/23 11:03:30 Analyzed Date : N/A

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

