



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30624006-002
Harvest/Lot ID: HYB-LET-061323-A114
Batch#: 6208 4999 6710 0472
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5089 9946 2341 8494
Batch Date: 06/07/23
Sample Size Received: 56 gram
Total Amount: 4200 units
Retail Product Size: 3.5 gram
Ordered: 06/24/23
Sampled: 06/24/23
Completed: 06/27/23
Sampling Method: SOP.T.20.010

Jun 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
25.529%
Dry Weight



Total CBD
0.07%
Dry Weight



Total Cannabinoids
30.05%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)	Total THC	Total CBD	Total Cannabinoids
%	0.617	24.044	<0.01	0.069	0.032	0.047	0.696	<0.01	ND	ND	0.041	0.07	25.529	30.05	21.703%	0.06%	25.546%
mg/unit	21.595	841.54	<0.35	2.415	1.12	1.645	24.36	<0.35	ND	ND	1.435	2.45	893.515	1051.75	759.605 mg /Container	2.1 mg /Container	894.11 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	As Received		

Analyzed by:
1665, 3112, 585, 4044

Weight:
0.2005g

Extraction date:
06/26/23 09:27:43

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061749POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 06/26/23 09:30:19

Reviewed On : 06/27/23 11:09:43
Batch Date : 06/25/23 16:42:17

Dilution : 400
Reagent : 062323.R05; 071222.01; 062323.R03
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/27/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30624006-002
Harvest/Lot ID: HYB-LET-061323-A114

Batch# : 6208 4999 6710
Sample Size Received : 56 gram
Total Amount : 4200 units
Completed : 06/27/23 Expires: 06/27/24
Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-002
 Harvest/Lot ID: HYB-LET-061323-A114

 Batch# : 6208 4999 6710 Sample Size Received : 56 gram
 0472 Total Amount : 4200 units
 Sampled : 06/24/23 Completed : 06/27/23 Expires: 06/27/24
 Ordered : 06/24/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 4044Weight: 1.0864gExtraction date: 06/26/23 15:10:59Extracted by: 450,585 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch :DA061739PESReviewed On :06/27/23 21:25:09 Instrument Used :DA-LCMS-003 (PES)Batch Date :06/25/23 14:00:42 Analyzed Date :06/27/23 18:16:12 Dilution : 250 Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-002
 Harvest/Lot ID: HYB-LET-061323-A114

 Batch# : 6208 4999 6710 Sample Size Received : 56 gram
 0472 Total Amount : 4200 units
 Sampled : 06/24/23 Completed : 06/27/23 Expires: 06/27/24
 Ordered : 06/24/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 4044 Weight: 1.0896g Extraction date: 06/25/23 14:54:39 Extracted by: 3702						Analyzed by: 585, 3379, 4044 Weight: 1.0864g Extraction date: 06/26/23 15:10:59 Extracted by: 450,585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061730MIC Reviewed On : 06/27/23 13:00:54 Batch Date : 06/25/23 09:27:17						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061741MYC Reviewed On : 06/27/23 21:26:44 Batch Date : 06/25/23 14:04:50 Instrument Used : N/A Analyzed Date : 06/27/23 18:16:05					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : N/A						Dilution : 250 Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 050223.43; 062323.R18; 092122.01 Consumables : 7562003034; 7562003051 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2218g Extraction date: 06/26/23 08:24:46 Extracted by: 3619,1022											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061725HEA Reviewed On : 06/27/23 11:08:15 Batch Date : 06/24/23 12:09:13 Instrument Used : DA-ICPMS-003 Analyzed Date : 06/26/23 14:18:08											
Dilution : 50 Reagent : 061523.R17; 042623.R82; 062323.R15; 062323.R13; 061923.R19; 050923.01; 061423.R46; 062623.R01 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-002
 Harvest/Lot ID: HYB-LET-061323-A114

 Batch# : 6208 4999 6710
 0472
 Sampled : 06/24/23
 Ordered : 06/24/23
 Sample Size Received : 56 gram
 Total Amount : 4200 units
 Completed : 06/27/23 Expires: 06/27/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	14.99	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 06/25/23 19:22:55						Analyzed by: 4056, 585, 4044 Weight: 0.567g Extraction date: 06/25/23 12:56:39 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061754FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/25/23 20:15:00 Batch Date : 06/25/23 19:07:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA061732MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/25/23 15:13:04 Batch Date : 06/25/23 11:00:39					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.606	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.676g Extraction date: 06/25/23 12:31:49 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061733WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/25/23 15:13:03 Batch Date : 06/25/23 11:03:30					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.