



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30624005-002
Harvest/Lot ID: HYB-OGK-060523-C0093
Batch#: 2163 6369 4634 2866
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 4334 9820 9127 9440
Batch Date: 05/08/23
Sample Size Received: 38.5 gram
Total Amount: 2580 units
Retail Product Size: 3.5 gram
Ordered: 06/23/23
Sampled: 06/23/23
Completed: 06/28/23
Sampling Method: SOP.T.20.010

Jun 28, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED



Cannabinoid

PASSED



Total THC
25.699%
Dry Weight



Total CBD
0.057%
Dry Weight



Total Cannabinoids
29.946%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	1.003	24.472	<0.01	0.058	0.04	0.07	0.494	<0.01	<0.01	<0.01	0.039	0.057	25.699	29.946
mg/unit	35.105	856.52	<0.35	2.03	1.4	2.45	17.29	<0.35	<0.35	<0.35	1.365	1.995	899.465	1048.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
22.464%
786.24 mg /Container

Total CBD
0.05%
1.75 mg /Container

Total Cannabinoids
26.176%
916.16 mg /Container

As Received

Analyzed by:
1665, 3112, 585, 4044

Weight:
0.2174g

Extraction date:
06/26/23 09:27:39

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061749POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 06/26/23 09:30:19

Dilution : 400

Reagent : 062323.R05; 071222.01; 062323.R03

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 06/28/23 12:52:15

Batch Date : 06/25/23 16:42:17

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
06/28/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30624005-002

Harvest/Lot ID: HYB-OGK-060523-C0093

Batch# : 2163 6369 4634
2866

Sampled : 06/23/23
Ordered : 06/23/23

Sample Size Received : 38.5 gram

Total Amount : 2580 units

Completed : 06/28/23 Expires: 06/28/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	90.965	2.599		FARNESENE	0.001	1.12	0.032	
TOTAL TERPINEOL	0.007	2.205	0.063		ALPHA-HUMULENE	0.007	2.415	0.069	
ALPHA-BISABOLOL	0.007	1.225	0.035		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.485	0.071		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.735	0.021		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	3.85	0.11		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	26.32	0.752		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 4044</div> <div>Weight: 1.0058g</div> <div>Extraction date: 06/25/23 13:18:11</div> <div>Extracted by: 1879</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA061728TER</div> <div>Instrument Used : DA-GCMS-008</div> <div>Analyzed Date : 06/26/23 17:39:02</div> <div>Reviewed On : 06/27/23 20:10:49</div> <div>Batch Date : 06/24/23 12:49:18</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	21	0.6						
EUCALYPTOL	0.007	ND	ND		<div>Dilution : 10</div> <div>Reagent : 121622.30</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
OCIMENE	0.007	<0.7	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND		<div>Total (%) 2.599</div>				
FENCHONE	0.007	<1.4	<0.04						
LINALOOL	0.007	7.315	0.209						
FENCHYL ALCOHOL	0.007	2.765	0.079						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	8.085	0.231						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30624005-002

Harvest/Lot ID: HYB-OGK-060523-C0093

 Batch# : 2163 6369 4634
 2866

 Sampled : 06/23/23
 Ordered : 06/23/23

Sample Size Received : 38.5 gram

Total Amount : 2580 units

 Completed : 06/28/23 Expires: 06/28/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 4044	0.9188g	06/26/23 15:10:58	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061739PES			Reviewed On : 06/27/23 21:25:08		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/25/23 14:00:42		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/27/23 18:16:12					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9188g	06/26/23 15:10:58	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061740VOL			Reviewed On : 06/27/23 11:00:43		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 06/25/23 14:02:22		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/26/23 15:27:27					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30624005-002

Harvest/Lot ID: HYB-OGK-060523-C0093

 Batch# : 2163 6369 4634
 2866

 Sampled : 06/23/23
 Ordered : 06/23/23




Sample Size Received : 38.5 gram

Total Amount : 2580 units

Completed : 06/28/23 Expires: 06/28/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	11000	PASS	100000	Analyzed by: 585, 3379, 4044	Weight: 0.9188g	Extraction date: 06/26/23 15:10:58		Extracted by: 450,585	
Analyzed by: 3390, 3621, 585, 4044 Weight: 1.1599g Extraction date: 06/24/23 13:52:02 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061714MIC Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/26/23 14:24:47 Dilution : N/A Reagent : 050223.53; 062323.R18; 092122.01; 092122.09 Consumables : 7562003051 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061741MYC Instrument Used : N/A Analyzed Date : 06/27/23 18:16:05 Dilution : 250 Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
						<div><div></div> Heavy Metals</div> <div>PASSED</div>					
						Metal	LOD	Units	Result	Pass / Fail	Action Level
						TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
						ARSENIC	0.02	ppm	ND	PASS	0.2
						CADMIUM	0.02	ppm	ND	PASS	0.2
						MERCURY	0.02	ppm	ND	PASS	0.2
						LEAD	0.02	ppm	ND	PASS	0.5
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 3807, 585, 4044	Weight: 0.2403g	Extraction date: 06/26/23 08:23:54		Extracted by: 3807,3619	



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624005-002
 Harvest/Lot ID: HYB-OGK-060523-C0093

 Batch# : 2163 6369 4634
 2866
 Sampled : 06/23/23
 Ordered : 06/23/23
 Sample Size Received : 38.5 gram
 Total Amount : 2580 units
 Completed : 06/28/23 Expires: 06/28/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.59	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 06/25/23 19:22:55						Analyzed by: 4056, 585, 4044 Weight: 0.532g Extraction date: 06/24/23 16:17:59 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061754FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/25/23 20:14:59 Batch Date : 06/25/23 19:07:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA061720MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/25/23 15:13:02 Batch Date : 06/24/23 11:38:49					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.554	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.663g Extraction date: 06/24/23 16:30:38 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061721WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/25/23 15:13:01 Batch Date : 06/24/23 11:39:10					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.