

Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix: Derivative Type: Distillate




4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch#: 0670 5264 5931 7494 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 1245 3365 2575 4599 Batch Date: 04/05/23 Sample Size Received: 15.5 gram Total Amount: 2859 units Retail Product Size: 0.5 gram Ordered: 06/26/23 Sampled: 06/26/23

Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

06/29/23



Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@aetfluent.com Sample : DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch# : 0670 5264 5931 Sample 7494 Tatel 4

Sampled : 06/26/23 Ordered : 06/26/23 31 7494 Sample Size Received : 15.5 gram Total Amount : 2859 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

| A | |
|---|---|
| Q |) |

Terpenes

| Terpenes | LOD (%) | mg/unit | : % Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) |
|-------------------|------------|---------|----------------|---|--------------------|------------|------------------|-------------|--|
| OTAL TERPENES | 0.007 | 7.675 | 1.535 | FARNESENE | | 0.001 | 0.28 | 0.056 | |
| OTAL TERPINEOL | 0.007 | 0.12 | 0.024 | ALPHA-HUMULENE | | 0.007 | <0.1 | < 0.02 | |
| LPHA-BISABOLOL | 0.007 | 0.115 | 0.023 | VALENCENE | | 0.007 | 0.295 | 0.059 | |
| LPHA-PINENE | 0.007 | 0.27 | 0.054 | CIS-NEROLIDOL | | 0.007 | ND | ND | |
| AMPHENE | 0.007 | ND | ND | TRANS-NEROLIDOL | | 0.007 | ND | ND | |
| ABINENE | 0.007 | ND | ND | CARYOPHYLLENE OXIDE | | 0.007 | 0.135 | 0.027 | |
| ETA-PINENE | 0.007 | 0.39 | 0.078 | GUAIOL | | 0.007 | ND | ND | |
| ETA-MYRCENE | 0.007 | 0.73 | 0.146 | CEDROL | | 0.007 | ND | ND | |
| LPHA-PHELLANDRENE | 0.007 | 0.26 | 0.052 | Analyzed by: | Weight: | | Extraction d | ate: | Extracted by: |
| -CARENE | 0.007 | 0.12 | 0.024 | 2076, 585, 1440 | 1.1311g | | 06/27/23 11 | :35:07 | 2076 |
| LPHA-TERPINENE | 0.007 | < 0.1 | <0.02 | Analysis Method : SOP.T.30.061A.FL | , SOP.T.40.061A.F | | | | |
| IMONENE | 0.007 | 0.655 | 0.131 | Analytical Batch : DA061798TER Instrument Used : DA-GCMS-008 | | | | | 6/29/23 11:56:56 27/23 10:23:51 |
| JCALYPTOL | 0.007 | ND | ND | Analyzed Date : N/A | | | Batch | Date: 00/ | 27/23 10:23:51 |
| CIMENE | 0.007 | 0.57 | 0.114 | Dilution : 10 | | | | | |
| AMMA-TERPINENE | 0.007 | ND | ND | Reagent : 121622.30 | | | | | |
| ABINENE HYDRATE | 0.007 | ND | ND | Consumables : 210414634; MKCN99 | 995; CE0123; R1KB | 14270 | | | |
| ERPINOLENE | 0.007 | 2.28 | 0.456 | Pipette : N/A | | | | | |
| ENCHONE | 0.007 | ND | ND | Terpenoid testing is performed utilizing (| Gas Chromatography | Mass Spect | rometry. For all | Flower samp | les, the Total Terpenes % is dry-weight corrected. |
| NALOOL | 0.007 | 0.17 | 0.034 | | | | | | |
| INCHYL ALCOHOL | 0.007 | 0.115 | 0.023 | | | | | | |
| OPULEGOL | 0.007 | ND | ND | | | | | | |
| AMPHOR | 0.007 | ND | ND | | | | | | |
| OBORNEOL | 0.007 | ND | ND | | | | | | |
| ORNEOL | 0.013 | ND | ND | | | | | | |
| EXAHYDROTHYMOL | 0.007 | <0.1 | <0.02 | | | | | | |
| EROL | 0.007 | ND | ND | | | | | | |
| ULEGONE | 0.007 | ND | ND | | | | | | |
| ERANIOL | 0.007 | ND | ND | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| | 0.007 | ND | ND | | | | | | |
| LPHA-CEDRENE | | | | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix : Derivative



PASSED

PASSED

Page 3 of 6

Type: Distillate

Certificate of Analysis FLUENT

DAVIE, FL, 33314, US (954) 368-7664

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

R;

0

Sample : DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch#: 0670 5264 5931

Sampled : 06/26/23 Ordered : 06/26/23

Sample Size Received : 15.5 gram Total Amount : 2859 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Pesticides

| Pesticide | | Units | Action Level | Pass/Fail | | Pesticide | | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|-----------------|-----------|----|---|----------------|-------------------------------|--------------|-----------------|-----------------|------------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | | 0.01 | maa | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | | | 0.01 | 1.1. | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | | | ppm | | | |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | | 0.01 | ppm | 0.2 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | | 0.01 | maa | 0.1 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | | 0.01 | ppm | 0.5 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | | 0.01 | ppm | 0.1 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | | | | | | | |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | PENTACHLORONITROBENZER | NE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | PARATHION-METHYL * | | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | | 0.07 | PPM | 0.7 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CHLORDANE * | | 0.01 | PPM | 0.1 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | | 0.01 | PPM | 0.1 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * CYPERMETHRIN * | | 0.05 | PPM | 0.5 | PASS | ND |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | | | 0.05 | PPM | 0.5 | PASS | ND |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extra a | tion date: | | Extracted | huu |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | 585, 3379, 1440 | 0.2276g | | 23 14:44:39 | | 450.585 | by: |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method :SOP.T.30.1 | | | | (Davie), SOP | | Gainesvill |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | o in E (ouncou | | 100110EII E | (Barre)) Bor | | ouncorn |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA061804PES Reviewed On : 06/29/23 1 | | | | | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-0 | | Batch Date :06/27/23 10:39:05 | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 06/27/23 18:1 | 17:41 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | 0500 000 0 | CO100 DO1 0 | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 062223.R12; 06262 Consumables : 6697075-02 | 23.R07; 061423 | .RZ3; 062 | JZ3.RU1; 06 | 0523.R26; 0 | 62123.R01; 04 | 40521.11 |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA- | -219 | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is | | izina Liauia | Chromaton | raphy Triple-(| Quadrupole Ma | ss |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Spectrometry in accordance wit | | | r ennonnacog | apity thiple . | quudiupole i la | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extracti | on date: | | Extracted | by: |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | 450, 585, 1440 | 0.2276g | 06/27/23 | 3 14:44:39 | | 450,585 | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.1 | | | | | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Analytical Batch : DA061806V | | | | :06/28/23 1 | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-C | | B | atch Date : | 06/27/23 10: | :40:48 | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 06/27/23 15:5 | 02:23 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 Reagent : 061423.R23; 04052 | 1 11. 061222 | 225: 0612 | 23 824 | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02: 1 | | 123, 0012 | 2J.RZ4 | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA- | | | | | | |
| | | P | 0.25 | PASS | ND | Testing for agricultural agents is | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch# : 0670 5264 5931 Sample 7494 Sampled : 06/26/23 Complet Ordered : 06/26/23 Sample

931 7494 Sample Size Received : 15.5 gram Total Amount : 2859 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



Residual Solvents

| Solvents | LOD | Units | Action Level | Pass/Fail | Result | |
|---|--------------------|---------------------------------|--|---------------|-------------------------------|---|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND | |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND | |
| ACETONE | 75 | ppm | 750 | PASS | ND | |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND | |
| BENZENE | 0.1 | ppm | 1 | PASS | ND | |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND | |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND | |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND | |
| ETHANOL | 500 | ppm | 5000 | PASS | ND | |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND | |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND | |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND | |
| HEPTANE | 500 | ppm | 5000 | PASS | ND | |
| METHANOL | 25 | ppm | 250 | PASS | ND | |
| N-HEXANE | 25 | ppm | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND | |
| PROPANE | 500 | ppm | 5000 | PASS | ND | |
| TOLUENE | 15 | ppm | 150 | PASS | ND | |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND | |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND | |
| Analyzed by: 850, 585, 1440 | Weight: 0.0224g | Extraction date: 06/28/23 12:13 | | | Extracted by: 350 | |
| Analysis Method : SOP.T.40.041.FL Analytical Batch : DA061822SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/28/23 12:15:18 | | | ved On : 06/28/23 14:14:19 Date : 06/27/23 13:57:16 | | | |
| Dilution : 1 Reagent : N/A Consumables : N/A Pipette : N/A | | | \mathcal{W} | \mathcal{N} | $\langle \mathcal{N} \rangle$ | V |

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

Microbial

Sample : DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch#:0670 5264 5931

Sampled : 06/26/23 Ordered : 06/26/23 Sample Size Received : 15.5 gram Total Amount : 2859 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

| P | AS | S | É | D |
|---|----|---|---|---|

PASSED

PASSED

| ৲ঞ | PIICI | UDIA | | | | FAJ | JLD |
|---|--|---|------------------|-------------------------------------|--|-------------------------|-----------------|
| Analyte | | $\overline{\times}$ | LOD | Units | Result | Pass / Fail | Action Level |
| ECOLI SHIGI | ELLA | | | | Not Present | PASS | |
| SALMONELL | A SPECIFIC O | SENE | | | Not Present | PASS | |
| ASPERGILLU | IS FLAVUS | | | | Not Present | PASS | |
| ASPERGILLU | IS FUMIGATU | IS | | | Not Present | PASS | |
| ASPERGILLU | IS TERREUS | | | | Not Present | PASS | |
| ASPERGILLU | IS NIGER 🔵 | | | | Not Present | PASS | |
| TOTAL YEAS | T AND MOLD | | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3390, 585, 144 | | Weight: 1.131g | | action date: 7/23 12:14:5 | 2 | Extracted 3702 | by: |
| Analytical Bat Instrument Us Biosystems Th DA-020,fisher sotemp Heat Analyzed Date | od : SOP.T.40. ch : DA061778 net : Pathogen hermocycler D brand Isotemp Block DA-021 : 06/27/23 12 | MIC Dx Scanner A-013,fisher Heat Block | DA-111 rbrand | L,Applied Isotemp Heat | Revie 17:44 Batch Block 08:42 | Date : 06/2 | |
| | 323.R18; 092: : 7562003050 | U22.01; 092 Weight: 1.131a | E | ; 050223.39 xtraction date /A | | tracted by: 202.3390 | 4 |
| Analysis Meth Analytical Bat Instrument Us | od : SOP.T.40. ch : DA061802 ed : Incubator : 06/27/23 15 | 208 (Gaines TYM (25-27C) D | sville), S | SOP.T.40.209 Revie | | 9/23 14:24 | |
| Dilution : 10 Reagent : 060 Consumables Pipette : N/A | 723.R45; 0502 : N/A | 223.39 | | | | | |

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| PASSED | ې پې | Mycotox | ins | | I | PAS | SED |
|-------------------------------|---|---------------------|---------------------------------|-----------|--------------------------|--------------------|-----------------|
| Pass / Action Fail Level | Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| PASS | AFLATOXIN B2 | | 0.002 | ppm | ND | PASS | 0.02 |
| PASS | AFLATOXIN B1 | | 0.002 | ppm | ND | PASS | 0.02 |
| PASS | OCHRATOXIN A | | 0.002 | ppm | ND | PASS | 0.02 |
| PASS | AFLATOXIN G1 | | 0.002 | ppm | ND | PASS | 0.02 |
| PASS | AFLATOXIN G2 | | 0.002 | ppm | ND | PASS | 0.02 |
| PASS PASS 100000 | Analyzed by: 585, 3379, 1440 | Weight: 0.2276g | Extraction dat 06/27/23 14:4 | | | xtracted 50,585 | by: |
| Extracted by: 3702 | Analysis Method : S SOP.T.30.102.FL (Da | avie), SOP.T.40.102 | .FL (Davie) | | | | |
| wed On: 06/28/23 | Analytical Batch : D Instrument Used : N Analyzed Date : 06/2 | /A | | | 6/29/23 10 27/23 10:4 | | |
| Date : 06/27/23 :17 | Dilution : 250 Reagent : 062223.R 040521.11 | 12; 062623.R07; 06 | 61423.R23; 0620 | 23.R01; 0 | 60523.R2 | 6; 062123 | 3.R01; |
| | Consumables : 6697 Pipette : DA-093; D/ | | | | | | |

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals Hg

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|------------------------------|-------|--------------------------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD M | TALS 0.08 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: 1022, 585, 1440 0.24859 | Extraction da 06/27/23 11 | | | Extracted | l by: |
| Analysis Method : SOP.T.30.082.FL, Analytical Batch : DA061800HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/27/23 15:48:23 | Review | | /28/23 10: 7/23 10:30 | | |

Reagent: 061523.R17; 062323.R15; 062623.R01; 062323.R13; 061923.R19; 050923.01; 061423.R46

Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Everglade Haze Cartridge Concentrate 0.5g Everglade Haze Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 06/26/23

FLUENT

 \bigcirc

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30627005-002 Harvest/Lot ID: 0670 5264 5931 7494 Batch#:0670 5264 5931 Sampled : 06/26/23

Sample Size Received : 15.5 gram Total Amount : 2859 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

| | Filth/Fo Materia | | | ΡΑ | SSED |
|---|--|--------------------------------------|------------------|--------------|------------------------------|
| Analyte Filth and Fore | ign Material | LOD Units 0.1 % | Result ND | P/F PASS | Action Level |
| Analyzed by: 1879, 1440 | Weight: NA | Extraction N/A | date: | Extra N/A | cted by: |
| | | rial Microscope | | | 8/23 14:01:20 23 11:33:51 |
| Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A | I/A | | | | |
| Filth and foreign n technologies in ac | naterial inspection is pe cordance with F.S. Rule | erformed by visual in: 64ER20-39. | spection utilizi | ing naked ey | e and microscope |
| | Water A | ctivity | | PA | SSED |

| | | | | | | -/-/ |
|--|------------------------------|------------------------------|--------------------|--------------------------|-------------|------------------------|
| Analyte Water Activity | | LOD | Units aw | Result | P/F PASS | Action Leve |
| Analyzed by: 585, 4056, 1440 | Weight: 0.422g | Extraction da 06/29/23 13 | | date: | E | tracted by: |
| Analysis Method : SOF Analytical Batch : DAG Instrument Used : DA Analyzed Date : 06/27 | 061815WAT -028 Rotronic H | lygropa | lm | Reviewed C Batch Date | | 3 14:23:30 11:04:08 |
| Dilution : N/A Reagent : 050923.03 Consumables : PS-14 | | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/29/23

PASSED

Page 6 of 6

Type: Distillate