



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30627005-005

Harvest/Lot ID: ID-BLI-041123-A105

Batch#: 3349 1875 5666 9650

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 2705 7162 2625 3553

Batch Date: 04/06/23

Sample Size Received: 25.55 gram

Total Amount: 3414 units

Retail Product Size: 0.35 gram

Ordered: 06/26/23

Sampled: 06/26/23

Completed: 06/29/23

Sampling Method: SOP.T.20.010

PASSED

Jun 29, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

24.587%

Dry Weight



Total CBD

0.067%

Dry Weight



Total Cannabinoids

28.808%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.831	23.909	<0.01	0.069	0.024	0.102	0.539	0.014	<0.01	ND	0.054	0.067	24.587	28.808
mg/unit	2.908	83.681	<0.035	0.241	0.084	0.357	1.886	0.049	<0.035	ND	0.189	0.234	86.054	100.828
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
21.799%
76.296 mg /Container

Total CBD
0.06%
0.21 mg /Container

Total Cannabinoids
25.542%
89.397 mg /Container

As Received

Analyzed by:
1665, 3112, 585, 1440

Weight:
0.2096g

Extraction date:
06/27/23 12:17:22

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061797POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 06/27/23 12:44:22

Reviewed On : 06/28/23 17:45:09
Batch Date : 06/27/23 10:23:06

Dilution : 400
Reagent : 062323.R05; 030923.08; 062323.R03
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
06/29/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30627005-005
 Harvest/Lot ID: ID-BLI-041123-A105

 Batch# : 3349 1875 5666 Sample Size Received : 25.55 gram
 9650 Total Amount : 3414 units
 Sampled : 06/26/23 Completed : 06/29/23 Expires: 06/29/24
 Ordered : 06/26/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	2.012	0.575		FARNESENE		0.07	0.02	
TOTAL TERPINEOL	0.007	0.08	0.023		ALPHA-HUMULENE	0.007	0.098	0.028	
ALPHA-BISABOLOL	0.007	0.077	0.022		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.238	0.068		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.07	<0.02		TRANS-NEROLIDOL	0.007	<0.07	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.07	<0.02	
BETA-PINENE	0.007	0.112	0.032		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.276	0.079		CEDROL	0.007	<0.07	<0.02	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 1440Weight: 0.9175gExtraction date: 06/27/23 12:01:08Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA061799TERInstrument Used : DA-GCMS-004Reviewed On : 06/29/23 16:35:04Analyzed Date : 06/27/23 18:10:08Batch Date : 06/27/23 10:25:43</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Dilution : 10Reagent : 121622.30Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div>				
LIMONENE	0.007	0.154	0.044		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.07	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.14	<0.04						
LINALOOL	0.007	0.213	0.061						
FENCHYL ALCOHOL	0.007	0.084	0.024						
ISOPULEGOL	0.007	<0.07	<0.02						
CAMPHOR	0.007	<0.21	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.07	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.07	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.381	0.109						
Total (%)				0.575					



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30627005-005
 Harvest/Lot ID: ID-BLI-041123-A105

 Batch# : 3349 1875 5666 Sample Size Received : 25.55 gram
 9650 Total Amount : 3414 units
 Sampled : 06/26/23 Completed : 06/29/23 Expires: 06/29/24
 Ordered : 06/26/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379, 1440	0.8443g	06/27/23 13:46:17	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061807PES			Reviewed On : 06/29/23 10:45:19		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/27/23 10:41:53		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/27/23 18:21:12					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8443g	06/27/23 13:46:17	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061809VOL			Reviewed On : 06/29/23 10:28:19		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/27/23 10:43:17		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/27/23 14:42:10					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30627005-005
 Harvest/Lot ID: ID-BLI-041123-A105

 Batch# : 3349 1875 5666 Sample Size Received : 25.55 gram
 9650 Total Amount : 3414 units
 Sampled : 06/26/23 Completed : 06/29/23 Expires: 06/29/24
 Ordered : 06/26/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial						 Mycotoxins						 Heavy Metals					
PASSED						PASSED						PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	ARSENIC	0.02	ppm	ND	PASS	0.2
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	CADMIUM	0.02	ppm	ND	PASS	0.2
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	MERCURY	0.02	ppm	ND	PASS	0.2
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	LEAD	0.02	ppm	ND	PASS	0.5
ASPERGILLUS NIGER			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 585, 3379, 1440	Weight: 0.8443g	Extraction date: 06/27/23 13:46:17	Extracted by: 450,585								
Analyzed by: 3390, 585, 1440 Weight: 1.1781g Extraction date: 06/27/23 12:14:53 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061778MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/27/23 12:14:04 Dilution : N/A Reagent : 062323.R18; 092122.01; 092122.09; 050223.39 Consumables : 7562003050 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061808MYC Instrument Used : N/A Analyzed Date : 06/27/23 18:21:19 Dilution : 250 Reagent : 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 1440 Weight: 0.2982g Extraction date: 06/27/23 10:47:39 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061792HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 06/27/23 15:58:05 Dilution : 50 Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 061423.R46 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 585, 1440 Weight: 1.1781g Extraction date: N/A Extracted by: 3702, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA061802TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 06/27/23 15:03:16 Dilution : 10 Reagent : 060723.R45; 050223.39 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Reviewed On : 06/29/23 10:41:52 Batch Date : 06/27/23 10:43:15 Reviewed On : 06/28/23 10:44:03 Batch Date : 06/27/23 10:08:12											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30627005-005
 Harvest/Lot ID: ID-BLI-041123-A105

 Batch# : 3349 1875 5666 Sample Size Received : 25.55 gram
 9650 Total Amount : 3414 units
 Sampled : 06/26/23 Completed : 06/29/23 Expires: 06/29/24
 Ordered : 06/26/23 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.34	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date: 06/28/23 11:42:36						Analyzed by: 3807, 585, 1440 Weight: 0.497g Extraction date: 06/27/23 21:09:23 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061854FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/28/23 14:00:40 Batch Date : 06/28/23 11:32:18						Analysis Method : SOP.T.40.021 Analytical Batch : DA061813MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/28/23 10:13:31 Batch Date : 06/27/23 11:02:25					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.501	PASS	0.65
Analyzed by: 3807, 585, 1440 Weight: 0.608g Extraction date: 06/28/23 11:37:55 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061814WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/28/23 14:13:01 Batch Date : 06/27/23 11:02:38					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.