

T306228

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples

# FLUENT

CANNABIS CARE

Seed to Sale : 4094 7766 6653 1570  
Retail Batch#: 4094 7766 6653 1570  
Retail Batch Total Wt/Vol: 402g  
Retail Batch Total Units 1340  
Retail Batch Date: 05/11/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Kiwi X Kiwi  
Sampling SOP 1260

Compliance for Retail: **PASS**

## Kiwi X Kiwi Disposable Pen 0.3g

Sample ID: T306228-01  
Matrix: Derivative Inhalable

Total Sample Received: 15.3g  
Total Units Received: 51  
Unit Weight: 0.3g


Date Sampled: 06/10/2023  
Date Received: 06/10/2023  
Date Reported: 06/14/2023

## Safety Summary

<b>Foreign Materials</b> <b>PASS</b>	<b>Heavy Metals</b> <b>PASS</b>	<b>Homogeneity</b> <b>NOT TESTED</b>	<b>Label Claim</b> <b>NOT TESTED</b>	<b>Microbials</b> <b>PASS</b>	<b>Moisture Content</b> <b>NOT TESTED</b>
<b>Mycotoxins</b> <b>PASS</b>	<b>Pesticides</b> <b>PASS</b>	<b>Residual Solvents</b> <b>PASS</b>	<b>TCL</b> <b>PASS</b>	<b>Terpenes</b> <b>TESTED</b>	<b>Water Activity</b> <b>PASS</b>



## Potency Summary



## Terpenes Summary

Date Prepared: 06/12/2023 08:34  
Date Analyzed: 06/13/2023 17:01  
Lab Batch: 2324003

Prep ID: 4599  
Analyzed ID: 2447

Specimen Wt: 0.11 g  
Instrument: GCMS  
Prep/Analysis Method: SOP1360

Analyte	Dilution	LOD	Results
		%	%
beta-Myrcene	1	0.0234	1.12
D-Limonene	1	0.0234	0.504
E-Caryophyllene	1	0.0234	0.359
Farnesene	1	0.0234	0.142
Linalool	1	0.0234	0.135
alpha-Humulene	1	0.0234	0.0941
beta-Pinene	1	0.0234	0.0843
alpha-Pinene	1	0.0234	0.0778
alpha-Fenchyl alcohol, (+)-	1	0.0234	0.0522
beta-Ocimene	1	0.0234	0.0437
3-Carene (+)-	1	0.0234	ND
alpha Bisabolol, L	1	0.0234	ND
alpha-Cedrene	1	0.0234	ND
alpha-Phellandrene	1	0.0234	ND
alpha-Terpinene	1	0.0234	ND
<b>Total Terpenes</b>			<b>2.612</b>

Terpene results are provided for informational purposes only.  
LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Cannabinoids

Date Prepared: 06/12/2023 08:32  
Date Analyzed: 06/13/2023 16:19  
Lab Batch: 2324025

Prep ID: 4599  
Analyst ID: 5047-0754

Specimen Wt: 0.107 g  
Instrument: HPLC VWD  
Prep/Analysis Method: SOP 1357

Analyte	Dilution	LOD	Results	Result
		%	%	mg/g
Cannabichromene (CBC)	1	0.0457	1.02	10.2
Cannabidiol (CBD)	1	0.0457	0.200	2.00
Cannabidiolic acid (CBDA)	1	0.0457	ND	ND
Cannabidivarin (CBDV)	1	0.0457	ND	ND
Cannabigerol (CBG)	1	0.0457	2.59	25.9
Cannabigerolic acid (CBGA)	1	0.0457	ND	ND
Cannabinol (CBN)	1	0.0457	0.660	6.60
d8 - Tetrahydrocannabinoid (d8-THC)	1	0.0457	ND	ND
d9 - Tetrahydrocannabinoid (d9-THC)	10	0.457	91.3	913
d9 - Tetrahydrocannabinolic acid (THCA)	1	0.0457	0.208	2.08
Tetrahydrocannabivarin (THCV)	1	0.0457	0.510	5.10
<b>Total THC</b>			<b>91.5</b>	<b>915</b>
<b>Total CBD</b>			<b>0.200</b>	<b>2.00</b>
<b>Total Cannabinoids</b>			<b>96.5</b>	<b>965</b>

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.  
mg/Unit = Unit Weight g \* Total THC/CBD mg/g  
LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
Flower results reported on a dry weight basis

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com



Brian C. Spann  
Laboratory Director



1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from Terplife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)



# Certificate of Analysis

Lab State Certification/License: CMTL-00010



T306228

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples

# FLUENT

CANNABIS CARE

Seed to Sale : 4094 7766 6653 1570  
Retail Batch#: 4094 7766 6653 1570  
Retail Batch Total Wt/Vol: 402g  
Retail Batch Total Units 1340  
Retail Batch Date: 05/11/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Kiwi X Kiwi  
Sampling SOP 1260

Compliance for Retail: **PASS**

### Kiwi X Kiwi Disposable Pen 0.3g

Sample ID: T306228-01  
Matrix: Derivative Inhalable

Total Sample Received: 15.3g  
Total Units Received: 51  
Unit Weight: 0.3g

Date Sampled: 06/10/2023  
Date Received: 06/10/2023  
Date Reported: 06/14/2023

### Pesticides

**Pass**

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Extracted	ExtractedBy	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2324004	LCMSMS	6/13/2023 10:17:50AM	2670	6/12/2023 8:35:00AM	4599	1.02	SOP1350
* Pesticides GCQQQ	2324005	GCMSMS	6/13/2023 10:18:53AM	0754-2670	6/12/2023 8:38:00AM	4599	1.02	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limit	LOD	Results	Status
Abamectin	1	100	10	ND	Pass	Malathion	1	200	20	ND	Pass
Acephate	1	100	10	ND	Pass	Metalaxyl	1	100	10	ND	Pass
Acequinocyl	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Acetamiprid	1	100	10	ND	Pass	Methomyl	1	100	10	ND	Pass
Aldicarb	1	100	10	ND	Pass	Mevinphos	1	100	10	ND	Pass
Azoxystrobin	1	100	10	ND	Pass	Myclobutanil	1	100	10	ND	Pass
Bifenazate	1	100	10	ND	Pass	Naled	1	250	25	ND	Pass
Bifenthrin	1	100	10	ND	Pass	Oxamyl	1	500	50	ND	Pass
Boscalid	1	100	10	ND	Pass	Paclobutrazol	1	100	10	ND	Pass
Carbaryl	1	500	50	ND	Pass	Permethrin	1	100	10	ND	Pass
Carbofuran	1	100	10	ND	Pass	Phosmet	1	100	10	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Chloromequat Chloride	1	1000	100	ND	Pass	Prallethrin	1	100	10	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Propiconazole	1	100	10	ND	Pass
Clofentezine	1	200	20	ND	Pass	Propoxur	1	100	10	ND	Pass
Coumaphos	1	100	10	ND	Pass	Pyrethrins	1	500	50	ND	Pass
Cyfluthrin	1	500	50	ND	Pass	Pyridaben	1	200	20	ND	Pass
Cypermethrin	1	500	50	ND	Pass	Spinetoram, total	1	200	20	ND	Pass
Daminozide	1	100	10	ND	Pass	Spinosad, total	1	100	10	ND	Pass
Diazinon	1	100	10	ND	Pass	Spiromesifen	1	100	10	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spirotetramat	1	100	10	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Dimethomorph	1	200	20	ND	Pass	Tebuconazole	1	100	10	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Thiamethoxam	1	500	50	ND	Pass
Etoxazole	1	100	10	ND	Pass	Trifloxystrobin	1	100	10	ND	Pass
Fenhexamid	1	100	10	ND	Pass	Captan*	1	700	70	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Fenpyroximate	1	100	10	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fipronil	1	100	10	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Flonicamid	1	100	10	ND	Pass	Pentachloronitrobenzene*	1	150	15	ND	Pass
Fludioxonil	1	100	10	ND	Pass						
Hexythiazox	1	100	10	ND	Pass						
Imazalil	1	100	10	ND	Pass						
Imidacloprid	1	400	40	ND	Pass						
Kresoxim-methyl	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
\* - GCMSMS Pesticides

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)



# Certificate of Analysis

Lab State Certification/License: CMTL-00010



T306228

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples

# FLUENT

CANNABIS CARE

Seed to Sale : 4094 7766 6653 1570  
Retail Batch#: 4094 7766 6653 1570  
Retail Batch Total Wt/Vol: 402g  
Retail Batch Total Units 1340  
Retail Batch Date: 05/11/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Kiwi X Kiwi  
Sampling SOP 1260

Compliance for Retail: **PASS**

## Kiwi X Kiwi Disposable Pen 0.3g

Sample ID: T306228-01  
Matrix: Derivative Inhalable

Total Sample Received: 15.3g  
Total Units Received: 51  
Unit Weight: 0.3g

Date Sampled: 06/10/2023  
Date Received: 06/10/2023  
Date Reported: 06/14/2023

## Mycotoxins

Date Prepared: 06/12/2023 08:35 Extracted By: 4599 Specimen Wt: 1.02 g  
Date Analyzed: 06/13/2023 10:17 Analyzed By: 2670 Instrument: LCMSMS  
Lab Batch: 2324004 Prep Method: SOP 1363 Analysis Method: SOP 1350

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Microbials

Date Prepared: 06/12/2023 13:34 Prep ID: 1093 Specimen Wt: 1.00 g  
Date Analyzed: 06/13/2023 14:52 Analyst ID: 1093 Instrument: qPCR  
Lab Batch: 2324030 Analysis Method: SOP1353/1364 /1352

**Pass**

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Total Contaminant Load

	Action Limit	ppb	Results	Status
Total Contaminant Load	5,000.00		ND	Pass

Heavy Metals & Pesticides

## Heavy Metals

Date Prepared: 06/13/23 11:22 Extracted By: MM Specimen Prep: 0.51 g / 25 mL  
Date Analyzed: 06/13/23 13:43 Analyzed By: JG Instrument: ICPMS  
Lab Batch: B23F026 Analysis Method: AL SOP19

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20	ND	Pass
Cadmium	1	200	20	ND	Pass
Lead	1	500	50	ND	Pass
Mercury	1	200	20	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Water Activity

Date Prepared: 06/12/2023 17:33 Prep ID: 1150 Specimen Wt: 0.16 g  
Date Analyzed: 06/12/2023 17:33 Analyst ID: 3780 Instrument: Water Activity Meter  
Lab Batch: 2324006 Analysis Method: SOP1355

**Pass**

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.48	Pass

ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)



# Certificate of Analysis

Lab State Certification/License: CMTL-00010



T306228

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples

# FLUENT

CANNABIS CARE

Seed to Sale : 4094 7766 6653 1570  
Retail Batch#: 4094 7766 6653 1570  
Retail Batch Total Wt/Vol: 402g  
Retail Batch Total Units 1340  
Retail Batch Date: 05/11/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Kiwi X Kiwi  
Sampling SOP 1260

Compliance for Retail: **PASS**

## Kiwi X Kiwi Disposable Pen 0.3g

Sample ID: T306228-01  
Matrix: Derivative Inhalable

Total Sample Received: 15.3g  
Total Units Received: 51  
Unit Weight: 0.3g

Date Sampled: 06/10/2023  
Date Received: 06/10/2023  
Date Reported: 06/14/2023

## Residual Solvents

**Pass** Terpenes Summary

Date Prepared: 06/12/2023 12:15 Prep ID: 2447  
Date Analyzed: 06/12/2023 17:14 Analyst ID: 2447  
Lab Batch: 2324009 Specimen Wt: 0.05 g  
Instrument: GCMSMS Headspace  
Analysis Method: SOP1361

Date Prepared: 06/12/2023 08:34 Prep ID: 4599  
Date Analyzed: 06/13/2023 17:01 Analyst ID: 2447  
Lab Batch: 2324003 Specimen Wt: 0.11 g  
Instrument: GCMS  
Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.8	ND	Pass
1,2-Dichloroethane	1	2.00	0.2	ND	Pass
Acetone	1	750	75	ND	Pass
Acetonitrile	1	60.0	6	ND	Pass
Benzene	1	1.00	0.1	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.2	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40	ND	Pass
Ethyl ether	1	500	50	ND	Pass
Ethylene oxide	1	5.00	0.5	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25	ND	Pass
Isopropyl alcohol	1	500	50	ND	Pass
Methanol	1	250	25	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15	ND	Pass
Xylenes, total	1	150	15	ND	Pass
Trichloroethylene	1	25.0	2.5	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Analyte	Dilution	LOD	Results
		%	%
beta-Myrcene	1	0.0234	1.12
D-Limonene	1	0.0234	0.504
E-Caryophyllene	1	0.0234	0.359
Farnesene	1	0.0234	0.142
Linalool	1	0.0234	0.135
alpha-Humulene	1	0.0234	0.0941
beta-Pinene	1	0.0234	0.0843
alpha-Pinene	1	0.0234	0.0778
alpha-Fenchyl alcohol, (+)-	1	0.0234	0.0522
beta-Ocimene	1	0.0234	0.0437
3-Carene (+)-	1	0.0234	ND
alpha Bisabolol, L	1	0.0234	ND
alpha-Cedrene	1	0.0234	ND
alpha-Phellandrene	1	0.0234	ND
alpha-Terpinene	1	0.0234	ND
alpha-Terpineol	1	0.0234	ND
Borneol	1	0.0234	ND
Camphene	1	0.0234	ND
Camphor	1	0.0234	ND
Caryophyllene Oxide	1	0.0234	ND
Cedrol	1	0.0234	ND
E-Nerolidol	1	0.0234	ND
Eucalyptol	1	0.0234	ND
Fenchone	1	0.0234	ND
gamma-Terpinene	1	0.0234	ND
Geraniol	1	0.0234	ND
Geranyl Acetate	1	0.0234	ND
Guaiol	1	0.0234	ND
Isoborneol	1	0.0234	ND
Isopulegol	1	0.0234	ND
Menthol	1	0.0234	ND
Nerol	1	0.0234	ND
p-Cymene	1	0.0234	ND
Pulegone	1	0.0234	ND
Sabinene	1	0.0234	ND
Sabinene hydrate	1	0.0234	ND
Terpinolene	1	0.0234	ND
Valencene	1	0.0234	ND
Z-Nerolidol	1	0.0234	ND
Total Terpenes			2.612

Terpene results are provided for informational purposes only.  
LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



4 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from Terplife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)