

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Original Watermelon Gels (1:1) 100mg Original Watermelon Gels

Matrix: Edible Type: Soft Chew



Sample:DA30630003-005 Harvest/Lot ID: 4610 3099 8381 8228

Batch#: 4610 3099 8381 8228

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 5302 5639 0781 6552

Batch Date: 04/07/23

Sample Size Received: 780 units

Total Amount: 2638 units Retail Product Size: 61.1673 gram

> Ordered: 06/29/23 Sampled: 06/29/23

Completed: 07/03/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS























MISC.

NOT TESTED

PRODUCT IMAGE

FLUENT



Jul 03, 2023 | FLUENT

Pesticides PASSED

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity

PASSED



Cannabinoid

Total THC 0.08%

Total THC/Container: 48.934 mg



Total CBD 0.074% Total CBD/Container: 45.264 mg



Total Cannabinoids

Total Cannabinoids/Container: 97.868 mg

mg/unit LOD	48.933 0.001	ND 0.001	45.263 0.001	ND 0.001	ND 0.001	1.835 0.001	ND 0.001	ND 0.001	ND 0.001	ND 0.001	1.835 0.001
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	0.08	ND	0.074	ND	ND	0.003	ND	ND	ND	ND	0.003
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС

Reviewed On: 07/03/23 10:47:58 Batch Date: 06/30/23 10:09:25

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA061929POT Instrument Used: DA-LC-007 Analyzed Date: 06/30/23 12:02:13

Reagent: 062323.R04; 061623.24; 062323.R02 Consumables: 280670723; CE0123; R1KB45277 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Original Watermelon Gels (1:1) 100mg Original Watermelon Gels

Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30630003-005 Harvest/Lot ID: 4610 3099 8381 8228

Batch#: 4610 3099 8381

8228 Sampled: 06/29/23 Ordered: 06/29/23 Sample Size Received: 780 units Total Amount: 2638 units Completed: 07/03/23 Expires: 07/03/24 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

P	A	S	S	Ε	D

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND					1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE		0.01	ppm			
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01	V 1/ 1	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm	\	1	
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBE	NZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND							
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.9333q		tion date: 23 12:56:06	/ X	Extracte 4056	d by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.						Gainagu
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.30.101.1 L (Gairlesv	ille), 30F.1	.30.102.1 L	(Davie), 30F	.1.40.101.11	Gairiesv
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA061	.941PES	Reviewed On: 07/03/23 11:25:52				
ENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LC	MS-003 (PES)		Batch Dat	te :06/30/23	11:36:13	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/30/23	3 14:00:44					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250						
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 0		R07; 06282	23.R09; 062	823.R08; 06	0523.R26; 062	2923.R2
LONICAMID	0.01	ppm	2	PASS	ND	Consumables: 326250IV Pipette: DA-093; DA-094						
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural age		lizina Liquia	Chromaton	ranhy Triplo	Quadrupala Ma	cc
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance			ı Cili Olliatoğ	парпу птріе-	Quadi upole Ma	155
1AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	d by:
IIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044	0.9333g		3 12:56:06		4056	,
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.	.30.151.FL (Gainesv	rille), SOP.1	Г.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch: DA061				1:07/03/23 1		
ETALAXYL	0.01	ppm	3	PASS	ND	Instrument Used : DA-GO		В	atch Date :	06/30/23 11:	37:45	
THIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 06/30/23	3 13:57:05					
ETHOCARD	0.01	ppm	0.1	PASS	ND	Dilution: 250	40521 11, 061222	DOE: 00101	22.024			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 0 Consumables: 326250IV		KZ5; U612	23.K24			
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette: DA-080; DA-146						
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural age		lizing Gas C	Chromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Original Watermelon Gels (1:1) 100mg
Original Watermelon Gels

Matrix : Edible Type: Soft Chew



PA

PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30630003-005 Harvest/Lot ID: 4610 3099 8381 8228

Batch#: 4610 3099 8381

8228 Sampled: 06/29/23 Ordered: 06/29/23 Sample Size Received: 780 units Total Amount: 2638 units Completed: 07/03/23 Expires: 07/03/24 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0281g	Extraction date: 07/03/23 11:41:		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061944SOL Instrument Used: DA-GCMS-002

Instrument Used: DA-GCMS-002 Analyzed Date: 07/03/23 11:50:55

Dilution: 1 Reagent: 030420.09

Consumables : G201.062; G201.120 Pipette : DA-309 25 uL Syringe 35028 $\begin{array}{l} \textbf{Reviewed On: } 07/03/23\ 13{:}21{:}47 \\ \textbf{Batch Date: } 06/30/23\ 18{:}31{:}02 \\ \end{array}$

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Original Watermelon Gels (1:1) 100mg Original Watermelon Gels

> Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30630003-005 Harvest/Lot ID: 4610 3099 8381 8228

Batch#: 4610 3099 8381

Sampled: 06/29/23 Ordered: 06/29/23

Sample Size Received: 780 units Total Amount : 2638 units Completed: 07/03/23 Expires: 07/03/24 Sample Method: SOP.T.20.010

Page 4 of 5

ppm

ppm

ppm

ppm

ppm

LOD

0.002

0.002

0.002

0.002

0.002



Microbial



Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Result

ND

ND

ND

Reviewed On: 07/03/23 10:20:30

Batch Date: 06/30/23 11:40:02

Analyte	LO	D Units	Result	Pass / Fail	Action Level	Analyte
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2
ASPERGILLUS NIGER	IE		Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1 AFLATOXIN G2
SALMONELLA SPECIFIC GEN			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044
Analyzed by: Weight		Extraction	date:	Extracte	d by:	Analysis Method : S

3390, 3336, 585, 4044 1.1743g 06/30/23 10:54:09

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA061912MIC **Reviewed On: 07/03/23**

Batch Date: 06/30/23

Extracted by:

3336,3621

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date:** 06/30/23 13:37:36

Reagent: 031023.03; 062323.R18; 092122.01; 092122.09

Consumables : N/A Pipette: N/A

Analyzed by: 3336, 3963, 585, 4044

ction	Analyte
	AFLATO
	AFLATO
	OCHRA
	AFLATO

Extraction date: Weight: y: 4044 0.9333g 06/30/23 12:56:06 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

Analytical Batch: DA061943MYC Instrument Used : N/A

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analyzed Date: 06/30/23 14:00:49

Dilution: 250

Reagent: 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24

Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analysis Method: SOP.T.40.208 (Gainesville), SC	DP.T.40.209.FL
Analytical Batch : DA061921TYM	Reviewed On: 07/03/23 10:45:05
Instrument Used : Incubator (25-27C) DA-097	Batch Date: 06/30/23 09:41:50
Analyzed Date : 06/30/23 12:11:12	

Extraction date:

Weight:

1.1743g

Dilution: 10 Reagent: 031023.03; 060723.R45 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD ME	TALS 0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight: 1022, 585, 4044 0.232q		xtraction date: 6/30/23 10:31:15		Extracted 3619	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA061923HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 06/30/23 14:14:57 Reviewed On: 07/03/23 10:19:43 Batch Date: 06/30/23 09:51:27

Dilution: 50

Reagent: 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062823.R15

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Original Watermelon Gels (1:1) 100mg Original Watermelon Gels

Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30630003-005 Harvest/Lot ID: 4610 3099 8381 8228

Batch#: 4610 3099 8381

Ordered: 06/29/23

Sampled: 06/29/23

Total Amount : 2638 unit Completed: 07/03/23 Expires: 07/03/24 Sample Method: SOP.T.20.010

Sample Size Received: 780 units

Page 5 of 5



Filth/Foreign Material

PASSED

Homogeneity

Amount of tests conducted: 24

PASSED

Analyte Filth and Foreign Material		LOD Units 0.1 %	Result ND	P/F PASS	Action Lev
Analyzed by: Weight: NA		Extraction date: N/A		Extracted by: N/A	
Analysis Method : SOF				07/07	0/22 21,27,20

Analytical Batch: DA061963FIL
Instrument Used: Filth/Foreign Material Microscope
Analyzed Date: 07/02/23 20:49:48

Batch Date: 07/01/23 12:27:46

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 07/03/23 10:45:03

Batch Date: 06/30/23 10:26:13

Analyte Water Activity	LOD 0.01	Units aw	Result 0.617	P/F PASS	Action Le	ve
Analyzed by: 3807, 4056, 585, 4044	Weight: 10.978g		ion date: 23 12:44:59		Extracted by: 3807	

Analysis Method: SOP.T.40.019 Analytical Batch: DA061935WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 06/30/23 12:47:42

Dilution : N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Pass/Fail Result Action Level **TOTAL THC - HOMOGENEITY** 0.001 **PASS** 3.506 25 (RSD) **TOTAL CBD - HOMOGENEITY** 0.001 PASS 3.086 25 (RSD)

Extracted By Average Analyzed by Extraction date : Weight 3335, 3605, 585, 4044 06/30/23 09:41:53 6.508g 3335

Batch Date : 06/30/23 08:29:32

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL Reviewed On: 07/01/23 15:15:51

Analytical Batch: DA061913HOM Instrument Used : DA-LC-005

Analyzed Date: 06/30/23 09:48:19

Dilution: 40 Reagent: 050923.01; 062823.R12; 071222.35; 062823.R13

Consumables: 947.109; 250346; CE0123; 115C4-1151; 12628-309CC-309; 61691-131C6-131C; R1KB14270

Pipette: DA-079; DA-108; DA-078

 $Homogeneity\ testing\ is\ performed\ utilizing\ High\ Performance\ Liquid\ Chromatography\ with\ UV\ detection\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

