



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30630003-007
Harvest/Lot ID: ID-BLI-061323-A114
Batch#: 4984 4397 5181 6587
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 7252 8418 5548 2832
Batch Date: 06/07/23
Sample Size Received: 136.5 gram
Total Amount: 10844 units
Retail Product Size: 3.5 gram
Ordered: 06/29/23
Sampled: 06/29/23
Completed: 07/03/23
Sampling Method: SOP.T.20.010

Jul 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
24.332%
Dry Weight



Total CBD
0.048%
Dry Weight



Total Cannabinoids
28.773%
Dry Weight



Total THC
21.478%
751.73 mg /Container

Total CBD
0.043%
1.505 mg /Container

Total Cannabinoids
25.398%
888.93 mg /Container

As Received

Analyzed by:
1665, 585, 4044

Weight:
0.2024g

Extraction date:
06/30/23 11:47:17

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061925POT
Instrument Used : DA-LC-002
Analyzed Date : 06/30/23 11:55:05

Reviewed On : 07/03/23 10:46:00
Batch Date : 06/30/23 10:03:50

Dilution : 400
Reagent : 062323.R05; 061623.24; 062323.R03
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/03/23



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30630003-007
 Harvest/Lot ID: ID-BLI-061323-A114

 Batch# : 4984 4397 5181
 6587
 Sample Size Received : 136.5 gram
 Total Amount : 10844 units
 Completed : 07/03/23 Expires: 07/03/24
 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	63.91	1.826		FARNESENE		3.08	0.088	
TOTAL TERPENEOL	0.007	1.225	0.035		ALPHA-HUMULENE	0.007	2.94	0.084	
ALPHA-BISABOLOL	0.007	<0.7	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	6.02	0.172		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	3.185	0.091		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	11.2	0.32		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 4044</div> <div>Weight: 1.1368g</div> <div>Extraction date: 06/30/23 16:32:51</div> <div>Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA061930TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : 06/30/23 21:14:54</div> <div>Reviewed On : 07/03/23 10:46:01</div> <div>Batch Date : 06/30/23 10:19:05</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	10.885	0.311						
EUCALYPTOL	0.007	<0.7	<0.02						
OCIMENE	0.007	1.785	0.051		<div>Dilution : 10</div> <div>Reagent : 121622.30</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<1.4	<0.04						
LINALOOL	0.007	4.865	0.139						
FENCHYL ALCOHOL	0.007	1.54	0.044						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.695	0.277						
Total (%)				1.826					



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30630003-007
 Harvest/Lot ID: ID-BLI-061323-A114

 Batch# : 4984 4397 5181
 6587
 Sampled : 06/29/23
 Ordered : 06/29/23
 Sample Size Received : 136.5 gram
 Total Amount : 10844 units
 Completed : 07/03/23 Expires: 07/03/24
 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9992g	06/30/23 12:56:07	4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061941PES			Reviewed On : 07/03/23 11:25:58		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 06/30/23 11:36:13		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/30/23 14:00:44					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9992g	06/30/23 12:56:07	4056		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061942VOL			Reviewed On : 07/03/23 11:18:01		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/30/23 11:37:45		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/30/23 13:57:05					
MALATHION	0.01	ppm	0.2	PASS	ND	Dilution : 250					
METALAXYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHOMYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30630003-007
 Harvest/Lot ID: ID-BLI-061323-A114

 Batch# : 4984 4397 5181 Sample Size Received : 136.5 gram
 6587 Total Amount : 10844 units
 Sampled : 06/29/23 Completed : 07/03/23 Expires: 07/03/24
 Ordered : 06/29/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000						
Analyzed by: 3390, 3336, 585, 4044 Weight: 0.9652g Extraction date: 06/30/23 10:54:09 Extracted by: 3336						Analyzed by: 3379, 585, 4044 Weight: 0.9992g Extraction date: 06/30/23 12:56:07 Extracted by: 4056					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061912MIC Reviewed On : 07/03/23 10:06:42 Batch Date : 06/30/23 08:17:23						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061943MYC Reviewed On : 07/03/23 10:20:32 Batch Date : 06/30/23 11:40:02 Instrument Used : N/A Analyzed Date : 06/30/23 14:00:49					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 06/30/23 13:37:36						Dilution : 250 Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 031023.03; 062323.R18; 092122.01; 092122.09 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2519g Extraction date: 06/30/23 10:12:25 Extracted by: 3619,1022											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061922HEA Reviewed On : 07/03/23 10:07:13 Batch Date : 06/30/23 09:47:57 Instrument Used : DA-ICPMS-003 Analyzed Date : 06/30/23 13:15:47											
Dilution : 50 Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30630003-007
 Harvest/Lot ID: ID-BLI-061323-A114

 Batch# : 4984 4397 5181
 6587
 Sampled : 06/29/23
 Ordered : 06/29/23
 Sample Size Received : 136.5 gram
 Total Amount : 10844 units
 Completed : 07/03/23 Expires: 07/03/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.73	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed by: N/A						Analyzed by: 3807, 585, 4044 Weight: 0.489g Extraction date: 06/30/23 12:34:54 Analyzed by: 3807					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061963FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/02/23 20:49:48 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA061933MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 06/30/23 12:47:37 Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 07/02/23 21:33:35 Batch Date : 07/01/23 12:27:46						Reviewed On : 06/30/23 13:28:22 Batch Date : 06/30/23 10:25:44					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.594	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.559g Extraction date: 06/30/23 12:41:32 Analyzed by: 3807					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061934WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					
Reviewed On : 06/30/23 13:28:21 Batch Date : 06/30/23 10:25:57					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.