



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30714006-010

Harvest/Lot ID: ID-PEC-060623-A113

Batch#: 5203 7991 5259 4715

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 4985 8358 8986 0629

Batch Date: 06/01/23

Sample Size Received: 26 gram

Total Amount: 2706 units

Retail Product Size: 1 gram

Ordered: 07/13/23

Sampled: 07/13/23

Completed: 07/18/23

Sampling Method: SOP.T.20.010

PASSED

Jul 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

17.179%

Dry Weight



Total CBD

0.048%

Dry Weight



Total Cannabinoids

20.154%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.276	16.954	<0.01	0.05	<0.01	0.026	0.422	ND	<0.01	ND	0.038	0.048	17.179	20.154
mg/unit	2.76	169.54	<0.1	0.5	<0.1	0.26	4.22	ND	<0.1	ND	0.38	0.48	171.79	201.54
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
15.144%
151.44 mg /Container

Total CBD
0.043%
0.43 mg /Container

Total Cannabinoids
17.766%
177.66 mg /Container

As Received

Analized by:
1665, 3112, 585, 3963, 1440

Weight:
0.2002g

Extraction date:
07/14/23 11:42:29

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062326POT

Instrument Used : DA-LC-002

Analyzed Date : 07/14/23 11:45:34

Reviewed On : 07/18/23 08:43:09

Batch Date : 07/14/23 10:12:59

Dilution : 400

Reagent : 071423.R04; 030923.08; 071423.R02

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30714006-010

Harvest/Lot ID: ID-PEC-060623-A113

 Batch# : 5203 7991 5259
 4715

Sampled : 07/13/23

Ordered : 07/13/23

Sample Size Received : 26 gram

Total Amount : 2706 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30714006-010

Harvest/Lot ID: ID-PEC-060623-A113

 Batch# : 5203 7991 5259
 4715

Sampled : 07/13/23

Ordered : 07/13/23


Sample Size Received : 26 gram

Total Amount : 2706 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9624g	07/14/23 18:36:06	450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062342PES			Reviewed On : 07/17/23 10:58:55		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/14/23 12:34:50		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : N/A					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : N/A					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9624g	07/14/23 18:36:06	450		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062343VOL			Reviewed On : 07/17/23 10:55:10		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/14/23 12:36:06		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/14/23 18:44:05					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30714006-010
 Harvest/Lot ID: ID-PEC-060623-A113

 Batch# : 5203 7991 5259 Sample Size Received : 26 gram
 4715 Total Amount : 2706 units
 Sampled : 07/13/23 Completed : 07/18/23 Expires: 07/18/24
 Ordered : 07/13/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	60	PASS	100000	Analysis Method : 3379, 585, 1440	Weight: 0.9624g	Extraction date: 07/14/23 18:36:06	Extracted by: 450		
Analysis Method : 3336, 585, 1440	Weight: 0.9598g	Extraction date: 07/14/23 11:41:44	Extracted by: 3336	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Reviewed On : 07/15/23 16:03:14					Analytical Batch : DA062364MYC					
Analytical Batch : DA062316MIC	Batch Date : 07/14/23 08:09:54					Instrument Used : DA-LCMS-003 (MYC)					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analysis Date : N/A					
Analysis Date : 07/14/23 13:17:29						Dilution : 250					
Dilution : N/A						Reagent : N/A					
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09						Consumables : N/A					
Consumables : 7562003047						Pipette : N/A					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											
Consumables : 7562003047											
Pipette : N/A											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA062316MIC											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021											
Analysis Date : 07/14/23 13:17:29											
Dilution : N/A											
Reagent : 050223.33; 062323.R18; 020823.14; 092122.09											


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL	Weight: 0.2254g	Extraction date: 07/14/23 10:11:14	Extracted by: 1022,3619		
Analytical Batch : DA062324HEA	Reviewed On : 07/15/23 15:58:06				
Instrument Used : DA-ICPMS-003	Batch Date : 07/14/23 09:54:07				
Analysis Date : 07/14/23 15:44:20					
Dilution : 50					
Reagent : 061523.R17; 062723.R18; 070723.R17; 071123.R17; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15					
Consumables : 179436; 18421047; 210508058					
Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30714006-010
 Harvest/Lot ID: ID-PEC-060623-A113

 Batch# : 5203 7991 5259
 4715
 Sampled : 07/13/23
 Ordered : 07/13/23
 Sample Size Received : 26 gram
 Total Amount : 2706 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.85	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date: 07/15/23 17:05:28						Analyzed by: 3807, 585, 1440 Weight: 0.482g Extraction date: 07/14/23 19:04:01 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062385FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/15/23 17:12:13 Batch Date : 07/15/23 16:49:55						Analysis Method : SOP.T.40.021 Analytical Batch : DA062330MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/15/23 16:14:03 Batch Date : 07/14/23 11:33:33					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.568	PASS	0.65
Analyzed by: 4056, 585, 1440 Weight: 0.501g Extraction date: 07/15/23 13:28:39 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062331WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/15/23 16:14:04 Batch Date : 07/14/23 11:34:46					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.