



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30720008-008
Harvest/Lot ID: ID-LOO-071023-A118

Batch#: 5190 9636 3201 3746

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation

Seed to Sale# 6472 9046 2678 2824

Batch Date: 07/06/23

Sample Size Received: 52.5 gram

Total Amount: 3720 units

Retail Product Size: 3.5 gram

Ordered: 07/19/23

Sampled: 07/19/23

Completed: 07/22/23

Sampling Method: SOP.T.20.010

PASSED

Jul 22, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
23.326%
Dry Weight



Total CBD
0.055%
Dry Weight



Total Cannabinoids
27.191%
Dry Weight



Total THC
20.485%
716.975 mg /Container

Total CBD
0.049%
1.715 mg /Container

Total Cannabinoids
23.88%
835.8 mg /Container

As Received

Analyzed by:
3112, 585, 4044

Weight:
0.2009g

Extraction date:
07/20/23 14:24:54

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062521POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 07/20/23 14:27:54

Reviewed On : 07/21/23 10:49:18
Batch Date : 07/20/23 11:05:18

Dilution : 400
Reagent : 071923.R31; 060723.24; 071923.R26
Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/22/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30720008-008

Harvest/Lot ID: ID-LOO-071023-A118

Batch# : 5190 9636 3201
3746

Sampled : 07/19/23

Ordered : 07/19/23

Sample Size Received : 52.5 gram

Total Amount : 3720 units

Completed : 07/22/23 Expires: 07/22/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	80.185	2.291		FARNESENE	0.02	0.49	0.014	
TOTAL TERPENEOL	0.02	0.77	0.022		ALPHA-HUMULENE	0.02	8.085	0.231	
ALPHA-BISABOLOL	0.02	8.785	0.251		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	0.77	0.022		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	0.875	0.025	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.7	<0.02	
BETA-PINENE	0.02	1.19	0.034		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	9.66	0.276		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND						
3-CARENE	0.02	ND	ND						
ALPHA-TERPINENE	0.02	ND	ND						
LIMONENE	0.02	8.435	0.241						
EUCALYPTOL	0.02	<0.7	<0.02						
OCIMENE	0.02	<0.7	<0.02						
GAMMA-TERPINENE	0.02	ND	ND						
SABINENE HYDRATE	0.02	ND	ND						
TERPINOLENE	0.02	ND	ND						
FENCHONE	0.04	<1.4	<0.04						
LINALOOL	0.02	1.995	0.057						
FENCHYL ALCOHOL	0.02	1.015	0.029						
ISOPULEGOL	0.02	<0.7	<0.02						
CAMPHOR	0.06	<2.1	<0.06						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	28.35	0.81						
Total (%)			2.291						

Analyzed by:
2076, 585, 4044

Weight:
0.899g

Extraction date:
07/20/23 16:05:01

Extracted by:
2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA062501TER

Instrument Used : DA-GCMS-004

Analyzed Date : 07/20/23 16:46:57

Reviewed On : 07/22/23 13:19:41

Batch Date : 07/20/23 10:06:08

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30720008-008

Harvest/Lot ID: ID-LOO-071023-A118

 Batch# : 5190 9636 3201
 3746

Sampled : 07/19/23

Ordered : 07/19/23

Sample Size Received : 52.5 gram

Total Amount : 3720 units

Completed : 07/22/23 Expires: 07/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROCONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2946g	07/20/23 15:30:36	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA062511PES				Reviewed On : 07/22/23 21:52:30	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002				Batch Date : 07/20/23 10:48:22	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/20/23 15:31:11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : N/A					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : N/A					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : N/A					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.2946g	07/20/23 15:30:36	3379		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062512VOL				Reviewed On : 07/22/23 21:51:11	
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/20/23 10:49:02	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/20/23 16:47:59					
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 14725401; 3262501W					
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30720008-008

Harvest/Lot ID: ID-LOO-071023-A118

 Batch# : 5190 9636 3201
 3746

Sampled : 07/19/23

Ordered : 07/19/23




Sample Size Received : 52.5 gram

Total Amount : 3720 units

Completed : 07/22/23 Expires: 07/22/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 585, 4044 Weight: 0.9746g Extraction date: 07/20/23 11:31:45 Extracted by: 3621						Analyzed by: 3379, 585, 4044 Weight: 0.2946g Extraction date: 07/20/23 15:30:36 Extracted by: 3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062493MIC Reviewed On : 07/21/23 13:52:15 Batch Date : 07/20/23 09:15:23 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/20/23 13:30:25						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062528MYC Instrument Used : N/A Analyzed Date : 07/20/23 15:31:25 Dilution : 250 Reagent : 071723.R01; 071723.R03; 071923.R03; 071723.R02; 060523.R26; 071923.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 050223.54; 071823.R01; 020823.19; 092122.09 Consumables : 7563004030 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2119g Extraction date: 07/20/23 10:22:46 Extracted by: 3619						Analyzed by: 1022, 585, 4044 Weight: 0.2119g Extraction date: 07/20/23 10:22:46 Extracted by: 3619					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062510TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 07/20/23 12:53:23 Dilution : 10 Reagent : 050223.54; 070523.R46 Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062498HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/20/23 14:52:32 Dilution : 50 Reagent : 071923.R45; 062723.R18; 071423.R19; 071823.R02; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30720008-008

Harvest/Lot ID: ID-LOO-071023-A118

 Batch# : 5190 9636 3201
 3746

Sampled : 07/19/23

Ordered : 07/19/23

Sample Size Received : 52.5 gram

Total Amount : 3720 units

Completed : 07/22/23 Expires: 07/22/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.18	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed by: N/A						Analyzed by: 1879, 4056, 585, 4044 Weight: 0.501g Extraction date: 07/20/23 15:23:32 Analyzed by: 4056					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062522FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/20/23 12:11:59 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA062523MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/20/23 15:11:55 Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.55	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.579g Extraction date: 07/20/23 16:01:38 Analyzed by: 4056					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062524WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 07/20/23 15:50:34 Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.