



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30720008-009
Harvest/Lot ID: ID-FLS-71023-A118
Batch#: 0552 6768 9311 0455
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale# 6375 7738 1533 1884
Batch Date: 07/06/23
Sample Size Received: 35 gram
Total Amount: 2374 units
Retail Product Size: 3.5 gram
Ordered: 07/19/23
Sampled: 07/19/23
Completed: 07/22/23
Sampling Method: SOP.T.20.010











Jul 22, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3112, 585, 4044	Weight: 0.1977g	Extraction date: 07/20/23 14:24:54	Extracted by: 3112
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062521POT Instrument Used : DA-LC-002 (Flower) Analyzed Date : 07/20/23 14:27:54			
Dilution : 400 Reagent : 071923.R31; 060723.24; 071923.R26 Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270 Pipette : DA-079; DA-108; DA-078			
Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
07/22/23



Certificate of Analysis

PASSED


FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30720008-009
Harvest/Lot ID: ID-FLS-71023-A118

Batch# : 0552 6768 9311
Sample Size Received : 35 gram
Total Amount : 2374 units
Completed : 07/22/23 Expires: 07/22/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	27.93	0.798		FARNESENE		0.14	0.004	
TOTAL TERPINEOL	0.02	<0.7	<0.02		ALPHA-HUMULENE	0.02	<0.7	<0.02	
ALPHA-BISABOLOL	0.02	2.835	0.081		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	<0.7	<0.02		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.7	<0.02	
BETA-PINENE	0.02	0.875	0.025		GUAJOL	0.02	ND	ND	
BETA-MYRCENE	0.02	2.38	0.068		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.02	ND	ND		2076, 585, 4044	0.9189g	07/20/23 16:05:01	2076	
ALPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.02	4.025	0.115		Analytical Batch : DA062501TER		Reviewed On : 07/22/23 13:19:44		
EUCALYPTOL	0.02	ND	ND		Instrument Used : DA-GCMS-004		Batch Date : 07/20/23 10:06:08		
OCIMENE	0.02	0.77	0.022		Analysis Date : 07/20/23 16:46:57				
GAMMA-TERPINENE	0.02	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.02	ND	ND		Reagent : 121622.26				
TERPINOLENE	0.02	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.04	<1.4	<0.04		Pipette : N/A				
LINALOOL	0.02	1.61	0.046		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.02	0.7	0.02						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	11.27	0.322						
Total (%)			0.798						

Analyzed by: 2076, 585, 4044
Weight: 0.9189g
Extraction date: 07/20/23 16:05:01
Extracted by: 2076
Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch: DA062501TER
Instrument Used: DA-GCMS-004
Analyzed Date: 07/20/23 16:46:57
Reviewed On: 07/22/23 13:19:44
Batch Date: 07/20/23 10:06:08
Dilution: 10
Reagent: 121622.26
Consumables: 210414634; MKCN9995; CE0123; R1KB14270
Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30720008-009
 Harvest/Lot ID: ID-FLS-71023-A118

 Batch# : 0552 6768 9311
 Sample Size Received : 35 gram
 Total Amount : 2374 units
 Completed : 07/22/23 Expires: 07/22/24
 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	1.0399g	07/20/23 15:30:37	3379		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062511PES			Reviewed On : 07/22/23 21:52:31		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002			Batch Date : 07/20/23 10:48:22		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/20/23 15:31:11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : N/A					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : N/A					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	1.0399g	07/20/23 15:30:37	3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062512VOL			Reviewed On : 07/22/23 21:51:12		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/20/23 10:49:02		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/20/23 16:47:59					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30720008-009

Harvest/Lot ID: ID-FLS-71023-A118

Batch# : 0552 6768 9311
0455

Sample Size Received : 35 gram

Total Amount : 2374 units



Completed : 07/22/23 Expires: 07/22/24

Sampled : 07/19/23

Ordered : 07/19/23

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by: 3379, 585, 4044 Weight: 1.0399g Extraction date: 07/20/23 15:30:37 Extracted by: 3379					
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analyzed by: 3336, 585, 4044 Weight: 1.0424g Extraction date: 07/20/23 11:31:45 Extracted by: 3621						Analytical Batch : DA062528MYC Reviewed On : 07/21/23 13:54:38 Instrument Used : N/A Batch Date : 07/20/23 12:01:53					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analyzed Date : 07/20/23 15:31:25					
Analytical Batch : DA062493MIC						Dilution : 250					
Reviewed On : 07/21/23 13:52:15						Reagent : 071723.R01; 071723.R03; 071923.R03; 071723.R02; 060523.R26; 071923.R01; 040521.11					
Batch Date : 07/20/23 09:15:23						Consumables : 326250IW					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021						Pipette : DA-093; DA-094; DA-219					
Analyzed Date : 07/20/23 13:30:25						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A						<div><div><div>Hg</div></div><div>Heavy Metals</div><div>PASSED</div></div>					
Reagent : 050223.54; 071823.R01; 020823.19; 092122.09											
Consumables : 7563004030											
Pipette : N/A											
Analyzed by: 3336, 585, 4044 Weight: 1.0424g Extraction date: N/A Extracted by: 3621, 3336											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal					
Analytical Batch : DA062510TYM						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : Incubator (25-27C) DA-096						0.08 ppm ND PASS 1.1					
Analyzed Date : 07/20/23 12:53:23						ARSENIC					
Reviewed On : 07/22/23 13:19:47						0.02 ppm <0.1 PASS 0.2					
Batch Date : 07/20/23 10:46:52						CADMIUM					
Dilution : 10						0.02 ppm ND PASS 0.2					
Reagent : 050223.54; 070523.R46						MERCURY					
Consumables : N/A						0.02 ppm ND PASS 0.2					
Pipette : N/A						LEAD					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						0.02 ppm ND PASS 0.5					
Analyzed by: 1022, 585, 4044 Weight: 0.2093g Extraction date: 07/20/23 10:26:04 Extracted by: 3619						Analyzed by: 1022, 585, 4044 Weight: 0.2093g Extraction date: 07/20/23 10:26:04 Extracted by: 3619					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA062498HEA						Analytical Batch : DA062498HEA					
Instrument Used : DA-ICPMS-003						Instrument Used : DA-ICPMS-003					
Analyzed Date : 07/20/23 14:52:32						Analyzed Date : 07/20/23 14:52:32					
Dilution : 50						Dilution : 50					
Reagent : 071923.R45; 062723.R18; 071423.R19; 071823.R02; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15						Reagent : 071923.R45; 062723.R18; 071423.R19; 071823.R02; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15					
Consumables : 179436; 15021042; 210508058						Consumables : 179436; 15021042; 210508058					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30720008-009
 Harvest/Lot ID: ID-FLS-71023-A118

 Batch# : 0552 6768 9311
 Sample Size Received : 35 gram
 Total Amount : 2374 units
 Completed : 07/22/23 Expires: 07/22/24
 Sample Method : SOP.T.20.010
 Sampled : 07/19/23
 Ordered : 07/19/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.93	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 07/20/23 12:11:59						Analyzed by: 1879, 4056, 585, 4044 Weight: 0.487g Extraction date: 07/20/23 15:23:32 Analyzed Date: 07/20/23 15:11:55					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062522FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/20/23 13:08:44 Batch Date : 07/20/23 11:09:19						Analysis Method : SOP.T.40.021 Analytical Batch : DA062523MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/20/23 15:29:24 Batch Date : 07/20/23 11:23:55					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.561	PASS	0.65
Analyzed by: 4056, 4044 Weight: 0.584g Extraction date: 07/20/23 16:01:38 Analyzed Date: 07/20/23 15:50:34					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062524WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/20/23 16:05:12 Batch Date : 07/20/23 11:24:07					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.