

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL


Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix: Derivative Type: Distillate



Sample:DA30722011-005 Harvest/Lot ID: 2156 0167 9487 8294 Batch#: 2156 0167 9487 8294 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 9064 1581 6998 1690 Batch Date: 05/26/23 Sample Size Received: 16 gram Total Amount: 934 units Retail Product Size: 1 gram Ordered: 07/22/23 Sampled: 07/22/23

Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

07/26/23



Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@aetfluent.com Sample : DA30722011-005 Harvest/Lot ID: 2156 0167 9487 8294 Batch# : 2156 0167 9487 Sample 8294 Total Ar

Sampled : 07/22/23 Ordered : 07/22/23 87 8294 Sample Size Received : 16 gram Total Amount : 934 units Completed : 07/26/23 Expires: 07/26/24 Sample Method : SOP.T.20.010

Page 2 of 6

Æ	jB
SE.	ß

Terpenes

Terpenes	LOD (%)	mg/uni	it % Result (%)	Terpenes LOD mg/unit % Result (%) (%)	
TOTAL TERPENES	0.02	22.87	2.287	FARNESENE 0.36 0.036	
TOTAL TERPINEOL	0.02	0.38	0.038	ALPHA-HUMULENE 0.02 2.82 0.282	
ALPHA-BISABOLOL	0.02	1.56	0.156	VALENCENE 0.02 0.37 0.037	
ALPHA-PINENE	0.02	0.47	0.047	CIS-NEROLIDOL 0.02 ND ND	
AMPHENE	0.02	< 0.2	<0.02	TRANS-NEROLIDOL 0.02 0.86 0.086	
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE 0.02 <0.2 <0.02	
ETA-PINENE	0.02	0.47	0.047	GUAIOL 0.02 0.97 0.097	
ETA-MYRCENE	0.02	1.53	0.153	CEDROL 0.02 ND ND	
LPHA-PHELLANDRENE	0.02	< 0.2	<0.02	Analyzed by: Weight: Extraction date: Extracted by:	
-CARENE	0.02	< 0.2	<0.02	2076, 585, 4044 0.8987g 07/23/23 13:24:53 1879,3702	
LPHA-TERPINENE	0.02	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	
IMONENE	0.02	3.58	0.358	Analytical Batch : DA062594TER Reviewed On : 07/25/23 18:17:54	
JCALYPTOL	0.02	< 0.2	<0.02	Instrument Used : DA-GCMS-004 Batch Date : 07/22/23 15:30:21 Analyzed Date : 07/24/23 08:59:33	
CIMENE	0.02	0.76	0.076	Dilution : 10	
AMMA-TERPINENE	0.02	ND	ND	Reagent : 121622.26	
ABINENE HYDRATE	0.02	ND	ND	Consumables : 210414634; MKCN9995; CE0123; R1KB14270	
ERPINOLENE	0.02	0.32	0.032	Pipette : N/A	
ENCHONE	0.04	< 0.4	< 0.04	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight cor	rrected.
NALOOL	0.02	0.77	0.077		
INCHYL ALCOHOL	0.02	0.43	0.043		
OPULEGOL	0.02	ND	ND		
AMPHOR	0.06	ND	ND	TITIYXXXXX	
OBORNEOL	0.02	< 0.2	<0.02		
ORNEOL	0.04	< 0.4	< 0.04		
	0.02	ND	ND		
EXAHYDROTHYMOL	0.02	ND	ND		
	0.02				
EROL	0.02	ND	ND		
EROL		ND <0.2	ND <0.02		
EROL ULEGONE ERANIOL	0.02				
IEXAHYDROTHYMOL IEROL ULEGONE IERANIOL IERANYL ACETATE LPHA-CEDRENE	0.02	<0.2	<0.02		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LDD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/26/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Page 3 of 6

Certificate of Analysis FLUENT

DAVIE, FL, 33314, US (954) 368-7664

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

NALED

Sample : DA30722011-005 Harvest/Lot ID: 2156 0167 9487 8294

Batch# : 2156 0167 9487

Sampled : 07/22/23

Ordered : 07/22/23

8294

Sample Size Received : 16 gram

Sample Method : SOP.T.20.010

Completed : 07/26/23 Expires: 07/26/24

Total Amount : 934 units

R (0)	Pesticides		\times		\geq	R	Ż
Pesticide		LOD	Units	Action Level	Pass/Fail	Result	P
TOTAL CONTAI	MINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	0
TOTAL DIMETH	IOMORPH	0.01	ppm	0.2	PASS	ND	P/
TOTAL PERMET	THRIN	0.01	ppm	0.1	PASS	ND	PI
TOTAL PYRETH	IRINS	0.01	ppm	0.5	PASS	ND	PI
TOTAL SPINET	ORAM	0.01	ppm	0.2	PASS	ND	
TOTAL SPINOS	AD	0.01	ppm	0.1	PASS	ND	PF
ABAMECTIN BI	LA	0.01	ppm	0.1	PASS	ND	PF
ACEPHATE		0.01	ppm	0.1	PASS	ND	PF
ACEQUINOCYL		0.01	ppm	0.1	PASS	ND	P١
ACETAMIPRID		0.01	ppm	0.1	PASS	ND	SI
ALDICARB		0.01	ppm	0.1	PASS	ND	SI
AZOXYSTROBI	N	0.01	ppm	0.1	PASS	ND	SI
BIFENAZATE		0.01	ppm	0.1	PASS	ND	TE
BIFENTHRIN		0.01	ppm	0.1	PASS	ND	
BOSCALID		0.01	ppm	0.1	PASS	ND	T
CARBARYL		0.01	ppm	0.5	PASS	ND	T
CARBOFURAN		0.01	ppm	0.1	PASS	ND	TF
CHLORANTRAN	VILIPROLE	0.01	ppm	1	PASS	ND	PE
CHLORMEOUA		0.01	ppm	1	PASS	ND	P/
CHLORPYRIFO		0.01	ppm	0.1	PASS	ND	C/
CLOFENTEZINE		0.01	ppm	0.2	PASS	ND	CI
COUMAPHOS	/	0.01	ppm	0.1	PASS	ND	CI
DAMINOZIDE		0.01	ppm	0.1	PASS	ND	CI
DIAZINON		0.01	ppm	0.1	PASS	ND	
DICHLORVOS		0.01	ppm	0.1	PASS	ND	C
DIMETHOATE		0.01	ppm	0.1	PASS	ND	Ar
ETHOPROPHOS	2	0.01	ppm	0.1	PASS	ND	33
ETOFENPROX	5	0.01	ppm	0.1	PASS	ND	Ar
ETOXAZOLE		0.01	ppm	0.1	PASS	ND	SC
FENHEXAMID		0.01	ppm	0.1	PASS	ND	In
FENOXYCARB		0.01	ppm	0.1	PASS	ND	Ar
FENPYROXIMA	TE	0.01	ppm	0.1	PASS	ND	Di
FIPRONIL		0.01	ppm	0.1	PASS	ND	Re
FLONICAMID		0.01	ppm	0.1	PASS	ND	Co
FLUDIOXONIL		0.01	ppm	0.1	PASS	ND	Pi
HEXYTHIAZOX		0.01	ppm	0.1	PASS	ND	Te Sp
IMAZALIL		0.01	ppm	0.1	PASS	ND	Ar
IMIDACLOPRID		0.01	ppm	0.4	PASS	ND	45
KRESOXIM-ME		0.01	ppm	0.4	PASS	ND	Ar
	INTL	0.01		0.1	PASS	ND	Ar
MALATHION		0.01	ppm	0.2	PASS	ND	In
METALAXYL			ppm				Ar
METHIOCARB		0.01	ppm	0.1	PASS	ND	Di
METHOMYL		0.01	ppm	0.1	PASS	ND	Re
MEVINPHOS	. /	0.01	ppm	0.1	PASS	ND	Co
MYCLOBUTANI	L	0.01	ppm	0.1	PASS	ND	Pi

Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
OXAMYL		0.01	ppm	0.5	PASS	ND	
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND	
PHOSMET		0.01	ppm	0.1	PASS	ND	
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND	
PRALLETHRIN		0.01	ppm	0.1	PASS	ND	
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND	
PROPOXUR		0.01	ppm	0.1	PASS	ND	
PYRIDABEN		0.01	ppm	0.2	PASS	ND	
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
SPIROXAMINE		0.01	ppm	0.1	PASS	ND	
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
THIACLOPRID		0.01	ppm	0.1	PASS	ND	
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND	
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND	
PENTACHLORONITROBENZE	NE (PCNB) *	0.05	PPM	0.15	PASS	ND	
PARATHION-METHYL *		0.05	PPM	0.1	PASS	ND	
CAPTAN *		0.35	PPM	0.7	PASS	ND	
CHLORDANE *		0.05	PPM	0.1	PASS	ND	
CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND	
CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND	
CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND	
Analyzed by: 3379, 585, 4044, 1665	Weight: 0.2323g						
Analysis Method :SOP.T.30. SOP.T.40.102.FL (Davie) Analytical Batch :DA062622 Instrument Used :DA-LCMS- Analyzed Date :07/24/23 14	101.FL (Gainesville PES 003 (PES)		.30.102.FL		3 13:58:05	Gainesville	
Dilution : 250 Reagent : 071923.R03; 0405 Consumables : 326250IW Pipette : DA-093; DA-094; D/ Testing for agricultural agents	A-219						
Spectrometry in accordance w	th F.S. Rule 64ER2	0-39.					
Analyzed by: 450, 585, 4044	Weight: 0.2323g	Extract 07/24/2	Extracted 4056	ed by:			
Analysis Method :SOP.T.30. Analytical Batch :DA062623 Instrument Used :DA-GCMS Analyzed Date :07/24/23 13	VOL •001	R	eviewed O	L (Davie), SO n :07/25/23 1 :07/23/23 14:	3:53:44		
Dilution : 250 Reagent : 071923.R03; 0405 Consumables : 326250IW; 14 Pipette : DA-080; DA-146; D/ Testing for agricultural agents	4725401 A-218	1; 07112	23.R22				

in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

0.25

0.01 ppm

PASS

ND

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/26/23

PASSED



Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Page 4 of 6

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30722011-005

 Harvest/Lot ID: 2156 0167 9487
 8294

 Batch# : 2156 0167 9487
 Sample

 8294
 Total Ar

 Sampled: 07/22/23
 Complet

 Ordered: 07/22/23
 Sample

87 8294 Sample Size Received : 16 gram Total Amount : 934 units Completed : 07/26/23 Expires: 07/26/24 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND	
,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND	
P-PROPANOL	50	ppm	500	PASS	ND	
ACETONE	75	ppm	750	PASS	ND	
CETONITRILE	6	ppm	60	PASS	ND	
ENZENE	0.1	ppm	1	PASS	ND	
UTANES (N-BUTANE)	500	ppm	5000	PASS	ND	
HLOROFORM	0.2	ppm	2	PASS	ND	
ICHLOROMETHANE	12.5	ppm	125	PASS	ND	
THANOL	500	ppm	5000	PASS	ND	
THYL ACETATE	40	ppm	400	PASS	ND ND ND ND ND	
THYL ETHER	50	ppm	500	PASS		
THYLENE OXIDE	0.5	ppm	5	PASS		
EPTANE	500	ppm	5000	PASS		
IETHANOL	25	ppm	250	PASS		
HEXANE	25	ppm	250	PASS	ND	
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND	
ROPANE	500	ppm	5000	PASS	ND	
OLUENE	15	ppm	150	PASS	ND	
OTAL XYLENES	15	ppm	150	PASS	ND	
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND	
nalyzed by: 50, 585, 4044, 1665	Weight: 0.0299g	Extractio 07/25/23	on date: 3 14:50:35	17 17 1	Extracted by: 850	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062634SOL nstrument Used : DA-GCMS-003 Analyzed Date : 07/25/23 14:55:25		ved On : 07/25/23 15:47:23 Date : 07/24/23 12:41:41				
Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.062 Pipette : DA-309 25 uL Syringe 35028						

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/26/23





Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30722011-005 Harvest/Lot ID: 2156 0167 9487 8294 Batch# : 2156 0167 9487 Sample 8294 Total Ar

Sampled : 07/22/23 Ordered : 07/22/23 Sample Size Received :16 gram Total Amount :934 units Completed : 07/26/23 Expires: 07/26/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microb	ial			PAS	SED	ւ.	Мусо	toxin	S			PAS	SED
Analyte	$\langle \rangle$	LOD	Units	Result	Pass / Fail	Action	Analyte		5	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN B	2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER			Not Present	PASS		AFLATOXIN B	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		OCHRATOXIN	Α		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN G			0.002	ppm	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN G	i2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CELL	Not Present	PASS	100000	Analyzed by:		Weight:	Extracti			Extracte	ed by:
Analyzed by:	T AND MOLD	10		<10 eight: Extraction			: Analysis Metho	d:SOP.T.30.101		ille), SOP.T	3 12:40:41 .40.101.FL		4056 ille),	
3702, 3390, 3621, 585, 4044, 1665 0.8733g07/23/23 15:32:573702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On : 07/25/23 18:12:08							Analytical Batch Instrument Use	L (Davie), SOP.T h : DA062624MY d : N/A : 07/24/23 14:15	С	Revie	wed On : 0 Date : 07/			
Biosystems Th DA-020,fisherl Isotemp Heat	ed : PathogenDx Sca ermocycler DA-171 orand Isotemp Heat Block DA-021 : 07/24/23 12:43:00	fisherbrand I Block DA-049	sotemp He	at Block 09:49:	Date : 07/2 21	23/23	071923.R01 Consumables :	23.R03; 040521 326250IW 3; DA-094; DA-2		R01; 07212	23.R01; 07	1723.R02	; 060523.	R26;
	223.56; 071823.R01 7562003040; 7563						Mycotoxins testi accordance with	ng utilizing Liquid F.S. Rule 64ER20-	39.	X	e-Quadrupo	le Mass Sp	ectrometry	in
Analyzed by: 3390, 3621, 58	35, 4044	Weight: 0.8733g	Extraction N/A		Extracted b 3702,3390		Нд	Heavy	/ Met	als			PAS	SED
Analytical Bate Instrument Us Analyzed Date	od : SOP.T.40.208 (C ch : DA062612TYM ed : Incubator (25-2 : 07/24/23 12:40:13	7C) DA-097	Rev	09.FL riewed On : 07/2 rch Date : 07/23/2			Metal TOTAL CONTA	AMINANT LOAD	METALS	LOD 0.08 0.02	Units ppm ppm	Result ND ND	Pass / Fail PASS PASS	Action Level 1.1 0.2
Dilution : 10 Reagent : 050 Consumables : Pipette : N/A	223.56; 070523.R46 N/A	5					CADMIUM MERCURY LEAD			0.02 0.02 0.02	ppm ppm ppm	ND ND ND	PASS PASS PASS	0.2 0.2 0.5
	mold testing is perforr n F.S. Rule 64ER20-39.	ned utilizing MI	PN and tradit	tional culture base	d techniques	s in	Analyzed by: 1022, 585, 4044	4, 1665	Weight: 0.2103g	Extractio 07/24/23	n date: 09:33:31	X	Extracted 3619,102	
							Analytical Batch Instrument Use	d:SOP.T.30.082 h:DA062585HE d:DA-ICPMS-00 :07/24/23 15:09	A 3	Review	ed On : 07/ D ate : 07/22			
							070723.R18; 0 Consumables :	23.R45; 072023 71023.01; 06282 179436; 150210 1; DA-191; DA-2	23.R15 42; 2105080		823.R02; 0	72123.R1	4; 07212:	3.R15;
							Heavy Metals an with F.S. Rule 64	alysis is performed IER20-39.	d using Inducti	vely Coupled	I Plasma Ma	ss Spectro	netry in ac	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/26/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Sundae Driver RSO Syringes 1 g Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

Ordered : 07/22/23

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

Sample : DA30722011-005 Harvest/Lot ID: 2156 0167 9487 8294 Batch# : 2156 0167 9487 8294 Sample Sampled : 07/22/23 Completer


87 8294 Sample Size Received : 16 gram Total Amount : 934 units Completed : 07/26/23 Expires: 07/26/24 Sample Method : 50P.T.20.010



Reagent : N/A Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/26/23

PASSE

Page 6 of 6