



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30722011-006  
Harvest/Lot ID: ID-BIS-071123-A118  
Batch#: 4452 0878 3316 9628  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 5460 2975 8352 0083  
Batch Date: 07/06/23  
Sample Size Received: 38.5 gram  
Total Amount: 2785 units  
Retail Product Size: 3.5 gram  
Ordered: 07/22/23  
Sampled: 07/22/23  
Completed: 07/26/23  
Sampling Method: SOP.T.20.010

Jul 26, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**




Total THC  
**20.25%**  
Dry Weight



Total CBD  
**0.048%**  
Dry Weight



Total Cannabinoids  
**23.616%**  
Dry Weight



Total THC  
**17.476%**  
611.66 mg /Container

Total CBD  
**0.042%**  
1.47 mg /Container

Total Cannabinoids  
**20.381%**  
713.335 mg /Container

As Received

Analyzed by:  
1665, 585, 4044

Weight:  
0.1875g

Extraction date:  
07/24/23 10:10:38

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062602POT  
Instrument Used : DA-LC-002  
Analyzed Date : 07/24/23 10:12:41

Reviewed On : 07/25/23 14:10:11  
Batch Date : 07/22/23 20:41:42

Dilution : 400  
Reagent : 072423.R04; 061623.02; 072423.R02  
Consumables : 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
07/26/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30722011-006

Harvest/Lot ID: ID-BIS-071123-A118

 Batch# : 4452 0878 3316  
 9628

Sampled : 07/22/23

Ordered : 07/22/23

Sample Size Received : 38.5 gram

Total Amount : 2785 units

Completed : 07/26/23 Expires: 07/26/24

Sample Method : SOP.T.20.010

Page 2 of 5



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30722011-006

Harvest/Lot ID: ID-BIS-071123-A118

 Batch# : 4452 0878 3316  
 9628

Sampled : 07/22/23

Ordered : 07/22/23


Sample Size Received : 38.5 gram

Total Amount : 2785 units

Completed : 07/26/23 Expires: 07/26/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 1665, 4044	0.9445g	07/24/23 11:17:52	4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062625PES		Reviewed On : 07/26/23 10:59:40			
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 07/23/23 14:55:50			
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/24/23 14:15:24					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 1665, 4044	0.9445g	07/24/23 11:17:52	4056		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062626VOL		Reviewed On : 07/26/23 10:59:14			
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 07/23/23 14:57:22			
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/25/23 12:46:28					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						







# Certificate of Analysis


**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30722011-006  
 Harvest/Lot ID: ID-BIS-071123-A118

 Batch# : 4452 0878 3316    Sample Size Received : 38.5 gram  
 9628    Total Amount : 2785 units  
 Sampled : 07/22/23    Completed : 07/26/23 Expires: 07/26/24  
 Ordered : 07/22/23    Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div>						<div>PASSED</div>					
<div>Analyte</div> <div>ASPERGILLUS TERREUS</div> <div>ASPERGILLUS NIGER</div> <div>ASPERGILLUS FUMIGATUS</div> <div>ASPERGILLUS FLAVUS</div> <div>SALMONELLA SPECIFIC GENE</div> <div>ECOLI SHIGELLA</div> <div>TOTAL YEAST AND MOLD</div> <div>10</div> <div>CFU/g</div> <div>130</div> <div>PASS</div> <div>100000</div>						<div>Analyte</div> <div>AFLATOXIN B2</div> <div>AFLATOXIN B1</div> <div>OCHRATOXIN A</div> <div>AFLATOXIN G1</div> <div>AFLATOXIN G2</div> <div>Analyzed by: 3379, 1665, 4044</div> <div>Weight: 0.9445g</div> <div>Extraction date: 07/24/23 11:17:52</div> <div>Extracted by: 4056</div>					
<div>Analyzed by: 3702, 3390, 3621, 585, 4044, 1665</div> <div>Weight: 0.9197g</div> <div>Extraction date: 07/23/23 15:32:57</div> <div>Extracted by: 3702</div>						<div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062627MYC</div> <div>Instrument Used : N/A</div> <div>Analyzed Date : 07/24/23 14:15:33</div> <div>Reviewed On : 07/26/23 10:59:31</div> <div>Batch Date : 07/23/23 14:57:56</div>					
<div>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</div> <div>Analytical Batch : DA062611MIC</div> <div>Reviewed On : 07/25/23 18:12:09</div> <div>Batch Date : 07/23/23 09:49:21</div> <div>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</div> <div>Analyzed Date : 07/24/23 12:43:00</div>						<div>Dilution : 250</div> <div>Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div>					
<div>Dilution : N/A</div> <div>Reagent : 050223.56; 071823.R01; 020823.19</div> <div>Consumables : 7562003040; 7563004011</div> <div>Pipette : N/A</div>						<div>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
<div>Analyzed by: 3390, 3621, 585, 4044</div> <div>Weight: 0.9197g</div> <div>Extraction date: N/A</div> <div>Extracted by: 3702,3390</div>						<div><div><div><div>Hg</div></div></div></div> <div>Heavy Metals</div> <div>PASSED</div>					
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA062612TYM</div> <div>Instrument Used : Incubator (25-27C) DA-097</div> <div>Analyzed Date : 07/24/23 12:40:13</div> <div>Reviewed On : 07/25/23 18:17:59</div> <div>Batch Date : 07/23/23 14:20:58</div>						<div>Metal</div> <div>TOTAL CONTAMINANT LOAD METALS</div> <div>0.08</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>1.1</div> <div>ARSENIC</div> <div>0.02</div> <div>ppm</div> <div>&lt;0.1</div> <div>PASS</div> <div>0.2</div> <div>CADMIUM</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div> <div>MERCURY</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div> <div>LEAD</div> <div>0.02</div> <div>ppm</div> <div>&lt;0.1</div> <div>PASS</div> <div>0.5</div>					
<div>Dilution : 10</div> <div>Reagent : 050223.56; 070523.R46</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>						<div>Analyzed by: 1022, 585, 4044, 1665</div> <div>Weight: 0.2494g</div> <div>Extraction date: 07/24/23 09:43:48</div> <div>Extracted by: 3619</div>					
<div>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</div>						<div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA062629HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 07/24/23 14:45:04</div> <div>Reviewed On : 07/25/23 14:09:23</div> <div>Batch Date : 07/23/23 16:31:19</div>					
						<div>Dilution : 50</div> <div>Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15</div> <div>Consumables : 179436; 15021042; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div>					
						<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30722011-006  
 Harvest/Lot ID: ID-BIS-071123-A118

 Batch# : 4452 0878 3316  
 Sample Size Received : 38.5 gram  
 Total Amount : 2785 units  
 Completed : 07/26/23 Expires: 07/26/24  
 Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.7	PASS	15
Analyzed by: 585, 4044 Weight: NA Extraction date: N/A Extracted by: N/A						Analyzed by: 4056, 585, 4044 Weight: 0.512g Extraction date: 07/23/23 12:42:54 Extracted by: 4056					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062679FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A			Reviewed On : 07/25/23 21:40:28 Batch Date : 07/25/23 16:34:43			Analysis Method : SOP.T.40.021 Analytical Batch : DA062589MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/22/23 14:08:29			Reviewed On : 07/24/23 13:11:42 Batch Date : 07/22/23 13:45:48		
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.598	PASS	0.65
Analyzed by: 4056, 3807, 1665, 4044 Weight: 0.474g Extraction date: 07/26/23 09:06:39 Extracted by: 3807					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062636WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A			Reviewed On : 07/26/23 10:58:46 Batch Date : 07/24/23 12:52:59		
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.