

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Original Peach Gels 10 Count Original Peach Matrix: Edible Type: Soft Chew




Sample:DA30627005-001 Harvest/Lot ID: 3377 7595 6210 7082 Batch#: 3377 7595 6210 7082 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 1464 5381 9858 8718 Batch Date: 05/04/23 Sample Size Received: 900 gram Total Amount: 4260 units Retail Product Size: 61.8710 gram Ordered: 06/26/23 Sampled: 06/26/23 Sampled: 06/29/23 Sampling Method: SOP.T.20.010

Jun 29, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

PASSED



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

06/29/23



Kaycha Labs

Original Peach Gels 10 Count **Original Peach** Matrix : Edible Type: Soft Chew



PASSED

PASSED

Page 2 of 5

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

R;

0

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30627005-001 Harvest/Lot ID: 3377 7595 6210 7082 Batch#: 3377 7595 6210 7082

Sampled : 06/26/23 Ordered : 06/26/23

Sample Size Received : 900 gram Total Amount : 4260 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Pesticides

0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	30 3 1 1 3 0.3 3 2 3 0.1 3 0.5 0.5 3 0.5 0.1 3 3 0.1 0.5 0.1 0.1 0.1 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	OXAMYL PACLOBUTRAZOL PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm	1 1 3 3 0.3 3 2 3 0.1 3 3 0.5 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	1 3 3 2 3 0.1 3 3 0.5 3 0.5 0.1 3 3 0.5 0.1 3 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	3 3 2 3 0.1 3 0.5 3 0.5 0.1 3 3 0.5 0.1 3 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm	3 0.3 2 3 0.1 3 0.5 3 0.5 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm	0.3 3 2 3 0.1 3 3 0.5 0.5 0.1 3 0.5 0.1 3 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	3 2 3 0.1 3 3 0.5 3 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND N	PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm	2 3 0.1 3 0.5 3 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND ND ND	PYRIDABEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ррт ррт ррт ррт ррт ррт ррт ррт ррт ррт	3 0.1 3 0.5 3 0.5 0.1 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND	SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.1 3 0.5 3 0.5 0.1 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND	SPIROTETRAMAT SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	3 3 0.5 3 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND	SPIROXAMINE TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm ppm	3 0.5 3 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND	TEBUCONAZOLE THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm	0.5 3 0.5 0.1 3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND	THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm ppm	3 0.5 0.1 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	THIACLOPRID THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm ppm	0.5 0.1 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	THIAMETHOXAM TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm ppm	0.1 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS PASS	ND ND ND ND	TRIFLOXYSTROBIN PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm ppm	3 3 0.1 0.5 0.1	PASS PASS PASS PASS PASS	ND ND ND ND	PENTACHLORONITROBENZENE (PCNB) * PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm ppm	3 0.1 0.5 0.1	PASS PASS PASS PASS	ND ND ND	PARATHION-METHYL * CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01 0.01	ppm ppm ppm ppm	0.1 0.5 0.1	PASS PASS PASS	ND ND	CAPTAN * CHLORDANE *	
0.01 0.01 0.01 0.01	ppm ppm ppm	0.5 0.1	PASS PASS	ND	CHLORDANE *	
0.01 0.01 0.01	ppm ppm	0.1	PASS			
0.01 0.01	ppm			ND	CHLORFENAPYR *	
0.01		0.1	DACC			
	0.0.00		PASS	ND	CYFLUTHRIN *	
0.05	ppm	3	PASS	ND	CYPERMETHRIN *	
0.01	ppm	0.1	PASS	ND		
0.01	ppm	0.1	PASS	ND		E:
0.01	ppm	0.1	PASS	ND		-
0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville) SOP.T.40.102.FL (Davie)	'
0.01	ppm	1.5	PASS	ND	Analytical Batch : DA061810PES	
0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	
0.01	maa	0.1	PASS	ND	Analyzed Date : N/A	
0.01	ppm	2	PASS	ND	Dilution : 250	
0.01	maa	0.1	PASS	ND	Reagent: 062223.R12; 062623.R07; 061423.R2	3
	P.P.	2	PASS	ND		
		3	PASS			
		2	PASS			
			PASS			
			PASS			
						Ē
					Analytical Batch : DA061812VOL	
					Instrument Used : DA-GCMS-001	
					Dilution : 250	
	1.1.	÷.=				ï
		-				~
0.01	hhiii	0.5		NU	in accordance with F.S. Rule 64ER20-39.	3
	0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 ppm 0.01 ppm	0.01 ppm 2 0.01 ppm 3 0.01 ppm 2 0.01 ppm 0.1 0.01 ppm 1 0.01 ppm 1 0.01 ppm 2 0.01 ppm 1 0.01 ppm 2 0.01 ppm 2 0.01 ppm 0.1 0.01 ppm 0.1 0.01 ppm 0.1 0.01 ppm 3	0.01 ppm 2 PASS 0.01 ppm 3 PASS 0.01 ppm 2 PASS 0.01 ppm 0.1 PASS 0.01 ppm 1 PASS 0.01 ppm 1 PASS 0.01 ppm 1 PASS 0.01 ppm 2 PASS 0.01 ppm 2 PASS 0.01 ppm 3 PASS 0.01 ppm 0.1 PASS 0.01 ppm 0.1 PASS 0.01 ppm 0.1 PASS 0.01 ppm 3 PASS 0.01 ppm 3 PASS	0.01 ppm 2 PASS ND 0.01 ppm 3 PASS ND 0.01 ppm 2 PASS ND 0.01 ppm 2 PASS ND 0.01 ppm 0.1 PASS ND 0.01 ppm 1 PASS ND 0.01 ppm 2 PASS ND 0.01 ppm 2 PASS ND 0.01 ppm 3 PASS ND 0.01 ppm 0.1 PASS ND 0.01 ppm 3 PASS ND	Consumables: 6697075-02 0.01 ppm 2 PASS ND Pipette: DA-039; DA-039; DA-219 0.01 ppm 3 PASS ND Testing for agricultural agents is performed utilizing Spectrometry in accordance with F.S. Rule 64ER20. 0.01 ppm 0.1 PASS ND Analyzed by: Weight: Et 0.01 ppm 1 PASS ND Analyzed by: Weight: Et 0.01 ppm 1 PASS ND Analyzed by: Weight: Et 0.01 ppm 1 PASS ND Analyzed by: Meight: Et 0.01 ppm 2 PASS ND Analysis Method :SOP T.30.151.FL (Gainesville) 0.01 ppm 3 PASS ND Instrument Used :DA-6CM5-001 0.01 ppm 0.1 PASS ND Reagent : 06123.R23; 040521.11; 061223.R25 0.01 ppm 0.1 PASS ND Reagent : 061423.R23; 040521.11; 061223.R25

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.2	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.4	PASS	ND
PROPICONAZOLE		0.01	ppm	1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	3	PASS	ND
SPIROMESIFEN		0.01	ppm	3	PASS	ND
SPIROTETRAMAT		0.01	ppm	3	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	1	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
PENTACHLORONITROE	BENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CAPTAN *		0.07	PPM	3	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.05	PPM	1	PASS	ND
CYPERMETHRIN *		0.05	PPM	1	PASS	ND
Analyzed by: 3379, 585, 1440	Weight: 1.0275g		ion date: 3 14:48:10		Extracted 450,585	by:
Analysis Method :SOP. SOP.T.40.102.FL (Davie Analytical Batch :DA06 Instrument Used :DA-L Analyzed Date :N/A) 51810PES	ville), SOP.T	Reviewed	. (Davie), SOP d On : 06/29/2 te :06/27/23	3 11:51:38	Gainesville
Dilution : 250 Reagent : 062223.R12; Consumables : 669707 Pipette : DA-093; DA-0 Taching (account)	5-02 94; DA-219					
Testing for agricultural a Spectrometry in accorda	nce with F.S. Rule 64E	R20-39.		graphy Triple-(
Analyzed by: 450, 585, 1440	Weight: 1.0275g		on date: 14:48:10		Extracted 450,585	by:
Analysis Method : SOP. Analytical Batch : DA00 Instrument Used : DA-0	61812VOL	Re	viewed O	L (Davie), SO n:06/28/23 1 :06/27/23 10:	0:46:34	

5: 061223.R24

g Gas Chromatography Triple-Quadrupole Mass Spectrometry

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/29/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Original Peach Gels 10 Count Original Peach Matrix : Edible Type: Soft Chew



PASSED

PASSED

Page 3 of 5

Certificate of Analysis

DAVIE, FL, 33314, US (954) 368-7664

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30627005-001

 Harvest/Lot ID: 3377 7595 6210
 7082

 Batch # : 3377 7595 6210
 Sample

 7082
 Total Ar

 Sampled: 06/26/23
 Complet

 Ordered: 06/26/23
 Sample

10 7082 Sample Size Received : 900 gram Total Amount : 4260 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Ä

Residual Solvents

Solvents		LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE		0.8	ppm	8	PASS	ND	
1,2-DICHLOROETHANE		0.2	ppm	2	PASS	ND	
2-PROPANOL		50	ppm	500	PASS	ND	
ACETONE		75	ppm	750	PASS	ND	
ACETONITRILE		6	ppm	60	PASS	ND	
BENZENE		0.1	ppm	1	PASS	ND	
BUTANES (N-BUTANE)		500	ppm	5000	PASS	ND	
CHLOROFORM		0.2	ppm	2	PASS	ND	
DICHLOROMETHANE		12.5	ppm	125	PASS	ND	
ETHANOL		500	ppm	5000	PASS	ND	
ETHYL ACETATE		40	ppm	400	PASS	ND	
ETHYL ETHER		50	ppm	500	PASS	ND	
ETHYLENE OXIDE		0.5	ppm	5	PASS	ND	
HEPTANE		500	ppm	5000	PASS	ND	
METHANOL		25	ppm	250	PASS	ND	
N-HEXANE		25	ppm	250	PASS	ND	
PENTANES (N-PENTANE)		75	ppm	750	PASS	ND	
PROPANE		500	ppm	5000	PASS	ND	
TOLUENE		15	ppm	150	PASS	ND	
TOTAL XYLENES		15	ppm	150	PASS	ND	
TRICHLOROETHYLENE		2.5	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0239g		Extraction dat 06/28/23 12:1			Extracted by: 350	
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA061822SOL Instrument Used : DA-GCMS-002 Analyzed Date : 06/28/23 12:15:18				wwed On : 06/28/23 14:14:17 Date : 06/27/23 13:57:16			
Dilution : 1 Reagent : N/A Consumables : N/A Pipette : N/A				1 KV	$\chi \chi$	$\langle X \rangle$	

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

06/29/23



Kaycha Labs

Original Peach Gels 10 Count **Original Peach** Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Weight: 0.8901g

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA061802TYM Instrument Used : Incubator (25-27C) DA-096

Analyzed Date : 06/27/23 15:03:16

Dilution : 10 Reagent : 060723.R45; 050223.39

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Certificate of Analysis

FLUENT

Analyzed by: 3390, 585, 1440

Consumables : N/A Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30627005-001 Harvest/Lot ID: 3377 7595 6210 7082 Batch#: 3377 7595 6210

Reviewed On: 06/29/23 14:24:29 Batch Date : 06/27/23 10:35:06

Sampled : 06/26/23 Ordered : 06/26/23

Sample Size Received : 900 gram Total Amount : 4260 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Page 4 of !

Ċ,	Microbia	Û			PAS	SED	ۍ پې	Mycoto	xins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action	Analyte		LOD	Units	Result	Pass / Fail	Action
ECOLI SHIGE				Not Present	PASS	Level	AFLATOXIN	B2	0.002	maa	ND	PASS	0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	B1	0.002	maa	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		OCHRATOXI	NA	0.002	maa	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN	G1	0.002	ppm	ND	PASS	0.02
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	G2	0.002	ppm	ND	PASS	0.02
ASPERGILLU TOTAL YEAS	S NIGER T AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	Weight: 1.0275g	Extraction dat 06/27/23 14:4			Extracted 450.585	by:
	Weight: 0.8901g od:SOP.T.40.056C, SOP. ch:DA061778MIC	06/2	action date: 7/23 12:14: 8.FL, SOP.T.	51 40.209.FL	Extracted 3702 wed On : 06 40	\rightarrow	SOP.T.30.102.		102.FL (Davie) Review	wed On : (L (Gainesv)6/29/23 1 /27/23 10:	1:21:42	
Biosystems Th DA-020,fisherl Isotemp Heat	ed : PathogenDx Scanner ermocycler DA-013,fishe orand Isotemp Heat Block Block DA-021 : 06/27/23 12:14:04	rbrand I	Isotemp Hea	at Block 08:42:	Date : 06/2 17	27/23	040521.11 Consumables	223.R12; 062623.R07 : 6697075-02 93; DA-094; DA-219	; 061423.R23; 0620)23.R01; (060523.R2	6; 06212	3.R01;
Dilution : N/A Reagent : 062 Consumables : Pipette : N/A	323.R18; 092122.01; 092 7562003050	2122.09;	; 050223.39					ting utilizing Liquid Chror h F.S. Rule 64ER20-39.	natography with Triple	e-Quadrupo	ole Mass Spo	ectrometry	in
Analyzed by: 3390, 585, 144	Weight: 10 0.8901g		xtraction da		tracted by: 02,3390		Hg	Heavy M	Metals			PAS	SED

lg		Heavy	Metals
----	--	-------	--------

Metal			LOD	Units	Result	Pass / Fail	Actior Level
TOTAL CONTAMINA	ALS	0.08	ppm	ND	PASS	5	
ARSENIC			0.02	ppm	ND	PASS	1.5
CADMIUM			0.02	ppm	ND	PASS	0.5
MERCURY			0.02	ppm	ND	PASS	3
LEAD			0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2461g		Atraction date: 6/27/23 12:11:13		Extracted by: 1022,3619		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-	61803HEA	X	Review		/28/23 10: 7/23 10:36		

Analyzed Date : 06/27/23 15:57:49

Dilution: 50 Reagent: 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062223.R16 Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 06/29/23

ka ka	aycha°
	LABS

Kaycha Labs

Original Peach Gels 10 Count **Original Peach** Matrix : Edible Type: Soft Chew

Page 5 of 5



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30627005-001 Harvest/Lot ID: 3377 7595 6210 7082 Batch#: 3377 7595 6210

Sampled : 06/26/23 Ordered : 06/26/23

Sample Size Received : 900 gram Total Amount : 4260 units Completed : 06/29/23 Expires: 06/29/24 Sample Method : SOP.T.20.010

Homogeneity

Amount of tests conducted : 28

SED

PASSED

Filth/Fo Materia	oreign al	PAS
		D

Analyte Filth and Foreign Material		LODUnitsResult0.1%ND		P/F PASS	Action Level	An	
Analyzed by: 1879, 1440	Weight: NA	Extraction N/A	date:	Extrac N/A	ted by:	то	
Analysis Method : SOP.T.40.090 Reviewed On : 06/28/23 14:01:02 Analytical Batch : DA061855FIL Reviewed On : 06/28/23 14:01:02 Instrument Used : Filth/Foreign Material Microscope Batch Date : 06/28/23 11:33:36 Analyzed Date : 06/28/23 11:42:34 Batch Date : 06/28/23 11:33:36							
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Ana Ana Ins	
Filth and foreign mater technologies in accord			spection utiliz	ing naked eye	e and microscope	Ana Dilu Rea	

		F					
Analyte Water Activity		LOD	Units aw	Result 0.561	P/F PASS	Action Level	
Analyzed by: 585, 4056, 1440	Weight: 12.076g	Extraction date:			Extracted by: 4056		
Analysis Method : SOF Analytical Batch : DAC Instrument Used : DA- Analyzed Date : 06/27	061815WAT -028 Rotronic H	lygropa	lm	Reviewed C Batch Date			
Dilution : N/A Reagent : 050923.03 Consumables : PS-14							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Water Activity

lvte LOD Units Pass/Fail Result Action Level TAL THC - HOMOGENEITY 0.001 % PASS 3.882 25 D) Average alyzed by Extraction date : Extracted By : Weight 5, 585, 1440 5.864g 06/27/23 11:13:26 3335 lysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL lytical Batch : DA061791HOM rument Used : DA-LC-001 (Homo) Reviewed On: 06/28/23 10:12:24 Batch Date: 06/27/23 09:53:53 lyzed Date : 06/27/23 11:16:45 tion : 40 gent: 050923.01; 062223.R01; 071222.35; 062223.R02 Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; R1KB14270 Pipette : DA-079; DA-108; DA-078 Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 06/29/23