



# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30628001-007**
**Harvest/Lot ID: 0118 3947 2894 4139**
**Batch#: 0118 3947 2894 4139**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 8593 5411 6135 5768**
**Batch Date: 05/04/23**
**Sample Size Received: 16 gram**
**Total Amount: 1931 units**
**Retail Product Size: 1 gram**
**Ordered: 06/27/23**
**Sampled: 06/27/23**
**Completed: 06/30/23**
**Sampling Method: SOP.T.20.010**
**PASSED**

Jun 30, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US


Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**91.391%**
**Total THC/Container : 913.91 mg**

**Total CBD**
**0.241%**
**Total CBD/Container : 2.41 mg**

**Total Cannabinoids**
**97.429%**
**Total Cannabinoids/Container : 974.29 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.391	ND	0.241	ND	0.206	3.862	ND	ND	0.557	ND	1.172
mg/unit	913.91	ND	2.41	ND	2.06	38.62	ND	ND	5.57	ND	11.72
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 4044

Weight:  
0.1008g

Extraction date:  
06/28/23 11:49:52

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061833POT

Instrument Used : DA-LC-007

Analyzed Date : 06/28/23 12:05:18

Reviewed On : 06/30/23 10:12:43

Batch Date : 06/28/23 09:38:42

Dilution : 400

Reagent : 062323.R04; 071222.01; 062323.R02

Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/30/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30628001-007  
 Harvest/Lot ID: 0118 3947 2894 4139

 Batch# : 0118 3947 2894 4139  
 Sample Size Received : 16 gram  
 Total Amount : 1931 units  
 Completed : 06/30/23 Expires: 06/30/24  
 Ordered : 06/27/23  
 Sample Method : SOP.T.20.010

Page 2 of 6

</



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30628001-007

Harvest/Lot ID: 0118 3947 2894 4139

 Batch# : 0118 3947 2894  
 4139

Sampled : 06/27/23

Ordered : 06/27/23

Sample Size Received : 16 gram

Total Amount : 1931 units

Completed : 06/30/23 Expires: 06/30/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 4044	Weight: 0.2119g	Extraction date: 06/28/23 15:40:28	Extracted by: 450, 4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA061847PES			Reviewed On : 06/29/23 12:19:47		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002			Batch Date : 06/28/23 11:00:28		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/28/23 16:43:41					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 062623.R07; 062823.R09; 061423.R23; 062823.R08; 060523.R26; 062123.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.2119g	Extraction date: 06/28/23 15:40:28	Extracted by: 450, 4056		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061848VOL			Reviewed On : 06/29/23 12:18:31		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 06/28/23 11:02:44		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date : 06/28/23 15:50:31					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						







# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30628001-007

Harvest/Lot ID: 0118 3947 2894 4139

 Batch# : 0118 3947 2894  
 4139

Sampled : 06/27/23

Ordered : 06/27/23

Sample Size Received : 16 gram

Total Amount : 1931 units

Completed : 06/30/23 Expires: 06/30/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0243g

 Extraction date:  
 06/29/23 13:43:18

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA061857SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 06/29/23 14:21:24

 Reviewed On : 06/30/23 10:08:39  
 Batch Date : 06/28/23 14:09:25

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 27296; KF140  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30628001-007

Harvest/Lot ID: 0118 3947 2894 4139

Batch# : 0118 3947 2894 4139

Sampled : 06/27/23

Ordered : 06/27/23

Sample Size Received : 16 gram

Total Amount : 1931 units

Completed : 06/30/23 Expires: 06/30/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>ECOLI SHIGELLA</b>			Not Present	PASS	
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	PASS	
<b>ASPERGILLUS FLAVUS</b>			Not Present	PASS	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	PASS	
<b>ASPERGILLUS TERREUS</b>			Not Present	PASS	
<b>ASPERGILLUS NIGER</b>			Not Present	PASS	
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 3621, 4044 Weight: 0.892g Extraction date: 06/28/23 10:31:22 Extracted by: 3621

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA061829MIC Reviewed On : 06/29/23 13:16:49

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Batch Date : 06/28/23 08:27:41

Analyzed Date : N/A

Dilution : N/A

Reagent : 062323.R18; 092122.01; 092122.09; 050223.40

Consumables : 7562003050

Pipette : N/A

Analyzed by: 3621, 585, 4044 Weight: 0.892g Extraction date: 06/28/23 10:31:22 Extracted by: 3621, 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA061844TYM Reviewed On : 06/30/23 11:01:07

Instrument Used : Incubator (25-27C) DA-097 Batch Date : 06/28/23 10:31:31

Analyzed Date : 06/28/23 13:16:24

Dilution : 10

Reagent : 060723.R45; 050223.40

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>AFLATOXIN B2</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN B1</b>	0.002	ppm	ND	PASS	0.02
<b>OCHRATOXIN A</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G1</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G2</b>	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044 Weight: 0.2119g Extraction date: 06/28/23 15:40:28 Extracted by: 450, 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA061851MYC

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : 06/29/23 12:20:27

Batch Date : 06/28/23 11:13:33

Dilution : 250

Reagent : N/A

Consumables : N/A

Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.08	ppm	ND	PASS	1.1
<b>ARSENIC</b>	0.02	ppm	ND	PASS	0.2
<b>CADMIUM</b>	0.02	ppm	ND	PASS	0.2
<b>MERCURY</b>	0.02	ppm	ND	PASS	0.2
<b>LEAD</b>	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 4044 Weight: 0.2175g Extraction date: 06/28/23 10:44:15 Extracted by: 3619, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA061832HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 06/29/23 09:58:15

Reviewed On : 06/29/23 12:22:05

Batch Date : 06/28/23 09:35:18

Dilution : 50

Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19;

050923.01; 061423.R46

Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30628001-007

Harvest/Lot ID: 0118 3947 2894 4139

 Batch# : 0118 3947 2894  
 4139

Sampled : 06/27/23

Ordered : 06/27/23

Sample Size Received : 16 gram

Total Amount : 1931 units

Completed : 06/30/23 Expires: 06/30/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
---------	-----	-------	--------	-----	--------------

Analyzed by: 1879, 4044, 585	Weight: NA	Extraction date: N/A	Extracted by: N/A		
---------------------------------	---------------	-------------------------	----------------------	--	--

Analysis Method : SOP.T.40.090

Analytical Batch : DA061856FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 06/28/23 11:42:30

Reviewed On : 06/28/23 14:02:22

Batch Date : 06/28/23 11:33:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
---------	-----	-------	--------	-----	--------------

Water Activity	0.01	aw	0.523	PASS	0.85
Analyzed by: 4056, 585, 4044	Weight: 0.661g	Extraction date: 06/29/23 14:04:29	Extracted by: 4056		

Analysis Method : SOP.T.40.019

Analytical Batch : DA061842WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 06/29/23 15:23:26

Batch Date : 06/28/23 10:00:01

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.