



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30624006-003
Harvest/Lot ID: ID-BLI-032123-A102
Batch#: 5057 5841 1537 5247-R1
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 1963 3001 5210 0197
Batch Date: 03/17/23
Sample Size Received: 26 gram
Total Amount: 326 units
Retail Product Size: 1 gram
Ordered: 06/24/23
Sampled: 06/24/23
Completed: 06/30/23
Sampling Method: SOP.T.20.010

Jun 30, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
26.687%
Dry Weight

Total CBD
0.064%
Dry Weight

Total Cannabinoids
31.583%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.673	25.479	<0.01	0.064	0.03	0.097	0.792	0.017	<0.01	0.025	0.064	0.064	26.687	31.583
mg/unit	6.73	254.79	<0.1	0.64	0.3	0.97	7.92	0.17	<0.1	0.25	0.64	0.64	266.87	315.83
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

**Total THC
23.018%**
230.18 mg /Container

**Total CBD
0.056%**
0.56 mg /Container

**Total Cannabinoids
27.241%**
272.41 mg /Container

As Received
Analyzed by:
1665, 3112, 585, 4044

Weight:
0.2064g

Extraction date:
06/26/23 09:27:47

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061749POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 06/26/23 09:30:19

Reviewed On : 06/27/23 11:12:54

Batch Date : 06/25/23 16:42:17

Dilution : 400

Reagent : 062323.R05; 071222.01; 062323.R03

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
06/30/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30624006-003
Harvest/Lot ID: ID-BLI-032123-A102

Batch# : 5057 5841 1537 Sample Size Received : 26 gram
5247-R1 Total Amount : 326 units
Sampled : 06/24/23 Completed : 06/30/23 Expires: 06/30/24
Ordered : 06/24/23 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.25	0.725		FARNESENE	0.001	0.43	0.043	
TOTAL TERPINEOL	0.007	0.28	0.028		ALPHA-HUMULENE	0.007	0.43	0.043	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.79	0.079		CIS-NEROLIDOL	0.007	<0.2	<0.02	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.24	0.024	
BETA-PINENE	0.007	0.39	0.039		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.61	0.061		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analyzed by:	Weight:	Extraction date:		Extracted by:
ALPHA-TERPINENE	0.007	ND	ND		1879, 2076, 585, 4044	1.0364g	N/A		2076
LIMONENE	0.007	0.38	0.038		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL			
EUCALYPTOL	0.007	ND	ND		Analytical Batch :	DA061735TER			
OCIMENE	0.007	<0.2	<0.02		Instrument Used :	DA-GCMS-008			
GAMMA-TERPINENE	0.007	ND	ND		Analyzed Date :	06/26/23 17:38:43			
SABINENE HYDRATE	0.007	ND	ND		Dilution :	10			
TERPINOLENE	0.007	ND	ND		Reagent :	121622.30			
FENCHONE	0.007	ND	ND		Consumables :	210414634; MKCN9995; CE0123; R1KB14270			
LINALOOL	0.007	0.8	0.08		Pipette :	N/A			
FENCHYL ALCOHOL	0.007	0.32	0.032		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.59	0.159						
Total (%)				0.725					



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-003
 Harvest/Lot ID: ID-BLI-032123-A102

 Batch# : 5057 5841 1537 Sample Size Received : 26 gram
 5247-R1 Total Amount : 326 units
 Sampled : 06/24/23 Completed : 06/30/23 Expires: 06/30/24
 Ordered : 06/24/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 4044	Weight: 1.0837g	Extraction date: 06/26/23 15:10:59	Extracted by: 450,585		
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061739PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/27/23 18:16:12					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 1.0837g	Extraction date: 06/26/23 15:10:59	Extracted by: 450,585		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061740VOL					
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006					
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/26/23 15:27:27					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-003
 Harvest/Lot ID: ID-BLI-032123-A102

 Batch# : 5057 5841 1537 Sample Size Received : 26 gram
 5247-R1 Total Amount : 326 units
 Sampled : 06/24/23 Completed : 06/30/23 Expires: 06/30/24
 Ordered : 06/24/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	70	PASS	100000						
Analyzed by: 3621, 585, 4044 Weight: 0.8633g Extraction date: 06/25/23 14:54:39 Extracted by: 3702						Analyzed by: 585, 3379, 4044 Weight: 1.0837g Extraction date: 06/26/23 15:10:59 Extracted by: 450,585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061730MIC Reviewed On : 06/27/23 13:00:56 Batch Date : 06/25/23 09:27:17						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061741MYC Reviewed On : 06/27/23 21:26:45 Batch Date : 06/25/23 14:04:50 Instrument Used : N/A Analyzed Date : 06/27/23 18:16:05 Dilution : 250 Reagent : 061423.R23; 040521.11; 061923.R01; 062223.R12; 062023.R01; 060523.R26; 062123.R01 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : N/A Dilution : N/A Reagent : 050223.43; 062323.R18; 092122.01 Consumables : 7562003034; 7562003051 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	<0.1	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2254g Extraction date: 06/26/23 08:25:18 Extracted by: 3619,1022											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061725HEA Reviewed On : 06/27/23 11:08:15 Batch Date : 06/24/23 12:09:13 Instrument Used : DA-ICPMS-003 Analyzed Date : 06/26/23 14:18:08 Dilution : 50 Reagent : 061523.R17; 042623.R82; 062323.R15; 062323.R13; 061923.R19; 050923.01; 061423.R46; 062623.R01 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30624006-003
 Harvest/Lot ID: ID-BLI-032123-A102

 Batch# : 5057 5841 1537
 5247-R1
 Sampled : 06/24/23
 Ordered : 06/24/23
 Sample Size Received : 26 gram
 Total Amount : 326 units
 Completed : 06/30/23 Expires: 06/30/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.75	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 06/25/23 19:22:55						Analyzed by: 4056, 585, 4044 Weight: 0.509g Extraction date: 06/25/23 12:56:40 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061754FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 06/25/23 20:15:01 Batch Date : 06/25/23 19:07:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA061732MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 06/25/23 15:13:06 Batch Date : 06/25/23 11:00:39					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.496	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.855g Extraction date: 06/25/23 12:31:49 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061733WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 06/25/23 15:13:05 Batch Date : 06/25/23 11:03:30					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.