



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30630003-008  
**Harvest/Lot ID:** 5494 7228 3602 4938  
**Batch#:** 5494 7228 3602 4938  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 0354 4628 1867 2231  
**Batch Date:** 05/11/23  
**Sample Size Received:** 16 gram  
**Total Amount:** 773 units  
**Retail Product Size:** 1 gram  
**Ordered:** 06/29/23  
**Sampled:** 06/29/23  
**Completed:** 07/03/23  
**Sampling Method:** SOP.T.20.010

Jul 03, 2023 | FLUENT


82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**59.19%**

Total THC/Container : 591.9 mg


**Total CBD**
**0.15%**

Total CBD/Container : 1.5 mg


**Total Cannabinoids**
**62.416%**

Total Cannabinoids/Container : 624.16 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	58.368	0.938	0.15	ND	ND	0.993	0.133	0.533	0.299	ND	1.002
mg/unit	583.68	9.38	1.5	ND	ND	9.93	1.33	5.33	2.99	ND	10.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 4044

Weight:  
0.1126g

Extraction date:  
06/30/23 11:44:43

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061919POT

Instrument Used : DA-LC-007

Analyzed Date : 06/30/23 12:00:05

Reviewed On : 07/03/23 10:46:06

Batch Date : 06/30/23 09:19:46

Dilution : 400

Reagent : 062323.R04; 030923.08; 062323.R02

Consumables : 280670723; CE0123; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
07/03/23



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30630003-008  
Harvest/Lot ID: 5494 7228 3602 4938

Batch# : 5494 7228 3602  
Sample Size Received : 16 gram  
Total Amount : 773 units  
Completed : 07/03/23 Expires: 07/03/24  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	29.13	2.913		FARNESENE	0.007	0.71	0.071	
TOTAL TERPENEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	4.19	0.419		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.26	0.026		CIS-NEROLIDOL	0.007	<0.2	<0.02	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.85	0.185	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.58	0.058	
BETA-PINENE	0.007	0.36	0.036		GUAIOL	0.007	<0.2	<0.02	
BETA-MYRCENE	0.007	1.78	0.178		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.48	0.048		Analyzed by: 2076, 585, 4044 Weight: 1.0559g Extraction date: 06/30/23 16:34:53 Extracted by: 2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA061932TER Instrument Used: DA-GCMS-004 Analyzed Date: 07/01/23 08:22:29 Reviewed On: 07/03/23 10:46:08 Batch Date: 06/30/23 10:19:47				
3-CARENE	0.007	0.23	0.023		Dilution: 10 Reagent: 121622.30 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A				
ALPHA-TERPINENE	0.007	<0.2	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LIMONENE	0.007	1.3	0.13						
EUCALYPTOL	0.007	<0.2	<0.02						
OCIMENE	0.007	<0.2	<0.02						
GAMMA-TERPINENE	0.007	<0.2	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	3.42	0.342						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.17	0.117						
FENCHYL ALCOHOL	0.007	0.32	0.032						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.5	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	12.48	1.248						
<b>Total (%)</b>				<b>2.913</b>					



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30630003-008

Harvest/Lot ID: 5494 7228 3602 4938

Batch# : 5494 7228 3602 4938

Sampled : 06/29/23

Ordered : 06/29/23


Sample Size Received : 16 gram

Total Amount : 773 units

Completed : 07/03/23 Expires: 07/03/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.2611g	Extraction date: 06/30/23 13:00:25	Extracted by: 4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				Reviewed On : 07/03/23 11:05:27	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061938PES				Batch Date : 06/30/23 11:30:27	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 06/30/23 14:00:48					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.2611g	Extraction date: 06/30/23 13:00:25	Extracted by: 4056		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				Reviewed On : 07/03/23 11:03:19	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061939VOL				Batch Date : 06/30/23 11:32:13	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date : 06/30/23 13:56:59					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30630003-008

Harvest/Lot ID: 5494 7228 3602 4938

Batch# : 5494 7228 3602 4938

Sampled : 06/29/23

Ordered : 06/29/23

Sample Size Received : 16 gram

Total Amount : 773 units

Completed : 07/03/23 Expires: 07/03/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0254g

 Extraction date:  
 07/03/23 11:41:19

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA061944SOL  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 07/03/23 11:50:55

 Reviewed On : 07/03/23 13:22:09  
 Batch Date : 06/30/23 18:31:02

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : G201.062; G201.120  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30630003-008

Harvest/Lot ID: 5494 7228 3602 4938

Batch# : 5494 7228 3602 4938

Sampled : 06/29/23

Ordered : 06/29/23






Sample Size Received : 16 gram

Total Amount : 773 units

Completed : 07/03/23 Expires: 07/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>																																																																																																																																																																																																
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>&lt;10</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3390, 3336, 3702, 585, 4044</td><td>Weight: 1.04g</td><td>Extraction date: 06/30/23 10:54:10</td><td>Extracted by: 3336</td><td colspan="2"></td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td colspan="3" rowspan="3">Reviewed On : 07/03/23 10:06:50 Batch Date : 06/30/23 08:17:23</td></tr><tr><td colspan="3">Analytical Batch : DA061912MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</td></tr><tr><td colspan="6">Analyzed Date : 06/30/23 13:37:36</td></tr><tr><td colspan="6">Dilution : N/A</td></tr><tr><td colspan="6">Reagent : 031023.03; 062323.R18; 092122.01; 092122.09</td></tr><tr><td colspan="6">Consumables : N/A</td></tr><tr><td colspan="6">Pipette : N/A</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ECOLI SHIGELLA			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3390, 3336, 3702, 585, 4044	Weight: 1.04g	Extraction date: 06/30/23 10:54:10	Extracted by: 3336			Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/03/23 10:06:50 Batch Date : 06/30/23 08:17:23			Analytical Batch : DA061912MIC			Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Analyzed Date : 06/30/23 13:37:36						Dilution : N/A						Reagent : 031023.03; 062323.R18; 092122.01; 092122.09						Consumables : N/A						Pipette : N/A						<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 4044</td><td>Weight: 0.2611g</td><td>Extraction date: 06/30/23 13:00:25</td><td>Extracted by: 4056</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA061940MYC</td><td colspan="3">Reviewed On : 07/03/23 10:55:08</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 06/30/23 11:34:28</td></tr><tr><td colspan="6">Analyzed Date : 06/30/23 14:00:50</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 4044	Weight: 0.2611g	Extraction date: 06/30/23 13:00:25	Extracted by: 4056			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA061940MYC			Reviewed On : 07/03/23 10:55:08			Instrument Used : N/A			Batch Date : 06/30/23 11:34:28			Analyzed Date : 06/30/23 14:00:50						Dilution : 250						Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																
ECOLI SHIGELLA			Not Present	PASS																																																																																																																																																																																																	
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																																																																																																	
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																																																																																																	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																																																																																																																																
Analyzed by: 3390, 3336, 3702, 585, 4044	Weight: 1.04g	Extraction date: 06/30/23 10:54:10	Extracted by: 3336																																																																																																																																																																																																		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/03/23 10:06:50 Batch Date : 06/30/23 08:17:23																																																																																																																																																																																																		
Analytical Batch : DA061912MIC																																																																																																																																																																																																					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021																																																																																																																																																																																																					
Analyzed Date : 06/30/23 13:37:36																																																																																																																																																																																																					
Dilution : N/A																																																																																																																																																																																																					
Reagent : 031023.03; 062323.R18; 092122.01; 092122.09																																																																																																																																																																																																					
Consumables : N/A																																																																																																																																																																																																					
Pipette : N/A																																																																																																																																																																																																					
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																																																																																																
Analyzed by: 3379, 585, 4044	Weight: 0.2611g	Extraction date: 06/30/23 13:00:25	Extracted by: 4056																																																																																																																																																																																																		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																																																																																																					
Analytical Batch : DA061940MYC			Reviewed On : 07/03/23 10:55:08																																																																																																																																																																																																		
Instrument Used : N/A			Batch Date : 06/30/23 11:34:28																																																																																																																																																																																																		
Analyzed Date : 06/30/23 14:00:50																																																																																																																																																																																																					
Dilution : 250																																																																																																																																																																																																					
Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24																																																																																																																																																																																																					
Consumables : 326250IW																																																																																																																																																																																																					
Pipette : DA-093; DA-094; DA-219																																																																																																																																																																																																					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																					
<table><tr><td></td><td><b>Heavy Metals</b></td><td><b>PASSED</b></td></tr><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 4044</td><td>Weight: 0.2631g</td><td>Extraction date: 06/30/23 11:00:24</td><td>Extracted by: 3619</td><td colspan="2"></td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</td></tr><tr><td colspan="3">Analytical Batch : DA061924HEA</td><td colspan="3">Reviewed On : 07/03/23 10:21:51</td></tr><tr><td colspan="3">Instrument Used : DA-ICPMS-003</td><td colspan="3">Batch Date : 06/30/23 09:57:07</td></tr><tr><td colspan="6">Analyzed Date : 06/30/23 14:15:04</td></tr><tr><td colspan="6">Dilution : 50</td></tr><tr><td colspan="6">Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062823.R15</td></tr><tr><td colspan="6">Consumables : 179436; 15021042; 210508058</td></tr><tr><td colspan="6">Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>							<b>Heavy Metals</b>	<b>PASSED</b>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 4044	Weight: 0.2631g	Extraction date: 06/30/23 11:00:24	Extracted by: 3619			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						Analytical Batch : DA061924HEA			Reviewed On : 07/03/23 10:21:51			Instrument Used : DA-ICPMS-003			Batch Date : 06/30/23 09:57:07			Analyzed Date : 06/30/23 14:15:04						Dilution : 50						Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062823.R15						Consumables : 179436; 15021042; 210508058						Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																		
	<b>Heavy Metals</b>	<b>PASSED</b>																																																																																																																																																																																																			
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																																																																																																
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																																																																																																																																
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																																																																																																																																
LEAD	0.02	ppm	ND	PASS	0.5																																																																																																																																																																																																
Analyzed by: 1022, 585, 4044	Weight: 0.2631g	Extraction date: 06/30/23 11:00:24	Extracted by: 3619																																																																																																																																																																																																		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																																																																																																																																																																																																					
Analytical Batch : DA061924HEA			Reviewed On : 07/03/23 10:21:51																																																																																																																																																																																																		
Instrument Used : DA-ICPMS-003			Batch Date : 06/30/23 09:57:07																																																																																																																																																																																																		
Analyzed Date : 06/30/23 14:15:04																																																																																																																																																																																																					
Dilution : 50																																																																																																																																																																																																					
Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062823.R15																																																																																																																																																																																																					
Consumables : 179436; 15021042; 210508058																																																																																																																																																																																																					
Pipette : DA-061; DA-191; DA-216																																																																																																																																																																																																					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																																																																																																					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30630003-008

Harvest/Lot ID: 5494 7228 3602 4938

Batch# : 5494 7228 3602 4938

Sampled : 06/29/23

Ordered : 06/29/23

Sample Size Received : 16 gram

Total Amount : 773 units

Completed : 07/03/23 Expires: 07/03/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061963FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/02/23 20:49:48

Reviewed On : 07/02/23 21:27:32

Batch Date : 07/01/23 12:27:46

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.659	PASS	0.85

Analyzed by: 3807, 4056, 585, 4044	Weight: 0.528g	Extraction date: 06/30/23 12:45:00	Extracted by: 3807
---------------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA061935WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 06/30/23 12:47:42

Reviewed On : 07/03/23 10:46:10

Batch Date : 06/30/23 10:26:13

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.