



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30701005-001
Harvest/Lot ID: HYB-TT-062123-C0095
Batch#: 4301 5089 2252 7191
Cultivation Facility: Zolfo Springs Cultivation
Source Facility : Zolfo Springs Cultivation
Seed to Sale# 7612 5795 8837 6873
Batch Date: 05/13/23
Sample Size Received: 38.5 gram
Total Amount: 2763 units
Retail Product Size: 3.5 gram
Ordered: 06/30/23
Sampled: 06/30/23
Completed: 07/04/23
Sampling Method: SOP.T.20.010

Jul 04, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
24.649%
Dry Weight



Total CBD
0.056%
Dry Weight



Total Cannabinoids
28.651%
Dry Weight



Total THC
21.847%
764.645 mg /Container
Total CBD
0.05%
1.75 mg /Container
Total Cannabinoids
25.394%
888.79 mg /Container
As Received

Analyzed by:
1665, 585, 4044

Weight:
0.2015g

Extraction date:
07/03/23 10:50:29

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061983POT
Instrument Used : DA-LC-002
Analyzed Date : 07/03/23 11:37:51

Reviewed On : 07/04/23 09:45:31
Batch Date : 07/02/23 19:54:43

Dilution : 400
Reagent : 062323.R05; 071222.01; 062323.R03
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/04/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Tasty Trees WF 3.5g(1/8oz)
FTH- Tasty Trees Whole Flower
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30701005-001

Harvest/Lot ID: HYB-TT-062123-C0095

Batch# : 4301 5089 2252
7191

Sampled : 06/30/23
Ordered : 06/30/23

Sample Size Received : 38.5 gram

Total Amount : 2763 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	72.87	2.082		FARNESENE	0.001	0.875	0.025	
TOTAL TERPENEOL	0.007	0.84	0.024		ALPHA-HUMULENE	0.007	1.435	0.041	
ALPHA-BISABOLOL	0.007	2.345	0.067		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	12.53	0.358		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	3.885	0.111		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	25.515	0.729		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	5.145	0.147						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	2.52	0.072						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	2.135	0.061						
FENCHYL ALCOHOL	0.007	1.015	0.029						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	1.26	0.036						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.11	0.146						
Total (%)			2.082						

Analyzed by:
2076, 585, 4044

Weight:
0.9505g

Extraction date:
07/01/23 14:33:10

Extracted by:
1879

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA061965TER

Instrument Used : DA-GCMS-008

Analyzed Date : 07/03/23 10:06:59

Reviewed On : 07/03/23 11:48:07

Batch Date : 07/01/23 12:29:32

Dilution : 10

Reagent : 121622.30

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/04/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30701005-001

Harvest/Lot ID: HYB-TT-062123-C0095

 Batch# : 4301 5089 2252
 7191

Sampled : 06/30/23

Ordered : 06/30/23


Sample Size Received : 38.5 gram

Total Amount : 2763 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.8144g	Extraction date: 07/02/23 14:04:00	Extracted by: 4056		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061979PES				Reviewed On : 07/04/23 18:33:10	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 07/02/23 09:16:29	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/03/23 12:18:13					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.8144g	Extraction date: 07/02/23 14:04:00	Extracted by: 4056		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061980VOL				Reviewed On : 07/04/23 19:43:04	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/02/23 09:17:39	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/04/23 18:56:31					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701005-001
 Harvest/Lot ID: HYB-TT-062123-C0095

 Batch# : 4301 5089 2252 Sample Size Received : 38.5 gram
 7191 Total Amount : 2763 units
 Sampled : 06/30/23 Completed : 07/04/23 Expires: 07/04/24
 Ordered : 06/30/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	9000	PASS	100000						
Analyzed by: 3336, 3390, 585, 4044 Weight: 0.902g Extraction date: 07/01/23 13:10:35 Extracted by: 3621						Analyzed by: 3379, 585, 4044 Weight: 0.8144g Extraction date: 07/02/23 14:04:00 Extracted by: 4056					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA061950MIC Reviewed On : 07/03/23 16:54:03 Batch Date : 07/01/23 09:21:02						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA061981MYC Reviewed On : 07/04/23 18:23:32 Batch Date : 07/02/23 09:19:39 Instrument Used : N/A Analyzed Date : 07/03/23 12:18:06					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/01/23 18:03:01						Dilution : 250 Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 031023.03; 062323.R18; 092122.01; 092122.09 Consumables : 7562003038 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2398g Extraction date: 07/01/23 12:49:54 Extracted by: 3807											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA061961HEA Reviewed On : 07/04/23 09:35:55 Batch Date : 07/01/23 12:03:13 Instrument Used : DA-ICPMS-003 Analyzed Date : 07/04/23 09:21:54											
Dilution : 50 Reagent : 061523.R17; 062723.R18; 063023.R15; 062623.R01; 063023.R13; 063023.R14; 061923.R19; 062823.R15; 061323.01 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701005-001
 Harvest/Lot ID: HYB-TT-062123-C0095

 Batch# : 4301 5089 2252
 7191
 Sample Size Received : 38.5 gram
 Total Amount : 2763 units
 Completed : 07/04/23 Expires: 07/04/24
 Sampled : 06/30/23
 Ordered : 06/30/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.37	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 07/02/23 20:49:48						Analyzed by: 4056, 585, 4044 Weight: 0.511g Extraction date: 07/01/23 16:30:16 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061963FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/02/23 21:29:04 Batch Date : 07/01/23 12:27:46						Analysis Method : SOP.T.40.021 Analytical Batch : DA061966MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/03/23 11:48:06 Batch Date : 07/01/23 12:52:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.575	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.921g Extraction date: 07/01/23 16:45:23 Analyzed Date: 07/01/23 16:43:52					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061967WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/03/23 11:48:09 Batch Date : 07/01/23 12:54:16					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.