



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30701005-005
Harvest/Lot ID: HYB-JBF-062723-C0096
Batch#: 9707 3118 6244 8426
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 5767 0900 6229 6390
Batch Date: 05/16/23
Sample Size Received: 31.5 gram
Total Amount: 1918 units
Retail Product Size: 3.5 gram
Ordered: 06/30/23
Sampled: 06/30/23
Completed: 07/04/23
Sampling Method: SOP.T.20.010

Jul 04, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 4044	Weight: 0.2037g	Extraction date: 07/03/23 10:50:30	Extracted by: 3335
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA061983POT Instrument Used : DA-LC-002 Analyzed Date : 07/03/23 11:37:51 Dilution : 400 Reagent : 062323.R05; 071222.01; 062323.R03 Consumables : 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078			
Reviewed On : 07/04/23 09:45:44 Batch Date : 07/02/23 19:54:43			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
07/04/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30701005-005

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 9707 3118 6244
 8426

Sampled : 06/30/23

Ordered : 06/30/23

Sample Size Received : 31.5 gram

Total Amount : 1918 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	74.165	2.119		FARNESENE	0.001	1.33	0.038	
TOTAL TERPENEOL	0.007	2.17	0.062		ALPHA-HUMULENE	0.007	1.995	0.057	
ALPHA-BISABOLOL	0.007	0.875	0.025		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.765	0.079		CIS-NEROLIDOL	0.007	<0.7	<0.02	
CAMPHENE	0.007	0.7	0.02		TRANS-NEROLIDOL	0.007	0.7	0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	3.85	0.11		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	7.7	0.22		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	22.19	0.634						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	1.085	0.031						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.7	<0.02						
FENCHONE	0.007	<1.4	<0.04						
LINALOOL	0.007	9.625	0.275						
FENCHYL ALCOHOL	0.007	2.695	0.077						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	7.105	0.203						
Total (%)			2.119						

Analyzed by:

2076, 585, 4044

Weight:

1.0088g

Extraction date:

07/01/23 14:39:16

Extracted by:

1879

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA061965TER

Instrument Used : DA-GCMS-008

Analyzed Date : 07/03/23 10:06:59

Reviewed On : 07/03/23 11:48:27

Batch Date : 07/01/23 12:29:32

Dilution : 10

Reagent : 121622.30

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30701005-005

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 9707 3118 6244
 8426

 Sampled : 06/30/23
 Ordered : 06/30/23


Sample Size Received : 31.5 gram

Total Amount : 1918 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	Weight: 0.8741g	Extraction date: 07/02/23 14:04:02	Extracted by: 4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061979PES				Reviewed On : 07/04/23 18:33:37	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 07/02/23 09:16:29	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/03/23 12:18:13					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044	Weight: 0.8741g	Extraction date: 07/02/23 14:04:02	Extracted by: 4056		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061980VOL				Reviewed On : 07/04/23 19:43:08	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/02/23 09:17:39	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed Date : 07/04/23 18:56:31					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30701005-005

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 9707 3118 6244
 8426

Sampled : 06/30/23

Ordered : 06/30/23

Sample Size Received : 31.5 gram

Total Amount : 1918 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	860	PASS	100000

 Analyzed by: 3336, 3390, 585, 4044
 Weight: 1.0748g
 Extraction date: 07/01/23 13:10:37
 Extracted by: 3621

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA061950MIC
 Reviewed On : 07/03/23 16:54:07
 Batch Date : 07/01/23

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 07/01/23 18:03:01

 Dilution : N/A
 Reagent : 031023.03; 062323.R18; 092122.01; 092122.09
 Consumables : 7562003038
 Pipette : N/A

 Analyzed by: 3621, 3390, 585, 4044
 Weight: 1.0748g
 Extraction date: N/A
 Extracted by: 3621

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA061959TYM
 Instrument Used : Incubator (25-27C) DA-096
 Analyzed Date : 07/01/23 14:34:37
 Reviewed On : 07/03/23 14:01:00
 Batch Date : 07/01/23 10:21:29

 Dilution : 10
 Reagent : 031023.03; 060723.R45
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 585, 4044
 Weight: 0.8741g
 Extraction date: 07/02/23 14:04:02
 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA061981MYC

Instrument Used : N/A

Analyzed Date : 07/03/23 12:18:06

Dilution : 250

Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24

Consumables : 326250IW

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 4044
 Weight: 0.2174g
 Extraction date: 07/01/23 12:51:47
 Extracted by: 3807

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA061961HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 07/04/23 09:21:54

Dilution : 50

Reagent : 061523.R17; 062723.R18; 063023.R15; 062623.R01; 063023.R13; 063023.R14; 061923.R19; 062823.R15; 061323.01

Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30701005-005

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 9707 3118 6244
 8426

 Sampled : 06/30/23
 Ordered : 06/30/23

Sample Size Received : 31.5 gram

Total Amount : 1918 units

Completed : 07/04/23 Expires: 07/04/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.67	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 07/02/23 20:49:48						Analyzed by: 4056, 585, 4044 Weight: 0.521g Extraction date: 07/01/23 16:30:17 Analyzed Date : N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061963FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/02/23 21:29:08 Batch Date : 07/01/23 12:27:46						Analysis Method : SOP.T.40.021 Analytical Batch : DA061966MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/03/23 11:48:26 Batch Date : 07/01/23 12:52:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.544	PASS	0.65
Analyzed by: 4056, 585, 4044 Weight: 0.573g Extraction date: 07/01/23 16:45:25 Analyzed Date : 07/01/23 16:43:52					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061967WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/03/23 11:48:28 Batch Date : 07/01/23 12:54:16					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.