



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30701009-003
Harvest/Lot ID: HYB-FS-041423-C0086
Batch#: 5805 5938 8802 7596
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 2524 0772 2809 5250
Batch Date: 03/15/23
Sample Size Received: 25.55 gram
Total Amount: 2000 units
Retail Product Size: 0.35 gram
Ordered: 07/01/23
Sampled: 07/01/23
Completed: 07/04/23
Sampling Method: SOP.T.20.010
PASSED

Jul 04, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**


**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

**Total THC
32.18%**
Dry Weight

**Total CBD
0.063%**
Dry Weight

**Total Cannabinoids
37.523%**
Dry Weight

**Total THC
27.727%**
97.044 mg /Container

**Total CBD
0.055%**
0.193 mg /Container

**Total Cannabinoids
32.33%**
113.155 mg /Container

As Received
Analyzed by:
1665, 585, 3963

Weight:
0.2061g

Extraction date:
07/03/23 10:50:30

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA061983POT
Instrument Used : DA-LC-002
Analyzed Date : 07/03/23 11:37:51

Reviewed On : 07/04/23 09:47:38
Batch Date : 07/02/23 19:54:43

Dilution : 400
Reagent : 062323.R05; 071222.01; 062323.R03
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/04/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701009-003
 Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 5805 5938 8802 Sample Size Received : 25.55 gram
 7596 Total Amount : 2000 units
 Sampled : 07/01/23 Completed : 07/04/23 Expires: 07/04/24
 Ordered : 07/01/23 Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701009-003
 Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 5805 5938 8802 Sample Size Received : 25.55 gram
 7596 Total Amount : 2000 units
 Sampled : 07/01/23 Completed : 07/04/23 Expires: 07/04/24
 Ordered : 07/01/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.8023g	Extraction date: 07/02/23 14:04:05	Extracted by: 4056		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)				Reviewed On : 07/04/23 18:34:09	
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061979PES				Batch Date : 07/02/23 09:16:29	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/03/23 12:18:13					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3963	Weight: 0.8023g	Extraction date: 07/02/23 14:04:05	Extracted by: 4056		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL				Reviewed On : 07/04/23 19:43:16	
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061980VOL				Batch Date : 07/02/23 09:17:39	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/04/23 18:56:31					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 326250IW; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701009-003
 Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 5805 5938 8802 Sample Size Received : 25.55 gram
 7596 Total Amount : 2000 units
 Sampled : 07/01/23 Completed : 07/04/23 Expires: 07/04/24
 Ordered : 07/01/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div>						<div> Mycotoxins</div>						<div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 3963	Weight: 0.8023g	Extraction date: 07/02/23 14:04:05		Extracted by: 4056							
Analyzed by: 3390, 585, 3963	Weight: 1.0406g	Extraction date: 07/01/23 20:15:22		Extracted by: 3336		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA061981MYC											
Analytical Batch : DA061957MIC						Reviewed On : 07/04/23 18:23:44											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Batch Date : 07/02/23 09:19:39											
Analyzed Date : 07/03/23 13:40:25						Analyzed Date : 07/03/23 12:18:06											
Dilution : N/A						Dilution : 250											
Reagent : 031023.03; 062323.R18; 092122.01; 092122.09						Reagent : 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24											
Consumables : 7562003038						Consumables : 326250IW											
Pipette : N/A						Pipette : DA-093; DA-094; DA-219											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	

<div> Heavy Metals</div>						<div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 3963	Weight: 0.2647g	Extraction date: 07/03/23 07:58:04		Extracted by: 3619		Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA061961HEA						Reviewed On : 07/04/23 09:36:10					
Instrument Used : DA-ICPMS-003						Batch Date : 07/01/23 12:03:13					
Analyzed Date : 07/04/23 09:21:54											
Dilution : 50											
Reagent : 061523.R17; 062723.R18; 063023.R15; 062623.R01; 063023.R13; 063023.R14; 061923.R19; 062823.R15; 061323.01											
Consumables : 179436; 15021042; 210508058											
Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30701009-003
 Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 5805 5938 8802
 Sample Size Received : 25.55 gram
 Total Amount : 2000 units
 Completed : 07/04/23 Expires: 07/04/24
 Sample Method : SOP.T.20.010
 Sampled : 07/01/23
 Ordered : 07/01/23

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.84	PASS	15
Analyzed by: 585, 3963 Weight: NA Extraction date: N/A Analyzed Date: N/A						Analyzed by: 4056, 585, 3963 Weight: 0.549g Extraction date: 07/02/23 08:35:51 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA061990FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/04/23 18:35:31 Batch Date : 07/03/23 07:24:52						Analysis Method : SOP.T.40.021 Analytical Batch : DA061966MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/03/23 11:54:59 Batch Date : 07/01/23 12:52:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.51	PASS	0.65
Analyzed by: 4056, 585, 3963 Weight: 0.834g Extraction date: 07/02/23 08:39:15 Analyzed Date: 07/01/23 16:43:52					
Analysis Method : SOP.T.40.019 Analytical Batch : DA061967WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/03/23 11:55:00 Batch Date : 07/01/23 12:54:16					
Dilution : N/A Reagent : 050923.03 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.