

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Jul 05, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



#### **Kaycha Labs**

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix: Derivative Type: Distillate



Sample: DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524 0432

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 1647 7096 5107 4063

Batch Date: 10/05/22

Sample Size Received: 15.3 gram

Total Amount: 1877 units Retail Product Size: 0.3 gram

> Ordered: 07/01/23 Sampled: 07/01/23

Completed: 07/05/23

Sampling Method: SOP.T.20.010

**PASSED** 

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS























MISC.

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity

THCV

1.9

%

0.658

0.001

Moisture

**PASSED** 

CBC

2.6

%

0.889

0.001



Cannabinoid

**Total THC** 

88.761%

THCA

0.2

%

0.097

0.001

Total THC/Container: 266.283 mg



CBDA

ND

ND

%

0.001

Weight: 0.1014g



D8-THC

0.315

0.001

0.9

%

**Total CBD** 0.226%

CRG

4.1

%

1 392

0.001

Extraction date: 07/03/23 10:40:13

Reviewed On: 07/04/23 09:46:54 Batch Date: 07/02/23 19:58:37

Total CBD/Container: 0.678 mg

CRGA

0.2

0.082

0.001



CRN

2.2

0.75

0.001

**Total Cannabinoids** 93.085%

CRDV

ND

ND

Extracted by

0.001

Total Cannabinoids/Container: 279.255 mg



	D9-THC
%	88.676
mg/unit	266
LOD	0.001

Analyzed by: 3112, 1665, 585, 3963									
Analysis Method : SOP.T.4	0.031, SOP.T.30								
Analytical Batch: DA06198	87POT								
DAICO	0.7								

Instrument Used : DA-LC-00

Analyzed Date: 07/03/23 11:06:53

Reagent: 062923.R21; 032123.11; 062923.R18

Consumables: 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.6

%

0.226

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate

Page 2 of 6



**PASSED** 

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 15.3 gram Total Amount : 1877 units

Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010

## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	it % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	6.9	2.324	FARNESENE			< 0.005	< 0.0018	
TOTAL TERPINEOL	0.02	ND	ND	ALPHA-HUMULENE		0.02	0.1	0.038	
ALPHA-BISABOLOL	0.02	0	0.024	VALENCENE		0.02	0	0.025	
ALPHA-PINENE	0.02	0.1	0.053	CIS-NEROLIDOL		0.02	< 0.06	< 0.02	
CAMPHENE	0.02	< 0.06	<0.02	TRANS-NEROLIDOL		0.02	ND	ND	
ABINENE	0.02	0.2	0.068	CARYOPHYLLENE OXID	E	0.02	< 0.06	< 0.02	
BETA-PINENE	0.02	ND	ND	GUAIOL		0.02	ND	ND	
BETA-MYRCENE	0.02	0.9	0.307	CEDROL		0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	0.4	0.143	Analyzed by:	Weight:		Extraction date	:	Extracted by:
3-CARENE	0.02	0.1	0.039	2076, 585, 3963	0.9289g		07/03/23 09:36		1879,2076
ALPHA-TERPINENE	0.02	0.1	0.034		30.061A.FL, SOP.T.40.061A.	FL			
IMONENE	0.02	0.4	0.137	Analytical Batch : DA0619 Instrument Used : DA-GC					7/04/23 15:10:13 03/23 07:25:15
UCALYPTOL	0.02	< 0.06	<0.02	Analyzed Date : 07/03/23			Batch	Date: 07/0	13/23 07:25:15
CIMENE	0.02	0.8	0.283	Dilution: 10					
			< 0.02	Reagent: 121622.30					
AMMA-TERPINENE	0.02	< 0.06	<0.02						
	0.02	<0.06 ND	<0.02 ND	Consumables : 21041463	4; MKCN9995; CE0123; R1k	B14270			
ABINENE HYDRATE				Consumables : 21041463 Pipette : N/A			$\mathcal{A}\mathcal{A}$		
ABINENE HYDRATE ERPINOLENE	0.02	ND	ND	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE	0.02 0.02	ND 3	ND 1.03	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL	0.02 0.02 0.04	ND 3 <0.12	ND 1.03 <0.04	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL	0.02 0.02 0.04 0.02	ND 3 <0.12 0	ND 1.03 <0.04 0.028	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL GOPULEGOL	0.02 0.02 0.04 0.02 0.02	ND 3 <0.12 0 <0.06	ND 1.03 <0.04 0.028 <0.02	Consumables : 21041463 Pipette : N/A			ttrometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR	0.02 0.02 0.04 0.02 0.02 0.02	ND 3 <0.12 0 <0.06 ND	ND 1.03 <0.04 0.028 <0.02 ND	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR	0.02 0.02 0.04 0.02 0.02 0.02 0.06	ND 3 <0.12 0 <0.06 ND <0.18	ND 1.03 <0.04 0.028 <0.02 ND <0.06	Consumables : 21041463 Pipette : N/A			trometry. For all B	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL OPPULEGOL AMPHOR SOBORNEOL ORNEOL	0.02 0.02 0.04 0.02 0.02 0.02 0.06 0.02	ND 3 <0.12 0 <0.06 ND <0.18 <0.06	ND 1.03 <0.04 0.028 <0.02 ND <0.06	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHOME INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL ORNEOL EXAHYDROTHYMOL	0.02 0.02 0.04 0.02 0.02 0.02 0.06 0.02	ND 3 <0.12 0 <0.06 ND <0.18 <0.06 ND	ND 1.03 <0.04 0.028 <0.02 ND <0.06 <0.02 ND	Consumables : 21041463 Pipette : N/A			trometry. For all fi	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL OPPULEOL AMPHOR GOBORNEOL GREOL EXAMPTORTHYMOL EROL EXAMPTORTHYMOL EROL	0.02 0.02 0.04 0.02 0.02 0.06 0.02 0.04	ND 3 <0.12 0 <0.06 ND <0.18 <0.06 ND <0.06	ND 1.03 <0.04 0.028 <0.02 ND <0.06 <0.02 ND	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL SOPULEGOL AMPHOR GOBORNEOL ORNEOL EKZAHYDROTHYMOL EKZAHYDROTHYMOL LEROL ULEGONE	0.02 0.04 0.04 0.02 0.02 0.02 0.06 0.02 0.04 0.02	ND 3 <0.12 0 <0.06 ND <0.18 <0.06 ND <0.06	ND 1.03 <0.04 0.028 <0.02 ND <0.06 <0.02 ND <0.02 ND <0.002 ND ND <0.001	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampi	es, the Total Terpenes % is dry-weight corrected
ABINENE HYDRATE REPINOLENE ENCHVIA LACHOL SOPILEGOL AMPHOR SOBORNEOL OONNEOL LEEAL LIELOU	0.02 0.02 0.04 0.02 0.02 0.02 0.06 0.02 0.04 0.02	ND 3 <0.12 0 <0.06 ND <0.18 <0.06 ND <0.06 ND	ND 1.03 <0.04 0.028 <0.02 ND <0.06 <0.02 ND <0.02 ND	Consumables : 21041463 Pipette : N/A			trometry. For all 8	Flower sampi	es, the Total Terpenes % is dry-weight corrected
ASMMA-TREPHIENE SABINENE HYDRATE FERPINOLENE FENCHONE INALOOL SENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL JORNEOL MEXAHYDROTHYMOL MEKAHYDROTHYMOL MEROL JULIGONE SEBANIOL SEBANIOL SEBANIOL SEBANIOL SEBANIOL SEBANIOL SEBANIOL	0.02 0.02 0.04 0.02 0.02 0.02 0.06 0.02 0.04 0.02 0.02	ND 3 <0.12 0 <0.06 ND <0.18 <0.06 ND <0.18 <0.06 ND <0.06 ND <0.06 ND <0.06 ND <0.06 ND <0.06 ND ND <0.06 ND <0	ND 1.03 <0.04 0.028 <0.02 ND <0.06 <0.02 ND ND ND ND <0.02	Consumables : 21041463 Pipette : N/A			trometry. For all f	Flower sampl	es, the Total Terpenes % is dry-weight corrected

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



**PASSED** 

**Certificate of Analysis** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 15.3 gram Total Amount : 1877 units Completed: 07/05/23 Expires: 07/05/24

Sample Method: SOP.T.20.010

Page 3 of 6



#### **Pesticides**

P	A	S	S	Ē	D

Pesticide	LOD		Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND			0.01		0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE			ppm			
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBEN	IZENE (DOND) *	0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		NZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *						
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.35	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
IAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtrac	tion date:		Extracte	d hv
IMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 3963	0.281q		23 14:12:07		4056	u by.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.3	30.101.FL (Gainesv	ille), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0619				On:07/04/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM			Batch Dat	<b>e</b> :07/02/23	09:08:08	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/03/23 Dilution: 250	12:18:18					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23: 04	10521 11: 062623	PUZ- UE282	3 BUO- UES	823 BUS: UE	0523 826: 06	2023 P2
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW		NU7, UU202	23.NU9, UU2	023.NU0, UU	0323.R20, 00	2923.N2
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094;						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agei	nts is performed util	izing Liquid	Chromatog	raphy Triple-0	Quadrupole Ma	ass
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance	e with F.S. Rule 64E	R20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracte	d by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 3963	0.281g		3 14:12:07	(B) (1) ===	4056	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0619 Instrument Used : DA-GC				:07/04/23 1 07/02/23 09:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/03/23		В	accii bate .	0.,02/23 03.	11.50	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 04	10521.11; 061223.	R25; 06122	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW						
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule		izing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



**PASSED** 

Page 4 of 6

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524

Sampled: 07/01/23 Ordered: 07/01/23 Sample Size Received: 15.3 gram
Total Amount: 1877 units
Completed: 07/05/23 Expires: 07/05/24
Sample Method: SOP.T.20.010

Ä

## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 3963	<b>Weight:</b> 0.0271g	Extraction date: 07/05/23 10:48:		// // \	Extracted by: 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA061998SOL

Analytical Batch: DA061998SOL Instrument Used: DA-GCMS-003 Analyzed Date: 07/05/23 11:21:30

Dilution: 1 Reagent: 030420.09

Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028 Reviewed On: 07/05/23 13:15:57 Batch Date: 07/03/23 15:16:02

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate



PASSED

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 15.3 gram Total Amount : 1877 units

Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**



# **Mycotoxins**

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061978MYC

Analyzed Date: 07/03/23 12:18:11

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 326250IW

Dilution: 250

062923.R24

### **PASSED**

Action

Level

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS PASS Extracted by:

Reviewed On: 07/04/23 18:22:29

Batch Date: 07/02/23 09:14:44

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction da	te.		Extra
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 3963	0.281g	07/02/23 14:			4056
Analyzed by: Weight:	Extra	action date:		Extracted	by:	Analysis Method : SOP	.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	(Gainesv	ille).

3390, 585, 3963 1.124g 07/01/23 20:15:21 3336

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA061957MIC

**Reviewed On: 07/03/23** 

Extracted by:

3336,3390

Batch Date: 07/01/23

Reviewed On: 07/03/23 16:56:11 Batch Date: 07/01/23 10:58:13

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

1.124g Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

**Analyzed Date :** 07/03/23 13:40:25

Analytical Batch : DA061960TYM Instrument Used : Incubator (25-27C) DA-096

**Analyzed Date :** 07/01/23 14:34:33 Dilution: 10 Reagent: 031023.03; 060723.R45

Reagent: 031023.03; 062323.R18; 092122.01; 092122.09

Consumables: 7562003038

Analyzed by: 3336, 3390, 585, 3963

Consumables : N/A Pipette : N/A

Pipette: N/A

			$\propto \times \times$	MA
Hg	Heavy	Metals		PASSED

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Reagent: 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26;

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight:	Extraction da			Extracted	l by:
<b>1022, 585, 3963</b> 0.2809g	07/03/23 07	:52:27		3619	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061962HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 07/04/23 09:21:43 Reviewed On: 07/04/23 09:46:18 Batch Date: 07/01/23 12:03:43

Dilution: 50

Reagent: 061523.R17; 062723.R18; 063023.R15; 062623.R01; 063023.R13; 063023.R14; 061923.R19; 062823.R15; 061323.01

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Extraction date 07/03/23 13:42:24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### **Kaycha Labs**

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



**PASSED** 

Page 6 of 6

# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-001 Harvest/Lot ID: 6036 3978 7524 0432

Batch#: 6036 3978 7524

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 15.3 gram Total Amount : 1877 units Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010



#### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 585, 3963 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA061990FIL
Instrument Used: Filth/Foreign Material Microscope

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$ 

Reviewed On: 07/04/23 18:35:29 Batch Date: 07/03/23 07:24:52

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

# PASSED

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.1 aw 0.528 0.85 Extraction date: 07/02/23 08:38:51 Extracted by: 4056 Analyzed by: 4056, 585, 3963

Analysis Method: SOP.T.40.019 Analytical Batch: DA061968WAT

Instrument Used : DA-028 Rotronic Hygropalm

Reviewed On: 07/03/23 11:54:57 Batch Date: 07/01/23 12:58:56 Analyzed Date: 07/01/23 16:43:58

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

