

Certificate of Analysis

COMPLIANCE FOR RETAIL

Jul 05, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE



Kaycha Labs

Sundae Driver RSO Syringes 1g Sundae Driver RSO

Matrix: Derivative Type: Distillate



Batch#: 5586 6593 4895 7813

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 5637 7887 2457 3156

Batch Date: 04/20/23

Sample Size Received: 16 gram Total Amount: 976 units

> Retail Product Size: 1 gram Ordered: 07/01/23

> > Sampled: 07/01/23 Completed: 07/05/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

MISC.







Pesticides



Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED

CRGA

1.4

0.145

0.001



Filth

CRN

8.5

0.853

0.001



Water Activity

THCV

9.1

%

0.913

0.001



Moisture



TESTED

PASSED

CBC

8.9

%

0.894

0.001



Cannabinoid

Total THC

Total THC/Container: 811.57 mg

81.157%

THCA

0.08

0.8

0.001



CBDA

ND

ND

%

0.001

Weight: 0.109q

Total CBD

D8-THC

0.383

0.001

3.8

%

0.298%

Total CBD/Container: 2.98 mg

CRG

2 572

25.7

0.001

Extraction date: 07/03/23 10:40:14

Reviewed On: 07/04/23 09:46:58 Batch Date: 07/02/23 19:58:37

%



Total Cannabinoids

Total Cannabinoids/Container: 872.25 mg

CRDV

ND

ND

Extracted by:

0.001



	D9-THC	
%	81.087	
mg/unit	810.8	
LOD	0.001	
	%	

%	%
: 585, 3963	
thod : SOP.T.40.03	1, SOP.T.30.0

Analysis Method: SOP.T.40.031, Analytical Batch: DA061987POT

Instrument Used: DA-LC-007 Analyzed Date: 07/03/23 11:06:53

Analyzed by 3112, 1665,

Reagent: 062923.R21; 032123.11; 062923.R18

Consumables: 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

2.9

%

0.298

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sundae Driver RSO Syringes 1g

Sundae Driver RSO Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30701009-002 Harvest/Lot ID: 5586 6593 4895 7813

Batch#: 5586 6593 4895

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 16 gram Total Amount : 976 units Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/un	nit %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.02	14.8	1.484		FARNESENE		(70)	0.5	0.057		ſ
TOTAL TERPINEOL	0.02	0.4	0.042		ALPHA-HUMULENE		0.02	ND	ND		
ALPHA-BISABOLOL	0.02	1.8	0.183		VALENCENE		0.02	ND	ND		
ALPHA-PINENE	0.02	0.2	0.028		CIS-NEROLIDOL		0.02	ND	ND		
CAMPHENE	0.02	< 0.2	< 0.02		TRANS-NEROLIDOL		0.02	0.6	0.067		
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE		0.02	< 0.2	< 0.02		
BETA-PINENE	0.02	0.3	0.032		GUAIOL		0.02	0.2	0.023		
BETA-MYRCENE	0.02	1	0.103		CEDROL		0.02	ND	ND		
ALPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by:	Weight:		Extraction date	:	Extracted by:	
3-CARENE	0.02	ND	ND		2076, 585, 3963	1.0289g		07/03/23 09:34	:29	1879,2076	
ALPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.F	L				
LIMONENE	0.02	2.5	0.253		Analytical Batch : DA061991TER Instrument Used : DA-GCMS-004					07/04/23 15:10:15	
EUCALYPTOL	0.02	< 0.2	< 0.02		Analyzed Date: 07/03/23 15:18:36			Batch	Date : 0 //	/03/23 07:25:15	
OCIMENE	0.02	0.5	0.053		Dilution: 10						
GAMMA-TERPINENE	0.02	ND	ND		Reagent: 121622.30						
SABINENE HYDRATE	0.02	ND	ND		Consumables: 210414634; MKCN999	5; CE0123; R1KE	314270				
TERPINOLENE	0.02	0.2	0.025		Pipette : N/A						
FENCHONE	0.04	< 0.4	< 0.04		Terpenoid testing is performed utilizing Ga	s Chromatography	Mass Spec	ctrometry. For all F	lower samp	ples, the Total Terpenes % is dry-weight corrected	d.
LINALOOL	0.02	0.7	0.072								
FENCHYL ALCOHOL	0.02	0.3	0.038								
ISOPULEGOL	0.02	ND	ND								
CAMPHOR	0.06	< 0.6	< 0.06								
ISOBORNEOL	0.02	ND	ND								
BORNEOL	0.04	< 0.4	< 0.04								
HEXAHYDROTHYMOL	0.02	ND	ND								
NEROL	0.02	ND	ND								
PULEGONE	0.02	ND	ND								
GERANIOL	0.02	< 0.2	< 0.02								
GERANYL ACETATE	0.02	ND	ND								
ALPHA-CEDRENE	0.02	ND	ND								
BETA-CARYOPHYLLENE	0.02	5	0.508								
Total (%)		-/-	1.484	1 /							

Total (%)

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/05/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Sundae Driver RSO Syringes 1g

Sundae Driver RSO Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-002 Harvest/Lot ID: 5586 6593 4895 7813

Batch#: 5586 6593 4895

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 16 gram Total Amount : 976 units Completed: 07/05/23 Expires: 07/05/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resul
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	mag	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND				1.1.	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm			
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			0.01	V 1 1 / 1	0.3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm	1.7		
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	IZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.05	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.35	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	2.7	Malaka		tion date:	\rightarrow	Fortuna et a	d to a
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 3963	Weight: 0.277g		23 14:12:07		Extracte 4056	a by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						Gainesv
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	70.101.1 E (Gaines)	1110), 301.1	.50.102.11	(Bavie), 301		Guiricsv
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0619				On:07/04/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCN			Batch Dat	te:07/02/23	09:08:08	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/03/23	12:18:18					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	0521 11 052522	007.0000	2 200 000		0500 000 000	2022 02
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 04 Consumables: 326250IW		KU7; U6282	23.R09; 062	2823.RU8; U6	0523.R26; 06	2923.R2
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094:						
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ager		izina Liauid	Chromatoo	raphy Triple-	Ouadrupole Ma	ISS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance	with F.S. Rule 64E	R20-39.	\		\	
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracted	d by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 3963	0.277g		3 14:12:07		4056	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0619				n:07/04/23 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCI Analyzed Date : 07/03/23		Ва	ich pate :	07/02/23 09:	11:50	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	13.12.71					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 061423.R23; 04	0521.11: 061223.	R25: 06122	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	_/			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146;	DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule		izing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver RSO Syringes 1g

Sundae Driver RSO Matrix : Derivative Type: Distillate



PASSED

Page 4 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-002 Harvest/Lot ID: 5586 6593 4895 7813

Batch#: 5586 6593 4895

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 16 gram Total Amount: 976 units Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 3963	Weight: 0.0234g	Extraction date: 07/05/23 10:48		//	Extracted by: 850

Reviewed On: 07/05/23 13:15:59

Batch Date: 07/03/23 15:16:02

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA061998SOL Instrument Used: DA-GCMS-003

Analyzed Date: 07/05/23 11:21:30 Dilution: 1

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Reagent: 030420.09

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver RSO Syringes 1g

Sundae Driver RSO Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-002 Harvest/Lot ID: 5586 6593 4895 7813

Batch#: 5586 6593 4895

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 16 gram Total Amount: 976 units Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 07/04/23 18:22:30

Batch Date: 07/02/23 09:14:44



Microbial

PA



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level	1
ECOLI SHIGELLA				Not Present	PASS		1
SALMONELLA SPEC	IFIC GENE			Not Present	PASS		I
ASPERGILLUS FLAVUS ASPERGILLUS FUMIGATUS ASPERGILLUS TERREUS				Not Present	PASS		(
				Not Present Not Present	PASS PASS		1
ASPERGILLUS NIGE	R			Not Present	PASS		Α
TOTAL YEAST AND MOLD		10	CFU/g	<10	PASS	100000	3
Analyzed by: Weight:		Extr	action date:		Extracted	by:	A

3390, 585, 3963 0.8347g 07/01/23 20:15:22 Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA061957MIC

Reviewed On: 07/03/23

Batch Date: 07/01/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/03/23 13:40:25

Reagent: 031023.03; 062323.R18; 092122.01; 092122.09

Consumables: 7562003038

Pipette: N/A

SSED	Ş
	981

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963	Weight: 0.277g	Extraction da 07/02/23 14:			Extracted 4056	l by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA061978MYC Instrument Used : N/A

Analyzed Date: 07/03/23 12:18:11

Dilution: 250

Reagent: 061423.R23; 040521.11; 062623.R07; 062823.R09; 062823.R08; 060523.R26; 062923.R24

Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3336, 3390, 585, 3963	Weight: 0.8347g	Extraction date: 07/03/23 13:42:25	Extracted by: 3336,3390
Analysis Method : SOP.T.40.2 Analytical Batch : DA061960 Instrument Used : Incubator (Analyzed Date : 07/01/23 14:	TYM (25-27C) DA-09	Reviewed On : (07/03/23 16:56:12 /01/23 10:58:13
Dilution: 10 Reagent: 031023.03; 06072. Consumables: N/A Pipette: N/A	3.R45		
Total yeast and mold testing is p accordance with F.S. Rule 64ER2		MPN and traditional culture	based techniques in

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD M	ETALS 0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight: 1022, 585, 3963 0.2043				Extracted 3619	l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA061962HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 07/04/23 09:21:43 Reviewed On: 07/04/23 09:46:18 Batch Date: 07/01/23 12:03:43

Dilution: 50

Reagent: 061523.R17; 062723.R18; 063023.R15; 062623.R01; 063023.R13; 063023.R14; 061923.R19; 062823.R15; 061323.01

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver RSO Syringes 1g

Sundae Driver RSO Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30701009-002 Harvest/Lot ID: 5586 6593 4895 7813

Batch#: 5586 6593 4895

Sampled: 07/01/23 Ordered: 07/01/23

Sample Size Received: 16 gram Total Amount: 976 units Completed: 07/05/23 Expires: 07/05/24 Sample Method: SOP.T.20.010



PASSED

Reviewed On: 07/04/23 18:35:30

Reviewed On: 07/03/23 11:54:57

Batch Date: 07/01/23 12:58:56

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 585, 3963 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA061990FIL
Instrument Used: Filth/Foreign Material Microscope

Batch Date: 07/03/23 07:24:52 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.1 aw 0.544 0.85 Extraction date: 07/02/23 08:38:52 Extracted by: 4056 Analyzed by: 4056, 585, 3963

Analysis Method: SOP.T.40.019 Analytical Batch: DA061968WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 07/01/23 16:43:58

Dilution: N/A Reagent: 050923.03 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

