



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA30705004-006**
**Harvest/Lot ID: 0676 7569 7098 4133**
**Batch#: 0676 7569 7098 4133**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 1168 1083 7432 3310**
**Batch Date: 05/11/23**
**Sample Size Received: 16 gram**
**Total Amount: 1933 units**
**Retail Product Size: 1 gram**
**Ordered: 07/03/23**
**Sampled: 07/03/23**
**Completed: 07/07/23**
**Sampling Method: SOP.T.20.010**

Jul 07, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US


# PASSED

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**

# PASSED


**Total THC**
**87.93%**
**Total THC/Container : 879.3 mg**

**Total CBD**
**0.258%**
**Total CBD/Container : 2.58 mg**

**Total Cannabinoids**
**93.946%**
**Total Cannabinoids/Container : 939.46 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.844	0.099	0.258	ND	0.248	2.619	ND	1.004	0.459	ND	1.415
mg/unit	878.44	0.99	2.58	ND	2.48	26.19	ND	10.04	4.59	ND	14.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 3335, 1665, 585, 1440

 Weight:  
 0.1021g

 Extraction date:  
 07/05/23 10:38:38

 Extracted by:  
 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062016POT

Instrument Used : DA-LC-007

Analyzed Date : 07/05/23 10:50:52

Reviewed On : 07/06/23 09:40:21

Batch Date : 07/05/23 09:41:33

Dilution : 400

Reagent : 062223.R01; 071222.35; 062223.R02; 020123.02

Consumables : 947.109; 15021042; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 07/07/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30705004-006

Harvest/Lot ID: 0676 7569 7098 4133

 Batch# : 0676 7569 7098  
 4133

Sampled : 07/03/23

Ordered : 07/03/23


Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 07/07/23 Expires: 07/07/24

Sample Method : SOP.T.20.010

Page 2 of 6



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	16.12	1.612	<div></div>	FARNESENE	0.02	0.02	0.002	<div></div>
TOTAL TERPENEOL	0.02	ND	ND	<div></div>	ALPHA-HUMULENE	0.02	0.53	0.053	<div></div>
ALPHA-BISABOLOL	0.02	1.03	0.103	<div></div>	VALENCENE	0.02	0.25	0.025	<div></div>
ALPHA-PINENE	0.02	1.45	0.145	<div></div>	CIS-NEROLIDOL	0.02	<0.2	<0.02	<div></div>
CAMPHENE	0.02	<0.2	<0.02	<div></div>	TRANS-NEROLIDOL	0.02	ND	ND	<div></div>
SABINENE	0.02	0.69	0.069	<div></div>	CARYOPHYLLENE OXIDE	0.02	<0.2	<0.02	<div></div>
BETA-PINENE	0.02	ND	ND	<div></div>	GUAJOL	0.02	ND	ND	<div></div>
BETA-MYRCENE	0.02	4.8	0.48	<div></div>	CEDROL	0.02	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.02	0.84	0.084	<div></div>	<div>Analyzed by: 2076, 585, 1440Weight: 1.0047gExtraction date: 07/05/23 10:58:42Extracted by: 2076</div>				
3-CARENE	0.02	<0.2	<0.02	<div></div>	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA062023TERInstrument Used : DA-GCMS-004Reviewed On : 07/07/23 10:06:45Analyzed Date : 07/06/23 10:09:45Batch Date : 07/05/23 09:57:45</div>				
ALPHA-TERPINENE	0.02	<0.2	<0.02	<div></div>	<div>Dilution : 10Reagent : 020923.13Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div>				
LIMONENE	0.02	0.77	0.077	<div></div>	<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
EUCALYPTOL	0.02	<0.2	<0.02	<div></div>					
OCIMENE	0.02	0.84	0.084	<div></div>					
GAMMA-TERPINENE	0.02	ND	ND	<div></div>					
SABINENE HYDRATE	0.02	ND	ND	<div></div>					
TERPINOLENE	0.02	2.74	0.274	<div></div>					
FENCHONE	0.04	ND	ND	<div></div>					
LINALOOL	0.02	0.99	0.099	<div></div>					
FENCHYL ALCOHOL	0.02	<0.2	<0.02	<div></div>					
ISOPULEGOL	0.02	ND	ND	<div></div>					
CAMPHOR	0.06	<0.6	<0.06	<div></div>					
ISOBORNEOL	0.02	<0.2	<0.02	<div></div>					
BORNEOL	0.04	ND	ND	<div></div>					
HEXAHYDROTHYMOL	0.02	<0.2	<0.02	<div></div>					
NEROL	0.02	<0.2	<0.02	<div></div>					
PULEGONE	0.02	ND	ND	<div></div>					
GERANIOL	0.02	ND	ND	<div></div>					
GERANYL ACETATE	0.02	ND	ND	<div></div>					
ALPHA-CEDRENE	0.02	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.02	1.17	0.117	<div></div>					
Total (%)			1.612	<div></div>					



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30705004-006

Harvest/Lot ID: 0676 7569 7098 4133

 Batch# : 0676 7569 7098  
 4133

Sampled : 07/03/23

Ordered : 07/03/23


Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 07/07/23 Expires: 07/07/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2581g	07/05/23 14:14:26	450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062012PES				Reviewed On : 07/06/23 12:48:29	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 07/05/23 09:37:28	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070323.R01; 070523.R03; 061423.R23; 062823.R08; 060523.R26; 070523.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2581g	07/05/23 14:14:26	450		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062015VOL				Reviewed On : 07/06/23 11:42:01	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/05/23 09:40:49	
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/05/23 14:15:21					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30705004-006

Harvest/Lot ID: 0676 7569 7098 4133

 Batch# : 0676 7569 7098  
 4133

Sampled : 07/03/23

Ordered : 07/03/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 07/07/23 Expires: 07/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0259g

 Extraction date:  
 07/05/23 13:53:09

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA062028SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 07/05/23 15:45:03

 Reviewed On : 07/06/23 13:51:40  
 Batch Date : 07/05/23 12:07:04

 Dilution : 1  
 Reagent : 030923.29  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30705004-006

Harvest/Lot ID: 0676 7569 7098 4133

Batch# : 0676 7569 7098 4133

Sampled : 07/03/23

Ordered : 07/03/23




Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 07/07/23 Expires: 07/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2581g	Extraction date: 07/05/23 14:14:26	Extracted by: 450		
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.196g	Extraction date: 07/05/23 09:57:53	Extracted by: 3336,3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/06/23 12:41:48			Analytical Batch : DA062014MYC			Reviewed On : 07/06/23 12:41:48		
Analytical Batch : DA062003MIC						Instrument Used : N/A			Batch Date : 07/05/23 09:40:47		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand						Analyzed Date : N/A					
Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block						Dilution : 250					
DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED			Batch Date : 07/05/23 08:17:05			Reagent : 070323.R01; 070523.R03; 061423.R23; 062823.R08; 060523.R26; 070523.R01; 040521.11					
BIOSYSTEMS THERMOCYCLER DA-254						Consumables : 326250IW					
Analyzed Date : 07/05/23 12:31:20						Pipette : DA-093; DA-094; DA-219					
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 050223.42; 062323.R18; 092122.01; 092122.09											
Consumables : 7562003019						<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Pipette : N/A											
Analyzed by: 3336, 3621, 585, 1440	Weight: 1.196g	Extraction date: N/A	Extracted by: 3336,3621								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062013TYM			Reviewed On : 07/07/23 13:23:53								
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 07/05/23 09:39:37								
Analyzed Date : 07/05/23 11:14:46											
Dilution : 10											
Reagent : 050223.42; 060723.R45											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 1440					
						Weight: 0.2414g					
						Extraction date: 07/05/23 11:03:20					
						Extracted by: 3807,1022					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
						Analytical Batch : DA062008HEA					
						Instrument Used : DA-ICPMS-003					
						Analyzed Date : 07/05/23 14:02:39					
						Dilution : 50					
						Reagent : 061523.R17; 062723.R18; 063023.R15; 070123.R03; 063023.R13; 063023.R14; 061923.R19; 050923.01; 062823.R15; 061323.01					
						Consumables : 179436; 15021042; 210508058					
						Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30705004-006

Harvest/Lot ID: 0676 7569 7098 4133

Batch# : 0676 7569 7098 4133

Sampled : 07/03/23

Ordered : 07/03/23

Sample Size Received : 16 gram

Total Amount : 1933 units

Completed : 07/07/23 Expires: 07/07/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062024FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 07/05/23 10:46:36

Batch Date : 07/05/23 10:04:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.549	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.22g	Extraction date: 07/05/23 13:08:30	Extracted by: 4056
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062026WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/05/23 16:21:19

Batch Date : 07/05/23 10:15:36

Dilution : N/A

Reagent : 050923.03

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.