

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix: Derivative Type: Distillate

Sample: DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146 2878

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 6539 1553 1866 6783

Batch Date: 04/06/23

Sample Size Received: 15.5 gram Total Amount: 2851 units

Retail Product Size: 0.5 gram

Ordered: 07/03/23 Sampled: 07/03/23

Completed: 07/07/23 Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Miami, FL, 33137, US

82 NE 26th street

PRODUCT IMAGE

SAFETY RESULTS





Jul 07, 2023 | FLUENT









Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity

THCV

0.64

3.2

0.001



Moisture



MISC.

TESTED

PASSED

CBC

1.292

0.001

%

6.46



Cannabinoid

Total THC

91.905% Total THC/Container: 459.525 mg

0.915

0.001



D8-THC

0.122

0.001

%

0.61

Total CBD 0.228%

Total CBD/Container: 1.14 mg



CRN

0.564

2.82

0.001

Total Cannabinoids 97.188%

CRDV

ND

ND

%

Extracted by

0.001

Total Cannabinoids/Container: 485.94 mg



mg/unit	430.723	
LOD	0.001	
	%	
Analyzed by:	1440	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062016POT Instrument Used : DA-LC-007 Analyzed Date: 07/05/23 10:50:52

CRDA

ND

ND

%

0.001

Weight: 0.1036g

Extraction date: 07/05/23 10:38:37

CRG

2 414

12.07

0.001

%

Reviewed On: 07/06/23 09:39:51 Batch Date: 07/05/23 09:41:33

CRGA

ND

ND

0.001

Reagent: 062223.R01; 071222.35; 062223.R02; 020123.02

Consumables: 947.109; 15021042; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

rum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.228

0.001

1.14

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146

Sampled: 07/03/23 Ordered: 07/03/23

Sample Size Received: 15.5 gram Total Amount : 2851 units Completed: 07/07/23 Expires: 07/07/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

Ť	Ē	C	T	E	D
		9		я	U

Terpenes	LOD (%)	mg/uni		Result (%)		Terpenes		LOD (%)	mg/unit		Result (%)	
OTAL TERPENES	0.02	6.565	1.313			FARNESENE			< 0.009	<0.0018		
OTAL TERPINEOL	0.02	ND	ND			ALPHA-HUMULENE		0.02	0.115	0.023		
LPHA-BISABOLOL	0.02	< 0.1	< 0.02			VALENCENE		0.02	< 0.1	< 0.02		
LPHA-PINENE	0.02	0.16	0.032			CIS-NEROLIDOL		0.02	ND	ND		
AMPHENE	0.02	ND	ND			TRANS-NEROLIDOL		0.02	ND	ND		
ABINENE	0.02	ND	ND			CARYOPHYLLENE OXIDE		0.02	< 0.1	< 0.02		
ETA-PINENE	0.02	ND	ND		ì	GUAIOL		0.02	ND	ND		
ETA-MYRCENE	0.02	0.945	0.189			CEDROL		0.02	ND	ND		
LPHA-PHELLANDRENE	0.02	0.42	0.084			Analyzed by:	Weight:		Extraction da			Extracted by:
-CARENE	0.02	0.125	0.025			2076, 585, 1440	1.1537g		07/05/23 10:	58:40		2076
LPHA-TERPINENE	0.02	0.105	0.021			$\textbf{Analysis Method}: {\sf SOP.T.30.061A.FL},$	SOP.T.40.061A.FI					
IMONENE	0.02	0.42	0.084			Analytical Batch : DA062023TER Instrument Used : DA-GCMS-004					/07/23 10:06:37 /5/23 09:57:45	
UCALYPTOL	0.02	< 0.1	< 0.02			Analyzed Date: 07/06/23 10:09:45			battn	Date: 07/0	13/23 09.37.43	
CIMENE	0.02	0.835	0.167			Dilution: 10						
AMMA-TERPINENE	0.02	< 0.1	< 0.02			Reagent: 020923.13						
ABINENE HYDRATE	0.02	ND	ND			Consumables: 210414634; MKCN999	5; CE0123; R1KB	14270				
ERPINOLENE	0.02	3.095	0.619			Pipette : N/A						
ENCHONE	0.04	ND	ND			Terpenoid testing is performed utilizing Ga	is Chromatography	Mass Speci	trometry. For all I	lower sampi	es, the Total Terpenes %	is ary-weight corrected.
NALOOL	0.02	< 0.1	< 0.02									
NCHYL ALCOHOL	0.02	< 0.1	< 0.02									
OPULEGOL	0.02	ND	ND									
AMPHOR	0.06	< 0.3	< 0.06									
OBORNEOL	0.02	ND	ND									
ORNEOL	0.04	ND	ND									
EXAHYDROTHYMOL	0.02	< 0.1	< 0.02									
EROL	0.02	ND	ND									
ULEGONE	0.02	ND	ND									
ERANIOL	0.02	< 0.1	< 0.02									
ERANYL ACETATE	0.02	ND	ND									
LPHA-CEDRENE	0.02	ND	ND									
ETA-CARYOPHYLLENE	0.02	0.345	0.069									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146

Sampled: 07/03/23 Ordered: 07/03/23

Sample Size Received: 15.5 gram Total Amount : 2851 units Completed: 07/07/23 Expires: 07/07/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PA	SS	ED
----	----	----

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND		0.01		0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm			
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND		0.01	V 1 1 1	0.1	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND				/** /	7. N.	
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.286q		tion date: 23 14:14:2		Extracte 450	d by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gaines)					Gainecvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	/IIIe), 301 .1	.JU.1UZ.I L	(Davie), Joi	.1.40.101.11 (Gairiesvi
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062012PES		Reviewed	On:07/06/2	3 12:48:28	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:07/05/23	09:37:28	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	/ 1	/ \	/ \		
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 070323.R01; 070523.R03; 06142	3.R23; 062	823.R08; 0	50523.R26; 0	70523.R01; 04	10521.1
ONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-093: DA-094: DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed uti	lizina Liquis	Chromator	ranhy Trinla (Quadrupolo Ma	cc
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64E		ı Cili Olliatoğ	ларпу піріе-с	учачтироте ма	155
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracte	d by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440 0.286g		3 14:14:25		450	,
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gaines)	ille), SOP.T	Г.30.151A.F	L (Davie), SO	P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062015VOL			n:07/06/23 1		
TALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	В	atch Date	:07/05/23 09:	40:49	
THIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/05/23 14:15:21					
THOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 061423.R23; 040521.11; 061223.	D25: 0612	22 024			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401	NZ3; U012	2J.R24			
CLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed uti	lizing Cac C	· · · · · · · · · · · · · · · · · · ·	- le . Tele le O .	1 / 1	Cnastra

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146

Sampled: 07/03/23 Ordered: 07/03/23

Sample Size Received: 15.5 gram Total Amount : 2851 units Completed: 07/07/23 Expires: 07/07/24

Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0236g	Extraction date: 07/05/23 13:53:		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA062028SOL Instrument Used: DA-GCMS-003

Analyzed Date: 07/05/23 15:45:03 Dilution: 1

Reagent: 030923.29 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 07/06/23 13:51:37 Batch Date: 07/05/23 12:07:04

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes

Matrix : Derivative Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146

Sampled: 07/03/23 Ordered: 07/03/23

Sample Size Received: 15.5 gram Total Amount: 2851 units Completed: 07/07/23 Expires: 07/07/24 Sample Method: SOP.T.20.010

PASSED

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction da	ato:	- N	Extracte	d hv:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000		0.286g	07/05/23 14:			450	u by.
Analysis d hou		Allen attended		Profession of a st	The same	• • • • • • • • • • • • • • • • • • •						

Analyzed by: 3390, 3621, 585, 1440 Weight: **Extraction date:** Extracted by: 0.82g 07/05/23 09:56:35 3336,3621

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA062001MIC

Reviewed On: 07/06/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/05/23

MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/05/23 12:31:16

Reagent: 050223.42; 062323.R18; 092122.01; 092122.09

Consumables: 7562003019 Pipette: N/A

Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA062014MYC Reviewed On: 07/06/23 12:41:47 Instrument Used: N/A Batch Date: 07/05/23 09:40:47

Analyzed Date: N/A

Dilution: 250

Reagent: 070323.R01; 070523.R03; 061423.R23; 062823.R08; 060523.R26; 070523.R01; 040521.11

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Analyzed by: 3336, 3621, 585, 1440	Weight: 0.82g	Extraction date: N/A	Extracted by: 3336,3621
Analysis Method : SOP.T.40.2	08 (Gainesville),	SOP.T.40.209.FL	
Analytical Batch: DA062004T	YM	Reviewed On:	07/07/23 13:24:38
Instrument Used: Incubator (25-27C) DA-096	Batch Date: 07	7/05/23 08:29:45
Analyzed Date: 07/05/23 11:	15:02		
Dilution: 10			
Reagent: 050223.42: 060723	R R45		
Consumables a N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight: Ext	raction da	te:	F	tracted b	v:

07/05/23 10:55:31

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2611g

Analytical Batch: DA062008HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 07/05/23 14:02:39 Reviewed On: 07/06/23 12:34:02 Batch Date: 07/05/23 08:57:18

Dilution: 50

1022, 585, 1440

Reagent: 061523.R17; 062723.R18; 063023.R15; 070123.R03; 063023.R13; 063023.R14; 061923.R19; 050923.01; 062823.R15; 061323.01

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30705004-004 Harvest/Lot ID: 8804 5661 6146 2878

Batch#: 8804 5661 6146

Sampled: 07/03/23 Ordered: 07/03/23

Sample Size Received: 15.5 gram Total Amount : 2851 units Completed: 07/07/23 Expires: 07/07/24 Sample Method: SOP.T.20.010



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 1879, 1440 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch: DA062024FIL
Instrument Used: Filth/Foreign Material Microscope

Reviewed On: 07/05/23 10:46:37 Batch Date: 07/05/23 10:04:43

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 07/05/23 16:21:17

Batch Date: 07/05/23 10:15:36

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.1 aw 0.523 0.85 Extraction date: 07/05/23 13:08:29 Extracted by: 4056 Analyzed by: 4056, 585, 1440 Weight: 0.166g

Analytical Batch: DA062026WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.03

Pipette: N/A

Consumables : PS-14

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

