



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30706007-008  
Harvest/Lot ID: HYB-PEB-062623-A116  
Batch#: 1772 7112 9547 6699  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 3458 0524 3124 1247  
Batch Date: 06/22/23  
Sample Size Received: 31.5 units  
Total Amount: 1274 units  
Retail Product Size: 3.5 gram  
Ordered: 07/05/23  
Sampled: 07/05/23  
Completed: 07/08/23  
Sampling Method: SOP.T.20.010

Jul 08, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**




Total THC  
**23.177%**  
Dry Weight



Total CBD  
**0.047%**  
Dry Weight



Total Cannabinoids  
**27.216%**  
Dry Weight



Total THC  
**19.9%**  
696.5 mg /Container

Total CBD  
**0.041%**  
1.435 mg /Container

Total Cannabinoids  
**23.368%**  
817.88 mg /Container  
As Received

Analyzed by:  
3112, 585, 4044

Weight:  
0.196g

Extraction date:  
07/06/23 10:36:40

Extracted by:  
3605,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062046POT  
Instrument Used : DA-LC-002 (Flower)  
Analyzed Date : 07/06/23 11:44:49

Reviewed On : 07/07/23 10:53:52  
Batch Date : 07/06/23 09:16:36

Dilution : 400  
Reagent : 070623.R02; 060723.35; 070623.R01  
Consumables : 280670723; CE0123; R1KB45277  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
07/08/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30706007-008

Harvest/Lot ID: HYB-PEB-062623-A116

 Batch# : 1772 7112 9547  
 6699

Sampled : 07/05/23

Ordered : 07/05/23

Sample Size Received : 31.5 units

Total Amount : 1274 units

Completed : 07/08/23 Expires: 07/08/24

Sample Method : SOP.T.20.010

Page 2 of 5



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30706007-008

Harvest/Lot ID: HYB-PEB-062623-A116

 Batch# : 1772 7112 9547  
 6699

Sampled : 07/05/23

Ordered : 07/05/23

Sample Size Received : 31.5 units

Total Amount : 1274 units

Completed : 07/08/23 Expires: 07/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8861g	07/06/23 11:20:12	4056		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062056PES			Reviewed On : 07/07/23 10:43:59		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/06/23 10:03:23		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/06/23 13:35:52					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 070623.R03; 040521.11; 070323.R01; 070523.R03; 062823.R08; 060523.R26; 070523.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8861g	07/06/23 11:20:12	4056		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062057VOL			Reviewed On : 07/07/23 10:41:47		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/06/23 10:04:21		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/06/23 13:43:27					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 070623.R03; 040521.11; 061223.R25; 070523.R47					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					







# Certificate of Analysis


**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30706007-008  
 Harvest/Lot ID: HYB-PEB-062623-A116  
 Batch# : 1772 7112 9547 Sample Size Received : 31.5 units  
 6699 Total Amount : 1274 units  
 Sampled : 07/05/23 Completed : 07/08/23 Expires: 07/08/24  
 Ordered : 07/05/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.8861g	Extraction date: 07/06/23 11:20:12	Extracted by: 4056		
Analyzed by: 3390, 3621, 585, 4044						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA062058MYC					
Analytical Batch : DA062042MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems						Analyzed Date : 07/06/23 13:36:01					
MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : 07/06/23 12:44:39						Reagent : 070623.R03; 040521.11; 070323.R01; 070523.R03; 062823.R08; 060523.R26; 070523.R01					
Dilution : N/A						Consumables : 326250IW					
Reagent : 050223.42; 062323.R18; 092122.01; 092122.09						Pipette : DA-093; DA-094; DA-219					
Consumables : 7562003019						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 4044											
Weight: 1.1756g											
Extraction date: N/A											
Extracted by: 3621											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062059TYM											
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 07/06/23 12:15:26											
Dilution : 10											
Reagent : 050223.42; 070523.R46											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2396g	Extraction date: 07/06/23 09:37:47	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA062047HEA					
Instrument Used : DA-ICPMS-003					
Analyzed Date : 07/06/23 15:05:46					
Dilution : 50					
Reagent : 061523.R17; 062723.R18; 063023.R15; 070123.R03; 063023.R13; 063023.R14; 061923.R19; 050923.01; 062823.R15					
Consumables : 179436; 15021042; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30706007-008  
 Harvest/Lot ID: HYB-PEB-062623-A116

 Batch# : 1772 7112 9547 Sample Size Received : 31.5 units  
 6699 Total Amount : 1274 units  
 Sampled : 07/05/23 Completed : 07/08/23 Expires: 07/08/24  
 Ordered : 07/05/23 Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	14.14	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 07/06/23 11:05:16						Analyzed by: 3807, 585, 4044 Weight: 0.496g Extraction date: 07/06/23 12:33:41 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062063FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/06/23 11:10:00 Batch Date : 07/06/23 10:39:42						Analysis Method : SOP.T.40.021 Analytical Batch : DA062050MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/06/23 13:15:12 Batch Date : 07/06/23 09:42:16					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : PS-14 Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.542	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.531g Extraction date: 07/06/23 12:57:52 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062051WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/06/23 13:15:12 Batch Date : 07/06/23 09:42:38					
Dilution : N/A Reagent : 050923.03 Consumables : N/A Pipette : DA-066					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.