



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30707002-013
Harvest/Lot ID: ID-MOM-0630-23
Batch#: 2097 4248 1607 0044
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale# 9460 7533 6762 6969
Batch Date: 06/19/23
Sample Size Received: 42 gram
Total Amount: 2978 units
Retail Product Size: 3.5 gram
Ordered: 07/06/23
Sampled: 07/06/23
Completed: 07/10/23
Sampling Method: SOP.T.20.010

Jul 10, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
23.855%
Dry Weight



Total CBD
0.057%
Dry Weight



Total Cannabinoids
27.728%
Dry Weight



Total THC
20.807%
728.245 mg /Container

Total CBD
0.05%
1.75 mg /Container

Total Cannabinoids
24.185%
846.475 mg /Container

As Received

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.1957g

Extraction date:
07/07/23 11:41:47

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062079POT
Instrument Used : DA-LC-002
Analyzed Date : 07/07/23 11:45:05

Reviewed On : 07/08/23 17:47:36
Batch Date : 07/07/23 09:05:47

Dilution : 400
Reagent : 070623.R02; 060723.24; 070623.R01
Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/10/23



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30707002-013
 Harvest/Lot ID: ID-MOM-0630-23

 Batch# : 2097 4248 1607
 Sample Size Received : 42 gram
 Total Amount : 2978 units
 Completed : 07/10/23 Expires: 07/10/24
 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	87.85	2.51		FARNESENE	0.009	0.42	0.012	
TOTAL TERPENEOL	0.02	1.645	0.047		ALPHA-HUMULENE	0.02	6.895	0.197	
ALPHA-BISABOLOL	0.02	2.415	0.069		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	6.125	0.175		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	<0.7	<0.02	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	0.735	0.021	
BETA-PINENE	0.02	3.605	0.103		GUAIOL	0.02	3.71	0.106	
BETA-MYRCENE	0.02	4.375	0.125		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by: 2076, 585, 4044Weight: 0.9267gExtraction date: 07/07/23 17:02:31Extracted by: 2076				
3-CARENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA062094TERInstrument Used : DA-GCMS-008Reviewed On : 07/10/23 11:24:08Batch Date : 07/07/23 10:13:38				
ALPHA-TERPINENE	0.02	ND	ND		Analyzed Date : 07/08/23 08:09:07				
LIMONENE	0.02	21.315	0.609		Dilution : 10				
LUCALYPTOL	0.02	ND	ND		Reagent : 121622.26				
OCIMENE	0.02	1.75	0.05		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GAMMA-TERPINENE	0.02	ND	ND		Pipette : N/A				
SABINENE HYDRATE	0.02	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
TERPINOLENE	0.02	ND	ND						
FENCHONE	0.04	ND	ND						
LINALOOL	0.02	2.905	0.083						
FENCHYL ALCOHOL	0.02	2.17	0.062						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	<0.7	<0.02						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	18.585	0.531						
Total (%)				2.51					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30707002-013

Harvest/Lot ID: ID-MOM-0630-23

 Batch# : 2097 4248 1607
 0044

Sampled : 07/06/23

Ordered : 07/06/23


Sample Size Received : 42 gram

Total Amount : 2978 units

Completed : 07/10/23 Expires: 07/10/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8168g	07/07/23 14:47:46	450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062088PES				Reviewed On : 07/10/23 11:08:16	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 07/07/23 09:59:31	
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070323.R01; 070523.R03; 070623.R03; 070723.R01; 060523.R26; 070523.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8168g	07/07/23 14:47:46	450		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062090VOL				Reviewed On : 07/10/23 11:06:53	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 07/07/23 10:01:25	
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/10/23 10:31:02					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070623.R03; 040521.11; 061223.R25; 070523.R47					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30707002-013

Harvest/Lot ID: ID-MOM-0630-23

 Batch# : 2097 4248 1607
 0044

Sampled : 07/06/23

Ordered : 07/06/23



Sample Size Received : 42 gram

Total Amount : 2978 units

Completed : 07/10/23 Expires: 07/10/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3336, 585, 4044 Weight: 1.0201g Extraction date: 07/07/23 10:59:40 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062073MIC Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/07/23 10:59:50 Dilution : N/A Reagent : 050223.52; 062323.R18; 092122.01; 092122.09 Consumables : 7562003043 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.8168g Extraction date: 07/07/23 14:47:46 Extracted by: 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062089MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 070323.R01; 070523.R03; 070623.R03; 070723.R01; 060523.R26; 070523.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 07/08/23 17:39:21 Batch Date : 07/07/23 08:34:38						Reviewed On : 07/10/23 11:01:32 Batch Date : 07/07/23 10:01:22					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2767g Extraction date: 07/07/23 10:04:26 Extracted by: 3619,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062084HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/07/23 15:45:41 Dilution : 50 Reagent : 061523.R17; 062723.R18; 063023.R15; 070123.R03; 063023.R13; 063023.R14; 061923.R19; 050923.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 07/08/23 17:41:12 Batch Date : 07/07/23 09:49:52					



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30707002-013
Harvest/Lot ID: ID-MOM-0630-23

Batch# : 2097 4248 1607
Sample Size Received : 42 gram
Total Amount : 2978 units
Completed : 07/10/23 Expires: 07/10/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.78	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analysis Method : SOP.T.40.090 Analytical Batch : DA062103FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/07/23 20:50:23 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analyzed by: 3807, 585, 4044 Weight: 0.495g Extraction date: 07/07/23 13:54:45 Analysis Method : SOP.T.40.021 Analytical Batch : DA062100MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.575	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.954g Extraction date: 07/07/23 14:16:58 Analysis Method : SOP.T.40.019 Analytical Batch : DA062101WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.