

Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix: Derivative Type: Distillate




4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30707002-011 Harvest/Lot ID: 1756 8065 7116 9378 Batch#: 1756 8065 7116 9378 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 1971 7269 8515 8318 Batch Date: 05/11/23 Sample Size Received: 15.5 gram Total Amount: 2921 units Retail Product Size: 0.5 gram Ordered: 07/06/23 Sampled: 07/06/23 Completed: 07/10/23 Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature

07/10/23



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@aetfluent.com Sample : DA30707002-011 Harvest/Lot ID: 1756 8065 7116 9378 Batch#: 1756 8065 7116 9378 Sample Total An

Sampled : 07/06/23 Ordered : 07/06/23 16 9378 Sample Size Received : 15.5 gram Total Amount : 2921 units Completed : 07/10/23 Expires: 07/10/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

෯

Terpenes

erpenes	LOD (%)	mg/unit	% Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	7.165	1.433	FARNESENE			< 0.009	<0.0018	
OTAL TERPINEOL	0.02	ND	ND	ALPHA-HUMULENE		0.02	0.135	0.027	
LPHA-BISABOLOL	0.02	0.22	0.044	VALENCENE		0.02	0.105	0.021	
LPHA-PINENE	0.02	0.17	0.034	CIS-NEROLIDOL		0.02	<0.1	< 0.02	
AMPHENE	0.02	< 0.1	<0.02	TRANS-NEROLIDOL		0.02	ND	ND	
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE		0.02	<0.1	< 0.02	
ETA-PINENE	0.02	ND	ND	GUAIOL		0.02	ND	ND	
ETA-MYRCENE	0.02	0.99	0.198	CEDROL		0.02	< 0.1	< 0.02	
LPHA-PHELLANDRENE	0.02	0.37	0.074	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
CARENE	0.02	0.13	0.026	2076, 585, 4044	0.8275g		07/07/23 16	:20:19	2076
PHA-TERPINENE	0.02	< 0.1	<0.02	Analysis Method : SOP.T.30.06		L M			
MONENE	0.02	0.41	0.082	Analytical Batch : DA062096TI Instrument Used : DA-GCMS-0					7/10/23 11:24:07 07/23 10:15:43
CALYPTOL	0.02	< 0.1	<0.02	Analyzed Date : 07/08/23 08:0			Batch	Date: 07/0	///23 10:15:43
IMENE	0.02	0.83	0.166	Dilution : 10					
AMMA-TERPINENE	0.02	< 0.1	<0.02	Reagent : 121622.26					
BINENE HYDRATE	0.02	ND	ND	Consumables : 210414634; MM	KCN9995; CE0123; R1KE	814270			
RPINOLENE	0.02	3.3	0.66	Pipette : N/A					
NCHONE	0.04	ND	ND	Terpenoid testing is performed uti	lizing Gas Chromatography	Mass Spec	trometry. For all	Flower samp	es, the Total Terpenes % is dry-weight corrected.
NALOOL	0.02	0.11	0.022						
NCHYL ALCOHOL	0.02	< 0.1	<0.02						
PULEGOL	0.02	ND	ND						
MPHOR	0.06	< 0.3	<0.06						
OBORNEOL	0.02	< 0.1	<0.02						
DRNEOL	0.04	ND	ND						
EXAHYDROTHYMOL	0.02	< 0.1	<0.02						
EROL	0.02	ND	ND						
JLEGONE	0.02	ND	ND						
RANIOL	0.02	ND	ND						
ERANYL ACETATE	0.02	ND	ND						
LPHA-CEDRENE	0.02	ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/10/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative



PASSED

Page 3 of 6

Type: Distillate

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND			0.01		0.1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN			ppm			
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	IZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.35	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND		Weight:		den deter		Finders advand	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044	0.2279g		tion date: 3 14:50:26	5	Extracted 450,585	by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						Gainesvill
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	0.101.1 E (Guillesv	inc), 501.1	.50.102.1 L	. (Duvic), 501		Guinesviii
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0620	85PES	Reviewed On :07/10/23 11:16:35 Batch Date :07/07/23 09:54:51				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM	1S-003 (PES)					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A						
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 070323.R01; 07 Consumables : 326250IW	0523.R03; 070623	3.R03; 070.	/23.R01; 0	60523.R26; 0	70523.R01; 04	40521.11
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094;	DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agen		lizina Liquid	Chromator	aranhy Trinle-	Quadrupole Ma	155
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance	with F.S. Rule 64E	R20-39.	Chromaco	graphy mpre-	quudiupole i la	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044	0.2279g	07/07/23	3 14:50:26		450,585	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3						
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0620				n:07/10/23 1		
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCM Analyzed Date : 07/07/23		Ba	atch Date	:07/07/23 09:	:58:23	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250	13.00.33					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 070623.R03; 04	0521 11: 061223	R25.07053	23 R47			
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW;			-5.1147			
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;						

Certificate of Analysis

Sample : DA30707002-011 Harvest/Lot ID: 1756 8065 7116 9378

Batch#: 1756 8065 7116

Sampled : 07/06/23

Ordered : 07/06/23

Sample Size Received : 15.5 gram

Sample Method : SOP.T.20.010

Completed : 07/10/23 Expires: 07/10/24

Total Amount : 2921 units

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/10/23

PASSED

R S

FLUENT



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

 Sample : DA30707002-011

 Harvest/Lot ID: 1756 8065 7116
 9378

 Batch# : 1756 8065 7116
 Sample

 9378
 Total An

 Sampled : 07/06/23
 Complet

 Ordered : 07/06/23
 Sample

'116 9378 Sample Size Received : 15.5 gram Total Amount : 2921 units Completed : 07/10/23 Expires: 07/10/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
L,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
ENZENE	0.1	ppm	1	PASS	ND
UTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
ICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm	5000	PASS	ND
THYL ACETATE	40	ppm	400	PASS	ND
THYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
EPTANE	500	ppm	5000	PASS	ND
IETHANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
DLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 4044	Weight: 0.0236g	Extraction date 07/10/23 10:51			Extracted by: 350
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA062107SOL nstrument Used : DA-GCMS-003 nalyzed Date : 07/10/23 10:56:17			wed On : 07/10/23 12:46:18 Date : 07/07/23 12:47:49		
ilution: 1 leagent: 030420.09 .onsumables: G201.062; R2017.120 lipette: DA-309 25 uL Syringe 35028					

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/10/23

PASSED



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30707002-011 Harvest/Lot ID: 1756 8065 7116 9378 Batch#: 1756 8065 7116 9378

Sampled : 07/06/23 Ordered : 07/06/23 Sample Size Received : 15.5 gram Total Amount : 2921 units Completed : 07/10/23 Expires: 07/10/24 Sample Method : SOP.T.20.010

Page 5 of 6

PASSED

PASSED

PASSED

Ç	Micro	bial				PAS	SED	သို့
Analyte		$\overline{}$	LOD	Units	Result	Pass / Fail	Action	Analyte
ASPERGILLU	S TERREUS				Not Present			AFLATOXIN
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXI
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN
SALMONELL	A SPECIFIC GEN	IE			Not Present	PASS		AFLATOXIN
ECOLI SHIGE	LLA				Not Present	PASS		Analyzed by:
TOTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000	
Analyzed by: 3390, 3336, 58	35, 4044	Weight: 0.821g		Extraction da 07/07/23 10		Extracted 3621,339		Analysis Metho SOP.T.30.102.
	od : SOP.T.40.056 ch : DA062073MI		.40.05	58.FL, SOP.T.		ed On : 07/0	8/23	Analytical Bate Instrument Us Analyzed Date
Isotemp Heat DA-049,Fisher Analyzed Date	ed : PathogenDx Block DA-020,fisl Scientific Isotem : 07/07/23 10:59	nerbrand Ip Heat Bl	lsoter	np Heat Bloc		pate:07/07/	23	Dilution : 250 Reagent : 070 040521.11 Consumables Pipette : DA-0
Dilution : N/A Reagent : 050 Consumables : Pipette : N/A	223.52; 062323.I 7562003043	R18; 0921	.22.01	1; 092122.09	4			Mycotoxins tes accordance wit
Analyzed by: 3621, 3702, 58	35, 4044	Weight: 0.821g		Extraction da 07/07/23 10		Extracted 3621,339		Hg
Analytical Bate	od : SOP.T.40.208 ch : DA062098TY ed : Incubator (2! : 07/07/23 12:01	M 5-27C) DA		Rev	9.FL iewed On : 07/2 :h Date : 07/07			Metal
Dilution : N/A	223.52; 070523.1					\square		- TOTAL CONT ARSENIC CADMIUM MERCURY

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Units	Result	Pass /	
		Fail	Action Level
ppm	ND	PASS	0.02
ppm	ND	PASS	0.02
ppm	ND	PASS	0.02
ppm	ND	PASS	0.02
ppm	ND	PASS	0.02
: 26		Extracted 450,585	by:
ed On : 07	(Gainesv 7/10/23 1)7/23 09:	1:18:27	
3.R01; 06	50523.R2	:6; 07052:	3.R01;
		\overline{X}	XXXX

Hg Heavy Metals

Mycotoxins

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	5 0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2834g	Extraction d 07/07/23 10			Extracted 3619	by:
Analysis Method : SOP.T.3 Analytical Batch : DA0620 Instrument Used : DA-ICPI Analyzed Date : 07/07/23	83HEA 45-003	Review	ed On : 07, oate : 07/0			

Dilution: 50 Reagent: 061523.R17; 062723.R18; 063023.R15; 070123.R03; 063023.R13; 063023.R14; 061923.R19; 050923.01; 062823.R15 Consumables: 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/10/23



Golden Hour Cartridge Concentrate 0.5g Golden Hour Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Ordered : 07/06/23

FLUENT

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@detfluent.com Sample : DA30707002-011 Harvest/Lot ID: 1756 8065 7116 9378 Batch# : 1756 8065 7116 9378 Sampled : 07/06/23 Completer

16 9378 Sample Size Received : 15.5 gram Total Amount : 2921 units Completed : 07/10/23 Expires: 07/10/24 Sample Method : 50P.T.20.010



() w	later A	ctiv	vity		ΡΑ	SSED
Analyte Water Activity		LOD 0.1	Units aw	Result 0.499	P/F PASS	Action Level 0.85
Analyzed by: 1056, 585, 4044	Weight: 0.629g		xtraction (7/07/23 1			tracted by:
Analysis Method : SOP Analytical Batch : DAO nstrument Used : DA- Analyzed Date : 07/07	62102WAT 028 Rotronic H	lygropa	lm	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 050923.04						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/10/23

Innt

Page 6 of 6