

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Frosted Motor Breath WF 3.5g (1/8oz) Frosted Motor Breath WF

Matrix: Flower Type: Flower-Cured

Sample: DA30709002-001 Harvest/Lot ID: 8826 5105 9190 5787

Batch#: 8826 5105 9190 5787

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 4420 5624 9737 7136

Batch Date: 06/01/23

Sample Size Received: 42 gram

Total Amount: 2988 units Retail Product Size: 3.5 gram

Ordered: 07/09/23 Sampled: 07/09/23

Completed: 07/11/23

Sampling Method: SOP.T.20.010

PASSED

Jul 11, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS























MISC.

Pesticides

Heavy Metals

Microbials

Mycotoxins

Residuals Solvents

Filth

Water Activity

Moisture

TESTED

PASSED



Cannabinoid

Total THC



Total CBD 0.043%



Total Cannabinoids 24,368%





19.237

0.001

673.295 ND



ND

0.001







Weight: 0.2088q





Extraction date: 07/10/23 10:11:33

CBC ND ND 0.001

Reviewed On: 07/11/23 13:53:11 Batch Date: 07/09/23 12:19:42

0.045 1.575 0.001

TOTAL CBD TOTAL THC (DRY) 0.043 21.111 1.505 738.885 0.001 0.001

TOTAL CAN NABINOIDS (DRY) 24.368

852.88

0.001

Extracted by:

18.061% 632.135 mg /Container Total CBD 0.037% 1.295 mg /Container

Total THC

Total Cannabinoids 20.847% 729.645 mg /Container

As Received

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062155POT Instrument Used : DA-LC-002 (Flower)

Analyzed Date: 07/10/23 11:21:46

D9-THC

1.191

0.001

41.685

Analyzed by: 3112, 585, 4044

Dilution: 400
Reagent: 071023.R02; 060723.24; 071023.R01

Consumables: 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Frosted Motor Breath WF 3.5g (1/8oz) Frosted Motor Breath WF

> Matrix : Flower Type: Flower-Cured



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30709002-001 Harvest/Lot ID: 8826 5105 9190 5787

Batch#: 8826 5105 9190

Sampled: 07/09/23 Ordered: 07/09/23 Sample Size Received: 42 gram Total Amount : 2988 units

Completed: 07/11/23 Expires: 07/11/24 Sample Method: SOP.T.20.010

PASSED

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/un	nit %	Result (%)	Terpenes		LOD (%)	mg/uni	t %	Result (%)	
TOTAL TERPENES	0.02	82.915	2.369		FARNESENE			0.245	0.007		
TOTAL TERPINEOL	0.02	1.19	0.034		ALPHA-HUMULENE		0.02	2.66	0.076		
ALPHA-BISABOLOL	0.02	2.03	0.058		VALENCENE		0.02	< 0.7	< 0.02		
ALPHA-PINENE	0.02	16.8	0.48		CIS-NEROLIDOL		0.02	ND	ND		
CAMPHENE	0.02	< 0.7	< 0.02		TRANS-NEROLIDOL		0.02	0.91	0.026		
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE		0.02	< 0.7	< 0.02		
BETA-PINENE	0.02	6.16	0.176		GUAIOL		0.02	2.66	0.076		
BETA-MYRCENE	0.02	14	0.4		CEDROL		0.02	ND	ND		
ALPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by:	Weight:		Extraction da		Ext	racted by:
3-CARENE	0.02	ND	ND		2076, 585, 4044	1.0465g		07/09/23 15:	05:55	187	9,2076
ALPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061		FL				
LIMONENE	0.02	6.79	0.194		Analytical Batch: DA062143TEF Instrument Used: DA-GCMS-004					7/11/23 13:53:14 09/23 11:47:45	
UCALYPTOL	0.02	< 0.7	< 0.02		Analyzed Date : 07/11/23 11:45			Ddt	in Date: 07/	09/23 11.47.43	
CIMENE	0.02	2.94	0.084		Dilution : 10						
GAMMA-TERPINENE	0.02	ND	ND		Reagent : N/A						
SABINENE HYDRATE	0.02	ND	ND		Consumables : N/A						
ERPINOLENE	0.02	< 0.7	< 0.02		Pipette : N/A		11				
ENCHONE	0.04	<1.4	< 0.04		Terpenoid testing is performed utiliz	zing Gas Chromatograph	y mass Spe	ctrometry. For a	II Flower samp	oles, the Total Terpenes % is on	/-weight corrected.
LINALOOL	0.02	4.515	0.129								
FENCHYL ALCOHOL	0.02	1.61	0.046								
SOPULEGOL	0.02	< 0.7	< 0.02								
AMPHOR	0.06	<2.1	< 0.06								
SOBORNEOL	0.02	ND	ND								
BORNEOL	0.04	<1.4	< 0.04								
HEXAHYDROTHYMOL	0.02	ND	ND								
NEROL	0.02	ND	ND								
PULEGONE	0.02	ND	ND								
GERANIOL	0.02	< 0.7	< 0.02								
GERANYL ACETATE	0.02	ND	ND								
ALPHA-CEDRENE	0.02	ND	ND								
BETA-CARYOPHYLLENE	0.02	8.435	0.241								
otal (%)			2.369					7.1			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Frosted Motor Breath WF 3.5g (1/8oz) Frosted Motor Breath WF

> Matrix : Flower Type: Flower-Cured



PASSED

Certificate of Analysis

ELHENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA30709002-001 Harvest/Lot ID: 8826 5105 9190 5787

B-4-b # - 0020 5105

Batch#: 8826 5105 9190 5787

Sampled: 07/09/23 Ordered: 07/09/23 Sample Size Received : 42 gram
Total Amount : 2988 units

Completed: 07/11/23 Expires: 07/11/24 Sample Method: SOP.T.20.010

Page 3 of 5



Pesticides

D	Λ	C	C	c	h
	H		J		И

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND				0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN	0.01	ppm			
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND		0.01	$\nu \cdot \nu \cdot \nu$	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Eschun	tion date:		Extracte	d leve
IMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.8017g		23 09:50:54	1	4056	u by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine					Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	/ / 1 /	//-	(==::-,, ==:		
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062153PES			On:07/11/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	e :07/09/23	12:12:27	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/10/23 13:43:22					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250	D DO1 . OZOF	22 002, 070	722 001.00	0522 026: 076)F22 D(
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 070623.R03; 040521.11; 07032 Consumables: 326250IW	3.RU1; U7U5	23.RU3; U/U	1/23.RU1; 06	U523.R26; U70	J523.RU
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-094: DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u	tilizina Liauio	d Chromatoo	raphy Triple-	Ouadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64		\	\ /	\ \ \ \ \ \	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracted	d by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.8017g		23 09:50:54		4056	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaine					
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062156VOL			1:07/11/23 1		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 07/10/23 14:32:30	В	attii Date :	07/09/23 12:	15.50	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 070623.R03; 040521.11; 06122	3.R25: 0705	23.R47			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	20, 1100	\\/			
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed usin accordance with F.S. Rule 64ER20-39.	tilizing Gas (Chromatogra	phy Triple-Qu	adrupole Mass	Spectre

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Frosted Motor Breath WF 3.5g (1/8oz) Frosted Motor Breath WF

> Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30709002-001 Harvest/Lot ID: 8826 5105 9190 5787

Batch#: 8826 5105 9190

Sampled: 07/09/23 Ordered: 07/09/23

Sample Size Received: 42 gram Total Amount : 2988 units Completed: 07/11/23 Expires: 07/11/24 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 07/11/23 19:01:36

Batch Date: 07/09/23 12:20:30



Microbial



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA062157MYC

Analyzed Date: 07/10/23 13:44:40

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 326250IW

Dilution: 250

070523.R01

PASSED

Action

Level

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERREUS				Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS				Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GE	NE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA				Not Present	PASS		Analyzed by:	Weight:	Extraction da	ite:		Extra
TOTAL YEAST AND MOLD		10	CFU/g	120	PASS	100000	3379, 585, 4044	0.8017g	07/10/23 09:			4056
Analyzed by: Weight: Extraction date:					Extracted	by:	Analysis Method : SOP	.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	. (Gainesv	ille),

Extracted by:

3390, 585, 4044 0.8755g 07/09/23 11:38:58 3702

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062137MIC

Reviewed On: 07/11/23

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 07/09/23 Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block 09:46:42

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/10/23 10:48:52

Reagent: 050223.45; 062323.R18; 092122.01; 020823.14; 092122.09

Consumables: 7562003037

Pipette: N/A

Hg	Hea

Analyzed by: 3702, 3390, 585, 4044	Weight: 0.8755g	Extraction date: N/A	Extracted by: 3702,3390
Analysis Method: SOP.T.40.208	(Gainesville), S	OP.T.40.209.FL	
Analytical Batch: DA062138TYM		Reviewed On : 0	07/11/23 13:56:03
Instrument Used : Incubator (25-Analyzed Date : 07/10/23 17:25:	.,	Batch Date: 07	/09/23 10:02:42

Dilution: 10 Reagent: 050223.45; 070523.R46 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

vy Metals

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	< 0.1	PASS	0.5
Analyzed by	Extraction d	ato.		Evtractod	lbu

07/10/23 07:40:11

Batch Date: 07/09/23 15:55:35

Reagent: 070623.R03; 040521.11; 070323.R01; 070523.R03; 070723.R01; 060523.R26;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 07/11/23 13:25:46

0.2206g

Analytical Batch: DA062163HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 07/10/23 14:58:50

Dilution: 50 Reagent: N/A Consumables: N/A Pipette: N/A

1022, 585, 4044

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Frosted Motor Breath WF 3.5g (1/8oz) Frosted Motor Breath WF

> Matrix : Flower Type: Flower-Cured



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30709002-001 Harvest/Lot ID: 8826 5105 9190 5787

Batch#: 8826 5105 9190

Sampled: 07/09/23 Ordered: 07/09/23

Sample Size Received: 42 gram Total Amount : 2988 unit Completed: 07/11/23 Expires: 07/11/24 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED



Moisture

0.526g

PASSED

Analyte Filth and Foreign Material

LOD Units 0.1 %

N/A

Result ND

Action Level PASS Extracted by:

Analyte **Moisture Content** Analyzed by: 4056, 585, 4044

LOD Units % Extraction date

07/09/23 13:00:10

PASS 14.45

P/F

Reviewed On: 07/10/23 12:01:01

Batch Date: 07/08/23 11:37:04

Result

15 Extracted by:

4056

Action Level

Analyzed by: 1879, 4044

Dilution: N/A

Reagent: N/A Pipette: N/A

NA Analysis Method: SOP.T.40.090

Weight:

Analytical Batch : DA062146FIL
Instrument Used : Filth/Foreign Material Microscope Analyzed Date: 07/09/23 21:10:24

Reviewed On: 07/09/23 21:21:57 Batch Date: 07/09/23 11:50:38

N/A

Analysis Method: SOP.T.40.021 Analytical Batch: DA062122MOI Instrument Used: DA-003 Moisture Analyzer

Analyzed Date: 07/08/23 16:57:53 Dilution: N/A

Reagent: 101920.06; 020123.02

Pipette: DA-066

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39



Water Activity

PASSED

LOD Units P/F **Action Level** Analyte Result PASS Water Activity 0.1 aw 0.53 0.65 Extracted by: 4056 Extraction date: 07/09/23 13:06:06

Analyzed by: 4056, 585, 4044 Analysis Method: SOP.T.40.019

Analytical Batch: DA062126WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date: 07/08/23 16:58:23

Reviewed On: 07/10/23 12:01:01 Batch Date: 07/08/23 11:38:40

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

