



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30709002-004
Harvest/Lot ID: 0030 0978 3713 7629
Batch#: 0030 0978 3713 7629
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6129 6718 3678 1134
Batch Date: 05/11/23
Sample Size Received: 15.3 gram
Total Amount: 1216 units
Retail Product Size: 0.3 gram
Ordered: 07/09/23
Sampled: 07/09/23
Completed: 07/12/23
Sampling Method: SOP.T.20.010

Jul 12, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.47%

Total THC/Container : 262.41 mg



Total CBD

0.231%

Total CBD/Container : 0.693 mg



Total Cannabinoids

92.244%

Total Cannabinoids/Container : 276.732 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.345	0.143	0.231	ND	0.395	1.629	ND	0.818	0.444	ND	1.239
mg/unit	262.035	0.429	0.693	ND	1.185	4.887	ND	2.454	1.332	ND	3.717
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.1035g

Extraction date:
07/10/23 10:06:55

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA062161POT
 Instrument Used : DA-LC-007
 Analyzed Date : 07/10/23 11:04:49

Reviewed On : 07/11/23 13:53:42
 Batch Date : 07/09/23 12:23:57

Dilution : 400
 Reagent : 070823.R04; 060723.24; 070823.R03
 Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
07/12/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30709002-004

Harvest/Lot ID: 0030 0978 3713 7629

Batch# : 0030 0978 3713
7629

Sampled : 07/09/23

Ordered : 07/09/23

Sample Size Received : 15.3 gram

Total Amount : 1216 units

Completed : 07/12/23 Expires: 07/12/24

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	10.257	3.419		FARNESENE		0.24	0.08	
TOTAL TERPINEOL	0.02	0.171	0.057		ALPHA-HUMULENE	0.02	ND	ND	
ALPHA-BISABOLOL	0.02	0.141	0.047		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	0.375	0.125		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	0.117	0.039		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.06	<0.02	
BETA-PINENE	0.02	0.525	0.175		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	0.288	0.096		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		<div>Analyzed by: 2076, 585, 4044Weight: 1.0396gExtraction date: 07/10/23 15:27:45Extracted by: 2076</div>				
3-CARENE	0.02	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 07/11/23 13:53:44</div>				
ALPHA-TERPINENE	0.02	ND	ND		<div>Analytical Batch : DA062165TERBatch Date : 07/10/23 10:44:27</div>				
LIMONENE	0.02	4.527	1.509		<div>Instrument Used : DA-GCMS-004</div>				
EUCALYPTOL	0.02	<0.06	<0.02		<div>Analyzed Date : 07/11/23 09:42:41</div>				
OCIMENE	0.02	0.066	0.022		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.02	ND	ND		<div>Reagent : 121622.26</div>				
SABINENE HYDRATE	0.02	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.02	0.072	0.024		<div>Pipette : N/A</div>				
FENCHONE	0.04	<0.12	<0.04		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.02	0.963	0.321						
FENCHYL ALCOHOL	0.02	0.456	0.152						
ISOPULEGOL	0.02	<0.06	<0.02						
CAMPHOR	0.06	<0.18	<0.06						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	<0.12	<0.04						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	2.316	0.772						
Total (%)				3.419					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30709002-004

Harvest/Lot ID: 0030 0978 3713 7629

 Batch# : 0030 0978 3713
 7629

Sampled : 07/09/23

Ordered : 07/09/23


Sample Size Received : 15.3 gram

Total Amount : 1216 units

Completed : 07/12/23 Expires: 07/12/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2995g	07/10/23 09:54:27	4056		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062144PES			Reviewed On : 07/12/23 10:20:51		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/09/23 11:49:10		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/10/23 13:43:28					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070623.R03; 040521.11; 070323.R01; 070523.R03; 070723.R01; 060523.R26; 070523.R01					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.2995g	07/10/23 09:54:27	4056		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062145VOL			Reviewed On : 07/12/23 10:19:35		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/09/23 11:50:06		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/10/23 14:29:52					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070623.R03; 040521.11; 061223.R25; 070523.R47					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30709002-004

Harvest/Lot ID: 0030 0978 3713 7629

 Batch# : 0030 0978 3713
 7629

Sampled : 07/09/23

Ordered : 07/09/23

Sample Size Received : 15.3 gram

Total Amount : 1216 units

Completed : 07/12/23 Expires: 07/12/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0214g

 Extraction date:
 07/10/23 15:56:39

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062172SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 07/11/23 14:01:34

 Reviewed On : 07/11/23 15:02:16
 Batch Date : 07/10/23 15:08:27

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30709002-004

Harvest/Lot ID: 0030 0978 3713 7629

 Batch# : 0030 0978 3713
 7629

 Sampled : 07/09/23
 Ordered : 07/09/23




Sample Size Received : 15.3 gram

Total Amount : 1216 units

Completed : 07/12/23 Expires: 07/12/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 4044 Weight: 1.16g Extraction date: 07/09/23 11:38:59 Extracted by: 3702 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062137MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/10/23 10:48:52 Dilution : N/A Reagent : 050223.45; 062323.R18; 092122.01; 020823.14; 092122.09 Consumables : 7562003037 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.2995g Extraction date: 07/10/23 09:54:27 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062149MYC Instrument Used : N/A Analyzed Date : 07/10/23 13:44:45 Dilution : 250 Reagent : 070623.R03; 040521.11; 070323.R01; 070523.R03; 070723.R01; 060523.R26; 070523.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 07/11/23 13:25:21 Batch Date : 07/09/23 09:46:42						Reviewed On : 07/11/23 13:30:58 Batch Date : 07/09/23 11:56:10					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2796g Extraction date: 07/10/23 08:04:41 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062128HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/10/23 14:50:57 Dilution : 50 Reagent : 061523.R17; 062723.R18; 070723.R17; 070123.R03; 070723.R15; 070723.R16; 070723.R18; 050923.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30709002-004

Harvest/Lot ID: 0030 0978 3713 7629

Batch# : 0030 0978 3713 7629

Sampled : 07/09/23

Ordered : 07/09/23

Sample Size Received : 15.3 gram

Total Amount : 1216 units

Completed : 07/12/23 Expires: 07/12/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062148FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/09/23 21:10:19

Reviewed On : 07/09/23 21:22:26

Batch Date : 07/09/23 11:51:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.524	PASS	0.85

Analyzed by: 4056, 585, 4044	Weight: 0.298g	Extraction date: 07/09/23 13:03:33	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062127WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 07/08/23 16:58:21

Reviewed On : 07/10/23 12:01:04

Batch Date : 07/08/23 11:39:56

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.