

Grape Diamond Lilac Diesel WF 3.5g (1/8oz) Grape Diamond Lilac Diesel WF Matrix: Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**


**COMPLIANCE FOR RETAIL** 

Sample:DA30711005-013 Harvest/Lot ID: HYB-GRD-062723-A116 Batch#: 9270 2609 4261 7910 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing** Source Facility : Tampa Cultivation Seed to Sale# 0395 0929 3775 4086 Batch Date: 06/22/23 Sample Size Received: 31.5 gram Total Amount: 985 units Retail Product Size: 3.5 gram Ordered: 07/10/23 Sampled: 07/10/23 Completed: 07/13/23 Sampling Method: SOP.T.20.010

Jul 13, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

## PASSED



Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Grape Diamond Lilac Diesel WF 3.5g (1/8oz) Grape Diamond Lilac Diesel WF Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30711005-013 Harvest/Lot ID: HYB-GRD-062723-A116 Batch# : 9270 2609 4261

Sampled : 07/10/23 Ordered : 07/10/23

Sample Size Received : 31.5 gram Total Amount : 985 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Page 2 of 5



## Or Terpenes

Terpenes	LOD (%)	mg/unit	% Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	49.315	1.409	FARNESENE			0.665	0.019	
TOTAL TERPINEOL	0.02	ND	ND	ALPHA-HUMULENE		0.02	1.19	0.034	
ALPHA-BISABOLOL	0.02	0.84	0.024	VALENCENE		0.02	< 0.7	< 0.02	
LPHA-PINENE	0.02	6.02	0.172	CIS-NEROLIDOL		0.02	ND	ND	
AMPHENE	0.02	ND	ND	TRANS-NEROLIDOL		0.02	< 0.7	< 0.02	
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE		0.02	< 0.7	< 0.02	
BETA-PINENE	0.02	1.68	0.048	GUAIOL		0.02	ND	ND	
ETA-MYRCENE	0.02	14.77	0.422	CEDROL		0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	0.945	0.027	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
-CARENE	0.02	<0.7	<0.02	2076, 585, 1440	1.0328g		07/11/23 14	:39:38	3702
LPHA-TERPINENE	0.02	<0.7	<0.02	Analysis Method : SOP.T.30.061A	.FL, SOP.T.40.061A.F	E 😒			
MONENE	0.02	<0.7	<0.02	Analytical Batch : DA062217TER Instrument Used : DA-GCMS-004					17/12/23 15:41:35 11/23 11:29:02
UCALYPTOL	0.02	<0.7	<0.02	Analyzed Date : 07/12/23 09:41:3	37		Batch	Date:07/	11/23 11:29:02
CIMENE	0.02	7.455	0.213	Dilution : 10					
AMMA-TERPINENE	0.02	<0.7	<0.02	Reagent : 020923.13					
ABINENE HYDRATE	0.02	ND	ND	Consumables : 210414634; MKCN	19995; CE0123; R1KE	314270			
ERPINOLENE	0.02	6.3	0.18	Pipette : N/A					
ENCHONE	0.04	ND	ND	Terpenoid testing is performed utilizin	ng Gas Chromatography	Mass Spec	trometry. For all	Flower samp	oles, the Total Terpenes % is dry-weight corrected.
NALOOL	0.02	1.19	0.034						
ENCHYL ALCOHOL	0.02	ND	ND						
DPULEGOL	0.02	ND	ND						
AMPHOR	0.06	ND	ND						
SOBORNEOL	0.02	ND	ND						
ORNEOL	0.04	ND	ND						
EXAHYDROTHYMOL	0.02	ND	ND						
EROL	0.02	ND	ND						
	0.02	ND	ND						
ULEGONE	0.02	ND	ND						
ERANIOL	0.02	ND	ND						
ULEGONE ERANIOL ERANYL ACETATE LPHA-CEDRENE		ND ND	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/13/23



4131 SW 47th AVENUE SUITE 1408

Pesticides

### Kaycha Labs

..... Grape Diamond Lilac Diesel WF 3.5g (1/8oz) Grape Diamond Lilac Diesel WF Matrix : Flower Type: Flower-Cured



PASSED

# **Certificate of Analysis**

FLUENT

R S

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US (954) 368-7664

> Sample : DA30711005-013 Harvest/Lot ID: HYB-GRD-062723-A116 Batch# : 9270 2609 4261

Sampled : 07/10/23 Ordered : 07/10/23

Sample Size Received : 31.5 gram Total Amount : 985 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

### Page 3 of 5

## PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND		0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	maa	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	mag	0.1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND			PPM		PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)			0.15		
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	on date:		Extracted b	v.
DIMETHOATE	0.01	ppm	0.1	PASS	ND	<b>3379, 585, 1440</b> 0.8396q		3 16:49:06		3379,450,58	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gain			(Davie), SOP		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)			,, 501		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062200PES	Reviewed On :07/13/23 09:55:16				
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)		Batch Dat	e:07/11/23	10:43:32	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 070523.R03; 071023.R04; 071	070 - COD CCC	722 001.04	0522 026. 0	70522 001.04	0521 11
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW	JZJ.RUJ; 070	/23.RU1; 00	0525.820; 0	70323.R01; 04	0321.11
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid	d Chromatod	raphy Triple-(	Quadrupole Ma	SS
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 6					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio			Extracted by	
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	<b>450, 585, 1440</b> 0.8396g		16:49:06		3379,450,58	5
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gain					
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062203VOL			1:07/12/23 1		
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006 Analyzed Date :07/11/23 18:39:35	В	atch Date :	07/11/23 10:	45:12	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071023.R03; 040521.11; 0612	23.R25: 0705	23.R47			
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed			1 1		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Grape Diamond Lilac Diesel WF 3.5g (1/8oz) Grape Diamond Lilac Diesel WF Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Microbial

# **Certificate of Analysis**

FLUENT

PE

Pipette : N/A

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-013 Harvest/Lot ID: HYB-GRD-062723-A116 Batch# : 9270 2609 4261

PASSED

Sampled : 07/10/23 Ordered : 07/10/23 Sample Size Received : 31.5 gram Total Amount : 985 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Page 4 of 5

	1	

PASSED

∿¢7									
Analyte		$\overline{\langle}$	LOD	Units	Result	Pass / Fail	Action Level	A	
ASPERGILLU	S TERREUS				Not Present	PASS		A	
ASPERGILLU	S NIGER				Not Present	PASS		A	
ASPERGILLU	S FUMIGATUS				Not Present	PASS		0	
ASPERGILLU	S FLAVUS				Not Present	PASS		A	
SALMONELL	A SPECIFIC GEN	E			Not Present	PASS		A	
ECOLI SHIGE	LLA				Not Present	PASS		Ar	
TOTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000	33	
Analyzed by: 3390, 3621, 58	35, 1440	Weight: 0.842g		xtraction d 7/11/23 11		Extracted 3621,339		Ar	
	od : SOP.T.40.056 ch : DA062187MIC		40.05	B.FL, SOP.T		ewed On : 07	7/13/23	Ar In: Ar	
nstrument Us	ed : PathogenDx S	Scanner D	DA-111	,fisherbrar		Date : 07/1	1/23	Di	
	Block DA-020,fish					5:25		Re	
	Scientific Isotemp		ock DA	A-021,APPL	IED			04	
	: 07/11/23 13:19:							Co	
,	. 07/11/25 15.15.	54		_/_		/			
Dilution : N/A Reagent : 0502 Consumables : Pipette : N/A	223.49; 062323.R 7562003042	18; 0208	23.14;	092122.09	9			a	
Analyzed by: 3390, 585, 144	Weig 0.842			ction date: /23 11:28:3	38	Extracted b 3621,3390	y:		
Analytical Bate Instrument Us	od : SOP.T.40.208 ch : DA062223TYM ed : Incubator (25 : 07/11/23 13:15:	1 -27C) DA		Rev	09.FL riewed On : 07/ rch Date : 07/11			M	
Dilution : 10								A	
	223.49; 070523.R	46						C	
Consumables :	N/A							Μ	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Analyte		L	OD	Units	Result	Pass / Fail	Action Level			
	AFLATOXIN B2		0	.002	ppm	ND	PASS	0.02			
	AFLATOXIN B1		0	.002	ppm	ND	PASS	0.02			
OCHRATOXIN A		0	.002	ppm	ND	PASS	0.02				
	AFLATOXIN G1		0	.002	ppm	ND	PASS	0.02			
	AFLATOXIN G2		0	.002	ppm	ND	PASS	0.02			
	Analyzed by: 3379, 585, 1440	Weight: 0.8396g		Extraction date: 07/11/23 16:49:06				Extracted by: 3379,450,585			
	SOP.T.30.102.FL (Da Analytical Batch : DA Instrument Used : N/ Analyzed Date : 07/1	vie), SOP.T.40.10 062202MYC A	2.FL (Davie	ille), SOP.T.40.101.FL (Gainesville), Davie) Reviewed On : 07/13/23 09:53:34 Batch Date : 07/11/23 10:45:10							
		)3; 071023.R04; (	071023.R03	; 0707	23.R01; 0	60523.R2	6; 070523	3.R01;			
	Dilution : 250 Reagent : 070523.RC 040521.11 Consumables : 3262 Pipette : DA-093; DA										

#### ||Hg || **Heavy** Metals

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINA	LS 0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	<0.1	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2283g	Extraction da 07/11/23 10:		X	l by:	
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 07/11/	62191HEA CPMS-003	Reviewe		/12/23 11: 1/23 09:59		

Dilution: 50 Reagent: 061523.R17; 062723.R18; 070723.R17; 070123.R03; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15 Consumables: 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Page 5 of 5

Grape Diamond Lilac Diesel WF 3.5g (1/8oz) Grape Diamond Lilac Diesel WF Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

Analyte

Analyzed by: 1879, 1440

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Analyte

Water Activity

Analyzed by: 3807, 585, 1440

Analyzed Date : N/A Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A

Analysis Method : SOP.T.40.019

Analytical Batch : DA062214WAT

Instrument Used : DA-028 Rotronic Hygropalm

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@getfluent.com Sample : DA30711005-013 Harvest/Lot ID: HYB-GRD-062723-A116 Batch# : 9270 2609 4261 Sample S 7010 Tatel Ample

P/F

PASS

N/A

**Reviewed On :** 07/12/23 13:00:43 **Batch Date :** 07/12/23 10:46:50

Sampled : 07/10/23 Ordered : 07/10/23

Result

ND

Sample Size Received : 31.5 gram Total Amount : 985 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Fil <sup>:</sup> Ma

Filth and Foreign Material

Analysis Method : SOP.T.40.090

Analyzed Date : 07/12/23 12:52:58

th/Foreign aterial

N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Units

Extraction date: 07/12/23 10:17:08

aw

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Result

0.551

P/F

PASS

Reviewed On : 07/12/23 13:15:45

Batch Date : 07/11/23 11:23:50

Extraction date:

LOD Units

0.1 %

Weight:

Water Activity

Weight: 0.694q LOD

0.1

NA

Analytical Batch : DA062255FIL Instrument Used : Filth/Foreign Material Microscope



1

PASSED

Action Level

0.65 Extracted by: 3807

Extracted by:

**Action Level** 



Analyte Moisture Content		LOD 1	<b>Units</b> %	<b>Result</b> 11.29	P/F PASS	Action Leve 15	əl
Analyzed by: Weight: 3807, 585, 1440 0.505g			xtraction d 7/11/23 13		Extracted by: 3807		
Analysis Method : SOP. <sup>7</sup> Analytical Batch : DA06 Instrument Used : DA-0 Analyzed Date : N/A	2210MOI		Reviewed On : 07/11/23 15:20:27 Batch Date : 07/11/23 11:19:00				
Dilution : N/A Reagent : 101920.06; 0 Consumables : N/A Pipette : DA-066	20123.02						

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

