

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative



Sample: DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593 1230

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 9384 9558 9402 0166

Batch Date: 05/04/23

Sample Size Received: 16 gram Total Amount: 1892 units

> Retail Product Size: 1 gram Ordered: 07/10/23 Sampled: 07/10/23

Completed: 07/13/23

Sampling Method: SOP.T.20.010

PASSED

Jul 13, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

HIII IN III



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS






Pesticides





Heavy Metals

Certificate of Analysis



Mycotoxins



Residuals Solvents

PASSED



Filth



Water Activity





Moisture



TESTED

Cannabinoid

PASSED



Total THC

Total THC/Container: 857.93 mg

85.793%



Microbials

Total CBD 0.265% Total CBD/Container: 2.65 mg

Reviewed On: 07/12/23 11:49:49 Batch Date: 07/11/23 09:52:54



Total Cannabinoids

Total Cannabinoids/Container: 917.34 mg



								_/	_		
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.719	0.085	0.265	ND	0.253	2.337	ND	1.183	0.413	ND	1.479
mg/unit	857.19	0.85	2.65	ND	2.53	23.37	ND	11.83	4.13	ND	14.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3112, 1665, 585	5. 1440			Weight: 0.1009q		Extraction date: 07/11/23 13:59:36				Extracted by: 3112	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062189POT Instrument Used : DA-LC-007 Analyzed Date: 07/11/23 14:01:10

Reagent: 071123.R05; 060723.37; 071123.R04

Consumables: 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 07/13/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

TESTED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593

Sampled: 07/10/23 Ordered: 07/10/23

Sample Size Received: 16 gram Total Amount : 1892 units Completed: 07/13/23 Expires: 07/13/24

Sample Method: SOP.T.20.010

Page 2 of 6



TOTAL TERPENES TOTAL TERPENES
TOTAL TERPINEOL
ALPHA-BISABOLOL
ALPHA-PINENE

CAMPHENE

BETA-MYRCENE

LIMONENE

LINALOOL

ISOPULEGOL ISOBORNEOL

GERANIOL

FIICAL YPTOL

OCIMENE GAMMA-TERPINENE

SABINENE HYDRATE TERPINOLENE FENCHONE

FENCHYL ALCOHOL

HEXAHYDROTHYMO NEROL PULEGONE

BETA-CARYOPHYLLENE

ALPHA-PHELLANDRENE 3-CARENE ALPHA-TERPINEN

Terpenes

LOD (%) 0.02 0.02 0.02

0.02

0.02 0.02 0.02

0.02 0.02

0.02

0.02

0.02

0.02 0.02 0.04 0.02

0.02 0.02 0.06

0.02 ND

0.04 0.02 0.02 0.02 0.02 0.02

0.02

0.02

< 0.2

<0.2

< 0.2

ND

ND ND

< 0.02

< 0.02

< 0.02

0.095

mg/unit %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
18.52 1.	.852	FARNESENE		0.009	< 0.09	< 0.009		
ND NI	D	ALPHA-HUMULENE		0.02	0.27	0.027		
1.09 0.	.109	VALENCENE		0.02	< 0.2	< 0.02		
0.32 0.	.032	CIS-NEROLIDOL		0.02	ND	ND		
ND NI	D	TRANS-NEROLIDOL		0.02	ND	ND		
ND NI	D	CARYOPHYLLENE OXIDE		0.02	< 0.2	< 0.02		
0.41 0.	.041	GUAIOL		0.02	ND	ND		
2.32 0.	232	CEDROL		0.02	ND	ND		
1.17 0.	.117	Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
0.24 0.	.024	2076, 585, 1440	1.1338g		07/11/23 14:	50:26		3702
0.2 0.	.02	Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL		Davids.		7/12/02 16/25/41	

Analytical Batch : DA062216TER Instrument Used : DA-GCMS-008 Analyzed Date : N/A Reviewed On: 07/13/23 16:25:4: Batch Date: 07/11/23 11:26:20

Dilution : 10 Reagent : 020923.13 Consumables : 30395; 210414634; CE0123; R1KB14270 Pipette : N/A

Total (%) 1.852

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593

Sampled: 07/10/23 Ordered: 07/10/23

Sample Size Received: 16 gram Total Amount : 1892 units

Completed: 07/13/23 Expires: 07/13/24

Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



Pesticides

P	AS	55	E	D
			_	

Pesticide	LOD		Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND			0.01		0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR			ppm			
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBEN	IZENE (DCND) *	0.01	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		NZENE (PCNB) "	0.05	PPM	0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *				/		
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.35	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted b	v:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2321g		3 16:39:21		3379,450,58	
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.3	30.101.FL (Gaines)	ille), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					\ .l \ \	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0621		Reviewed On: 07/12/23 11:04:30 Batch Date: 07/11/23 10:37:47				
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCM Analyzed Date : 07/11/23			Batch Dat	e: 0//11/23	10:37:47	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	10.02.30					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 070523.R03; 07	71023.R04: 07102	3.R03: 070	723.R01: 06	0523.R26· 0	70523.R01 · 04	10521
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW		, 0, 0	51, 50			
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094;	DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agei			Chromatog	raphy Triple-0	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance			\/		V. ./.:	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2321a	Extraction 07/11/23			3379.450.58	
/IDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.3				(Davie) CO		
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0621				:07/12/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GC				07/11/23 10:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/11/23				/		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250						
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 071023.R03; 04		R25; 07052	23.R47			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW						
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146;					1 / 1	
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule		lizing Gas C	hromatogra	ohy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

FILIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593

Sampled: 07/10/23 Ordered: 07/10/23 Sample Size Received: 16 gram
Total Amount: 1892 units

Completed: 07/13/23 Expires: 07/13/24 Sample Method: SOP.T.20.010

Page 4 of 6

Ä

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0205g	Extraction date: 07/12/23 12:57		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA062226SOL Instrument Used: DA-GCMS-002

Instrument Used: DA-GCMS-002 Analyzed Date: 07/12/23 13:09:57 Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 07/12/23 15:37:31 Batch Date: 07/11/23 16:44:56

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593

Sampled: 07/10/23 Ordered: 07/10/23

Sample Size Received: 16 gram Total Amount: 1892 units Completed: 07/13/23 Expires: 07/13/24

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA062197MYC

Analyzed Date: 07/11/23 16:03:26

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Dilution: 250

040521.11 Consumables: 326250IW

PASSED

Action

Level

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by: 3379,450,585

Reviewed On: 07/12/23 11:05:20

Batch Date: 07/11/23 10:41:02

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:	Weight:	Extraction date	a:	Fxt	racte
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440	0.2321g	07/11/23 16:39			79,45
Analyzed by: Weight: Extraction date: E			Extracted	by:	Analysis Method : SOI	P.T.30.101.FL (G	ainesville), SOP.T.	40.101.FL	(Gainesvi	ille),	

3621,3390 3390, 3621, 585, 1440 1.108g 07/11/23 11:28:36

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062187MIC

Reviewed On: 07/13/23

Extracted by:

Batch Date: 07/11/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254

Analyzed Date: 07/11/23 13:19:54

Reagent: 050223.49; 062323.R18; 020823.14; 092122.09

Consumables: 7562003042

Pipette: N/A

	Heavy Metals	PASSED
Цпа п	ricary Pictars	1 45515

Reagent: 070523.R03; 071023.R04; 071023.R03; 070723.R01; 060523.R26; 070523.R01;

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in

Analyzed by: 3390, 585, 1440	Weight: 1.108g	Extraction date: 07/11/23 11:28:36				Неа	
Analysis Method : SO Analytical Batch : DA		esville), SOP.		n: 07/13/23 12:52:48	Metal	//	
Instrument Used: Incubator (25-27C) DA-096 Analyzed Date: 07/11/23 13:15:18 Dilution: 10 Reagent: 050223.49; 070523.R46 Consumables: N/A			Batch Date: 07/11/23 13:03:48		TOTAL CONTAMINANT		
					ARSENIC CADMIUM MERCURY		

Pipette: N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METAL	LS 0.08	ppm	ND	PASS	1.1	
ARSENIC	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: Weight: 1022, 585, 1440 0.2389a	Extraction da 07/11/23 12:			Extracted	by:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA062190HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 07/11/23 13:58:51 Reviewed On: 07/12/23 10:26:26 Batch Date: 07/11/23 09:53:53

Dilution: 50

Reagent: 061523.R17; 062723.R18; 070723.R17; 070123.R03; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-007 Harvest/Lot ID: 9136 9830 8593 1230

Batch#: 9136 9830 8593

Sampled: 07/10/23

Total Amount: 1892 units Completed: 07/13/23 Expires: 07/13/24 Ordered: 07/10/23 Sample Method: SOP.T.20.010

Sample Size Received: 16 gram

Filth/Foreign **Material**

PASSED

Reviewed On: 07/12/23 13:00:04

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 1879, 1440 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062257FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 07/12/23 10:55:19 Analyzed Date: 07/12/23 12:53:05

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level** 0.482 PASS Water Activity 0.1 aw 0.85 Extracted by: 3807 Extraction date: 07/12/23 10:01:52 Analyzed by: 3807, 585, 1440

Analytical Batch: DA062215WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On: 07/12/23 11:49:51 Batch Date: 07/11/23 11:24:46

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

