



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30711005-009
Harvest/Lot ID: 6577 0890 1624 6135
Batch#: 6577 0890 1624 6135
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4024 8926 4487 1331
Batch Date: 05/01/23
Sample Size Received: 16 gram
Total Amount: 1919 units
Retail Product Size: 1 gram
Ordered: 07/10/23
Sampled: 07/10/23
Completed: 07/13/23
Sampling Method: SOP.T.20.010

Jul 13, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**


**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
84.627%
Total THC/Container : 846.27 mg

Total CBD
0.23%
Total CBD/Container : 2.3 mg

Total Cannabinoids
88.683%
Total Cannabinoids/Container : 886.83 mg

D9-THC
% 84.532
mg/unit 845.32
LOD 0.001
%

THCA
0.109
1.09
0.001
%

CBD
0.23
2.3
0.001
%

CBDA
ND
ND
0.001
%

D8-THC
0.329
3.29
0.001
%

CBG
1.029
10.29
0.001
%

CBGA
ND
ND
0.001
%

CBN
1.066
10.66
0.001
%

THCV
0.622
6.22
0.001
%

CBDV
ND
ND
0.001
%

CBC
0.766
7.66
0.001
%

 Analyzed by:
 3112, 1665, 585, 1440

 Weight:
 0.1033g

 Extraction date:
 07/11/23 13:59:37

 Extracted by:
 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062189POT

Instrument Used : DA-LC-007

Analyzed Date : 07/11/23 14:01:10

Reviewed On : 07/12/23 11:49:59

Batch Date : 07/11/23 09:52:54

Dilution : 400

Reagent : 071123.R05; 060723.37; 071123.R04

Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 07/13/23



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30711005-009
 Harvest/Lot ID: 6577 0890 1624 6135

 Batch# : 6577 0890 1624
 Sample Size Received : 16 gram
 Total Amount : 1919 units
 Completed : 07/13/23 Expires: 07/13/24
 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	26.59	2.659	<div></div>	FARNESENE	0.009	0.25	0.025	<div></div>
TOTAL TERPINEOL	0.02	0.22	0.022	<div></div>	ALPHA-HUMULENE	0.02	0.66	0.066	<div></div>
ALPHA-BISABOLOL	0.02	0.45	0.045	<div></div>	VALENCENE	0.02	ND	ND	<div></div>
ALPHA-PINENE	0.02	0.97	0.097	<div></div>	CIS-NEROLIDOL	0.02	ND	ND	<div></div>
CAMPHENE	0.02	0.23	0.023	<div></div>	TRANS-NEROLIDOL	0.02	ND	ND	<div></div>
SABINENE	0.02	ND	ND	<div></div>	CARYOPHYLLENE OXIDE	0.02	<0.2	<0.02	<div></div>
BETA-PINENE	0.02	1.3	0.13	<div></div>	GUAJOL	0.02	<0.2	<0.02	<div></div>
BETA-MYRCENE	0.02	3.58	0.358	<div></div>	CEDROL	0.02	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.02	<0.2	<0.02	<div></div>	<div>Analyzed by: 2076, 585, 1440Weight: 1.0069gExtraction date: 07/11/23 14:50:27Extracted by: 3702</div>				
3-CARENE	0.02	ND	ND	<div></div>	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div>				
ALPHA-TERPINENE	0.02	ND	ND	<div></div>	<div>Analytical Batch : DA062216TER</div>				
LIMONENE	0.02	10.34	1.034	<div></div>	<div>Instrument Used : DA-GCMS-008</div>				
EUCALYPTOL	0.02	ND	ND	<div></div>	<div>Analyzed Date : N/A</div>				
OCIMENE	0.02	0.4	0.04	<div></div>	<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.02	ND	ND	<div></div>	<div>Reagent : 020923.13</div>				
SABINENE HYDRATE	0.02	ND	ND	<div></div>	<div>Consumables : 30395; 210414634; CE0123; R1KB14270</div>				
TERPINOLENE	0.02	1.18	0.118	<div></div>	<div>Pipette : N/A</div>				
FENCHONE	0.04	<0.4	<0.04	<div></div>	<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.02	3.42	0.342	<div></div>					
FENCHYL ALCOHOL	0.02	0.72	0.072	<div></div>					
ISOPULEGOL	0.02	ND	ND	<div></div>					
CAMPHOR	0.06	ND	ND	<div></div>					
ISOBORNEOL	0.02	ND	ND	<div></div>					
BORNEOL	0.04	ND	ND	<div></div>					
HEXAHYDROTHYMOL	0.02	ND	ND	<div></div>					
NEROL	0.02	ND	ND	<div></div>					
PULEGONE	0.02	ND	ND	<div></div>					
GERANIOL	0.02	ND	ND	<div></div>					
GERANYL ACETATE	0.02	ND	ND	<div></div>					
ALPHA-CEDRENE	0.02	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.02	2.87	0.287	<div></div>					
Total (%)			2.659	<div></div>					



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30711005-009
 Harvest/Lot ID: 6577 0890 1624 6135

 Batch# : 6577 0890 1624
 Sample Size Received : 16 gram
 Total Amount : 1919 units
 Completed : 07/13/23 Expires: 07/13/24
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2624g	07/11/23 16:39:22	3379,450,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062196PES			Reviewed On : 07/12/23 11:04:31		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/11/23 10:37:47		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/11/23 16:02:56					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 070523.R03; 071023.R04; 071023.R03; 070723.R01; 060523.R26; 070523.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2624g	07/11/23 16:39:22	3379,450,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062198VOL			Reviewed On : 07/12/23 11:03:04		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/11/23 10:41:05		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/11/23 16:52:23					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071023.R03; 040521.11; 061223.R25; 070523.R47					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30711005-009

Harvest/Lot ID: 6577 0890 1624 6135

Batch# : 6577 0890 1624 6135

Sampled : 07/10/23

Ordered : 07/10/23

Sample Size Received : 16 gram

Total Amount : 1919 units

Completed : 07/13/23 Expires: 07/13/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.024g

 Extraction date:
 07/12/23 12:57:43

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062226SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 07/12/23 13:09:57

 Reviewed On : 07/12/23 15:37:34
 Batch Date : 07/11/23 16:44:56

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30711005-009

Harvest/Lot ID: 6577 0890 1624 6135

Batch# : 6577 0890 1624 6135

 Sampled : 07/10/23
 Ordered : 07/10/23




Sample Size Received : 16 gram

Total Amount : 1919 units

Completed : 07/13/23 Expires: 07/13/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.077g Extraction date: 07/11/23 11:28:36 Extracted by: 3621,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062187MIC Reviewed On : 07/13/23 13:15:19 Batch Date : 07/11/23 08:55:25 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254 Analyzed Date : 07/11/23 13:19:54 Dilution : N/A Reagent : 050223.49; 062323.R18; 020823.14; 092122.09 Consumables : 7562003042 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2624g Extraction date: 07/11/23 16:39:22 Extracted by: 3379,450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062197MYC Instrument Used : N/A Analyzed Date : 07/11/23 16:03:26 Dilution : 250 Reagent : 070523.R03; 071023.R04; 071023.R03; 070723.R01; 060523.R26; 070523.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2456g Extraction date: 07/11/23 12:04:35 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062190HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/11/23 13:58:51 Dilution : 50 Reagent : 061523.R17; 062723.R18; 070723.R17; 070123.R03; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30711005-009

Harvest/Lot ID: 6577 0890 1624 6135

Batch# : 6577 0890 1624 6135

Sampled : 07/10/23

Ordered : 07/10/23

Sample Size Received : 16 gram

Total Amount : 1919 units

Completed : 07/13/23 Expires: 07/13/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062257FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/12/23 12:53:05

Reviewed On : 07/12/23 13:00:07

Batch Date : 07/12/23 10:55:19

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.529	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.22g	Extraction date: 07/12/23 10:02:39	Extracted by: 3807
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062215WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/12/23 11:50:00

Batch Date : 07/11/23 11:24:46

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.