

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix: Derivative Type: Distillate



PASSED

Sample:DA30711005-010 Harvest/Lot ID: 6733 9511 8944 8875 Batch#: 6733 9511 8944 8875 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 6638 8413 0781 8592 Batch Date: 05/11/23 Sample Size Received: 15.3 gram Total Amount: 1854 units Retail Product Size: 0.3 gram Ordered: 07/10/23 Sampled: 07/10/23 Sampled: 07/13/23

Jul 13, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

Pages 1 of 6 PRODUCT IMAGE SAFETY RESULTS MISC. C ZWDJ Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED PASSED Cannabinoid Total CBD **Total THC Total Cannabinoids** 84.419% 0.219% 88.971% Total THC/Container : 253.257 mg Total CBD/Container : 0.657 mg Total Cannabinoids/Container : 266.913 mg тнсу тнса D9-THC CBD CBDA D8-THC CRG CRGA CBN CRDV CBC 84.298 0.138 0.219 ND 0.356 1.568 ND 0.793 0.421 ND 1.178 252.894 0.414 ND 1.068 4.704 ND 2.379 1.263 ND 0.657 3.534 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Extracted by Analyzed by: 3112, 1665, 585, 1440 Weight: 0.1083g Extraction date: 07/11/23 13:59:37 3112 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062189POT Instrument Used : DA-LC-007 Reviewed On : 07/12/23 11:50:04 Batch Date : 07/11/23 09:52:54 Analyzed Date : 07/11/23 14:01:10 Dilution: 400 Reagent : 071123.R05; 060723.37; 071123.R04 Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270 Pipette : DA-079; DA-108; DA-078 ctrum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39 Full Spe

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/13/23



Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30711005-010 Harvest/Lot ID: 6733 9511 8944 8875 Batch#: 6733 9511 8944

8875 Sampled : 07/10/23 Ordered : 07/10/23

Sample Size Received : 15.3 gram Total Amount : 1854 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Page 2 of 6



Or Terpenes

Terpenes	LOD (%)	mg/unit	t % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	7.428	2.476	FARNESENE		0.009	0.315	0.105	
OTAL TERPINEOL	0.02	0.102	0.034	ALPHA-HUMULENE		0.02	< 0.06	< 0.02	
LPHA-BISABOLOL	0.02	0.216	0.072	VALENCENE		0.02	0.273	0.091	
PHA-PINENE	0.02	0.231	0.077	CIS-NEROLIDOL		0.02	ND	ND	
AMPHENE	0.02	< 0.06	<0.02	TRANS-NEROLIDOL		0.02	ND	ND	
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE		0.02	0.111	0.037	
TA-PINENE	0.02	0.357	0.119	GUAIOL		0.02	ND	ND	
ETA-MYRCENE	0.02	0.663	0.221	CEDROL		0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	0.312	0.104	Analyzed by:	Weight:		Extraction o	ate:	Extracted by:
CARENE	0.02	0.096	0.032	2076, 585, 1440	1.1845g		07/11/23 14	:50:28	3702
LPHA-TERPINENE	0.02	< 0.06	<0.02	Analysis Method : SOP.T.30.061A	.FL, SOP.T.40.061A.FI				
MONENE	0.02	0.618	0.206	Analytical Batch : DA062216TER Instrument Used : DA-GCMS-008					07/13/23 16:25:46 /11/23 11:26:20
CALYPTOL	0.02	ND	ND	Analyzed Date : N/A			Batc	Date: 07,	11/23 11:26:20
IMENE	0.02	0.48	0.16	Dilution : 10					
MMA-TERPINENE	0.02	ND	ND	Reagent : 020923.13					
BINENE HYDRATE	0.02	ND	ND	Consumables : 30395; 210414634	4; CE0123; R1KB1427	0			
RPINOLENE	0.02	2.172	0.724	Pipette : N/A					
NCHONE	0.04	ND	ND	Terpenoid testing is performed utilizin	ng Gas Chromatography	Mass Spec	rometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
IALOOL	0.02	0.162	0.054						
NCHYL ALCOHOL	0.02	0.117	0.039						
PULEGOL	0.02	ND	ND						
MPHOR	0.06	ND	ND						
DBORNEOL	0.02	ND	ND						
RNEOL	0.04	ND	ND						
XAHYDROTHYMOL	0.02	< 0.06	<0.02						
	0.02	< 0.06	<0.02						
EROL	0.02	ND	ND						
LEGONE	0.02	ND	ND						
JLEGONE ERANIOL		ND ND	ND ND						
EROL JLEGONE ERANIOL ERANYL ACETATE LPHA-CEDRENE	0.02			///					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/13/23



Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 3 of 6

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

R O

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@detfluent.com Sample : DA30711005-010 Harvest/Lot ID: 6733 9511 8944 8875 Batch# : 6733 9511 8944 Sample

8875 Sampled : 07/10/23 Ordered : 07/10/23 Sample Size Received : 15.3 gram Total Amount : 1854 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pestici
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMY
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOE
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSM
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERO
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLE
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPIC
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPO
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDA
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROM
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROT
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROX
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCO
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACL
BOSCALID	0.01	ppm	0.1	PASS	ND	
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAME
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLO
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTAG
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATH
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORI
OUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORI
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUT
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERN
ICHLORVOS	0.01	ppm	0.1	PASS	ND	
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyze
THOPROPHOS	0.01	ppm	0.1	PASS	ND	3379, 5
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysi: SOP.T.4
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytic
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrum
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyze
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution
IPRONIL	0.01	ppm	0.1	PASS	ND	Reagen
	0.01	ppm	0.1	PASS	ND	Consum
	0.01	ppm	0.1	PASS	ND	Pipette
LUDIOXONIL	0.01		0.1	PASS	ND	Testing f
IEXYTHIAZOX MAZALIL	0.01	ppm ppm	0.1	PASS	ND	Spectror
	0.01	ppm	0.1	PASS	ND	Analyze 450, 58
MIDACLOPRID	0.01		0.4	PASS	ND	Analysi:
KRESOXIM-METHYL	0.01	ppm		PASS	ND	Analytic
MALATHION		ppm	0.2			Instrum
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyze
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagen
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consum
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette
NALED	0.01	ppm	0.25	PASS	ND	Testing f

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
PENTACHLORONITROBE	NZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.05	PPM	0.1	PASS	ND
CAPTAN *		0.35	PPM	0.7	PASS	ND
CHLORDANE *		0.05	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
Analyzed by: 3379, 585, 1440	Weight: 0.2737g		on date: 3 16:39:23		Extracted k 3379,450,55	
Analysis Method : SOP.T SOP.T.40.102.FL (Davie) Analytical Batch : DA062 Instrument Used : DA-LC Analyzed Date : 07/11/2: Dilution : 250 Reagent : 070523.R03; C Consumables : 3262501V	2196PES CMS-003 (PES) 3 16:02:56 071023.R04; 07102		Reviewed Batch Dat	On : 07/12/2 e : 07/11/23	23 11:04:32 10:37:47	
Pipette : DA-093; DA-094 Testing for agricultural age	4; DA-219	ilizina Liquia	Chromaton	ranhy Triple	Quadrupole M:	200
Spectrometry in accordance			remonatoy	apity triple-	Quadri upore Ma	
Analyzed by: 450, 585, 1440	Weight: 0.2737g	Extractio 07/11/23			Extracted b 3379,450,58	
Analysis Method :SOP.T Analytical Batch :DA062 Instrument Used :DA-G0 Analyzed Date :07/11/23	2198VOL CMS-001	R	eviewed On	. (Davie), SC :07/12/23 1 07/11/23 10	11:03:04	\sum
Dilution : 250 Reagent : 071023.R03; 0 Consumables : 32625010 Pipette : DA-080; DA-146	N; 14725401	.R25; 07052	23.R47			
Testing for agricultural age		ilizing Gas C	hromatogra	nhy Trinle-O	adrupole Mass	Spectrome

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/13/23



Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
Sample : DA30711005-010

Harvest/Lot ID: 6733 9511 8944 8875

Batch# : 6733 9511 8944

8875

Total And total And

Sampled : 07/10/23 Ordered : 07/10/23 44 8875 Sample Size Received : 15.3 gram Total Amount : 1854 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
L,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm	5000	PASS	ND
THYL ACETATE	40	ppm	400	PASS	ND
THYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
IETHANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
OLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0223g	Extraction date: 07/12/23 13:14			Extracted by: 350
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA062226SOL nstrument Used : DA-GCMS-002 nalyzed Date : 07/12/23 13:09:57			ved On : 07/12/23 15:37:35 Date : 07/11/23 16:44:56		
vilution : 1 teagent : 030420.09 consumables : R2017.167; G201.167 vipette : DA-309 25 uL Syringe 35028			TTV	$\chi\chi$	$\langle \chi \rangle$

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/13/23



Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

6

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com

Sampled : 07/10/23 Ordered : 07/10/23

Sample Size Received : 15.3 gram Total Amount : 1854 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ş	M	ycoto	xins				PAS	SED		
Analyte		×.		LOD	Units	Result	Pass / Fail	Action Level		
AFLATOXIN	B2			0.002	ppm	ND	PASS	0.02		
AFLATOXIN	B1			0.002	ppm	ND	PASS	0.02		
OCHRATOXI	NA			0.002	ppm	ND	PASS	0.02		
AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02		
AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02		
Analyzed by: Weight: 3379, 585, 1440 0.2737g		Extraction date: 07/11/23 16:39:23			Extracted by: 3379,450,585					
Analysis Metho SOP.T.30.102.					40.101.FL	. (Gainesvi	ille),			
Analytical Batch : DA062197MYC Instrument Used : N/A Analyzed Date : 07/11/23 16:03:26			Reviewed On : 07/12/23 11:05:23 Batch Date : 07/11/23 10:41:02							
Dilution : 250 Reagent : 070 040521.11			071023.R	03; 0707	23.R01; 0	60523.R2	6; 07052	3.R01;		

Consumables : 326250IW Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Heavy Metals Hg

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	LS 0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2807g	Extraction date: 07/11/23 12:31:18			by:	
Analysis Method : SOP.	T.30.082.FL, SOP	P.T.40.082.FL				
Analytical Batch : DA06				/12/23 10:		
Instrument Used : DA-IG Analyzed Date : 07/11/2		Batch D	ate: 07/1	1/23 09:53	3:53	

Dilution: 50 Reagent: 061523.R17; 062723.R18; 070723.R17; 070123.R03; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15 Consumables: 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/13/23

Sample : DA30711005-010 Harvest/Lot ID: 6733 9511 8944 8875 Batch#: 6733 9511 8944 8875

PASSED

Microbial

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS				Not Present	PASS	
ASPERGILLUS NIGER				Not Present	PASS	
ASPERGILLUS FUMIGATU	JS			Not Present	PASS	
ASPERGILLUS FLAVUS				Not Present	PASS	
SALMONELLA SPECIFIC (GENE			Not Present	PASS	
ECOLI SHIGELLA				Not Present	PASS	
TOTAL YEAST AND MOLE		10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 585, 1440	Weigl 1.017		Extraction da		Extracted 3621,339	
Analysis Method : SOP.T.40. Analytical Batch : DA062187 Instrument Used : Pathogen Isotemp Heat Block DA-020 DA-049, Fisher Scientific Isod BIOSYSTEMS THERMOCYCLE Analyzed Date : 07/11/23 13	7MIC Dx Scanne ,fisherbran temp Heat ER DA-254	r DA-11 d Isoten	1,fisherbran 1p Heat Bloc	Revie 13:15 d Batch ck 08:55	Date : 07/1	
Dilution : N/A Reagent : 050223.49; 0623 Consumables : 7562003042 Pipette : N/A		0823.14	; 092122.09		1	
Analyzed by: N	Neight:	Extra				

3390, 585, 1440	1.017g	07/11/23 11:28:37	3621,3390	
Analysis Method : SO Analytical Batch : DA Instrument Used : Inc Analyzed Date : 07/12	062223TYM ubator (25-27C)		n : 07/13/23 12:52:51 : 07/11/23 13:03:48	
Dilution : 10 Reagent : 050223.49; Consumables : N/A Pipette : N/A	070523.R46			
Total yeast and mold te	sting is performed	utilizing MPN and traditional cult	ure based techniques in	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Everglade Haze Disposable Pen 0.3g Everglade Haze Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30711005-010 Harvest/Lot ID: 6733 9511 8944 8875 Batch#: 6733 9511 8944


Sampled : 07/10/23 Ordered : 07/10/23

Sample Size Received : 15.3 gram Total Amount : 1854 units Completed : 07/13/23 Expires: 07/13/24 Sample Method : SOP.T.20.010



Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 07/13/23

Page 6 of 6