

Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix: Derivative Type: Distillate




4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Sample:DA30713004-005 Harvest/Lot ID: 5414 6872 3336 6550 Batch#: 5414 6872 3336 6550 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 7784 3254 3186 3344 Batch Date: 05/01/23 Sample Size Received: 16 gram Total Amount: 1894 units Retail Product Size: 1 gram Ordered: 07/12/23 Sampled: 07/12/23

Sampling Method: SOP.T.20.010



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/15/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30713004-005 Harvest/Lot ID: 5414 6872 3336 6550 Batch# : 5414 6872 3336 6550

Sampled : 07/12/23 Ordered : 07/12/23

Sample Size Received : 16 gram Total Amount : 1894 units Completed : 07/15/23 Expires: 07/15/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate



## Or Terpenes

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes			LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	29.91	2.991		FARNESENE			0.009	0.24	0.024	
OTAL TERPINEOL	0.02	<0.2	< 0.02		ALPHA-HUMULENE			0.02	0.75	0.075	
LPHA-BISABOLOL	0.02	0.35	0.035		VALENCENE			0.02	ND	ND	
LPHA-PINENE	0.02	0.8	0.08		CIS-NEROLIDOL			0.02	ND	ND	
AMPHENE	0.02	0.23	0.023		TRANS-NEROLIDOL			0.02	ND	ND	
ABINENE	0.02	ND	ND		CARYOPHYLLENE OX	DE		0.02	<0.2	< 0.02	
ETA-PINENE	0.02	1.19	0.119		GUAIOL			0.02	<0.2	< 0.02	
ETA-MYRCENE	0.02	11.18	1.118		CEDROL			0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by:		Weight:		Extraction d	ate:	Extracted by:
CARENE	0.02	ND	ND		2076, 585, 1440		1.1480g		07/13/23 17	:25:50	2076
LPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.	.30.061A.FL, SO	P.T.40.061A.F	L M			
MONENE	0.02	9.21	0.921		Analytical Batch : DA00 Instrument Used : DA-0						)7/15/23 14:55:34 /13/23 09:40:09
JCALYPTOL	0.02	ND	ND		Analyzed Date : 07/13/				Batcl	Date:0/	(13/23 09:40:09
CIMENE	0.02	0.26	0.026		Dilution : 10						
AMMA-TERPINENE	0.02	ND	ND		Reagent : 121622.26						
ABINENE HYDRATE	0.02	ND	ND		Consumables : 210414	34; MKCN9995;	CE0123; R1KB	814270			
ERPINOLENE	0.02	< 0.2	< 0.02		Pipette : N/A						
ENCHONE	0.04	ND	ND		Terpenoid testing is perfo	med utilizing Gas C	hromatography	Mass Spec	trometry. For all	Flower sam	ples, the Total Terpenes % is dry-weight corrected.
NALOOL	0.02	1.82	0.182								
INCHYL ALCOHOL	0.02	0.62	0.062								
OPULEGOL	0.02	ND	ND								
AMPHOR	0.06	ND	ND								
OBORNEOL	0.02	ND	ND								
ORNEOL	0.04	ND	ND								
EXAHYDROTHYMOL	0.02	ND	ND								
EROL	0.02	ND	ND								
ULEGONE	0.02	ND	ND								
ERANIOL	0.02	ND	ND								
ERANYL ACETATE	0.02	ND	ND								
LPHA-CEDRENE	0.02	ND	ND								
	0.02	3.26	0.326								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/15/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Pesticides

# **Certificate of Analysis**

FLUENT

R Ø

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30713004-005 Harvest/Lot ID: 5414 6872 3336 6550 Batch# : 5414 6872 3336

6550 Sampled : 07/12/23 Ordered : 07/12/23

Sample Size Received : 16 gram Total Amount : 1894 units Completed : 07/15/23 Expires: 07/15/24 Sample Method : SOP.T.20.010

#### Page 3 of 6

Type: Distillate

## PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND	
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND	
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND	
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND	
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					0.1	PASS	ND	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm				
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND	
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND	
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND	
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND	
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND	
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND	
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	mag	0.1	PASS	ND	
BOSCALID	0.01	ppm	0.1	PASS	ND			0.01	ppm	0.5	PASS	ND	
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM							
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND	
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZ	ENE (PCNB) *	0.05	PPM	0.15	PASS	ND	
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.05	PPM	0.1	PASS	ND	
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.35	PPM	0.7	PASS	ND	
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND	
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND	
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND	
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND	
DICHLORVOS	0.01	ppm	0.1	PASS	ND					0.5	N		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight:		tion date:		Extracted	by:	
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30	0.2404g		3 15:22:35	(Davia) COD	450,585	Cainagui	
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.101.FL (Gaines)	/ille), SOP.I	.30.102.FL (	Davie), SOP	.1.40.101.FL (	Gainesvi	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOF.1.40.102.1 L (Davie)		Reviewed	<b>On :</b> 07/15/23 14:21:39				
ENHEXAMID	0.01	ppm	0.1	PASS	ND		iment Used :DA-LCMS-003 (PES) Batch Date :07/						
ENOXYCARB	0.01	maa	0.1	PASS	ND	Analyzed Date : N/A							
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250							
FIPRONIL	0.01	ppm	0.1	PASS	ND		<pre>gent : 071023.R04; 071123.R18; 071323.R03; 070723.R01; 060523.R26; 071323.R01; sumables : 326250IW tte : DA-093: DA-094: DA-219</pre>				71323.R01; 0	40521.11	
LONICAMID	0.01	ppm	0.1	PASS	ND								
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	The second second	: DA-093; DA-094; DA-219 or agricultural agents is performed utilizing Liquid Chromatography Triple-Qua						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance v			Chromatogr	rapny Triple-	Quadrupole Ma	ISS	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	hv:	
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440	0.2404g		3 15:22:35		450.585	by.	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30				(Davie), SO	P.T.40.151.FL		
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA06229				:07/14/23 1			
MALATHION	0.01	mag	0.1	PASS	ND	Instrument Used : DA-GCMS		Ba	atch Date :	07/13/23 10:	39:17		
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :07/13/23 16	5:27:27						
TETRIOCARD	0.01	ppm	0.1	PASS	ND	Dilution : 250							
METHOMY	0.01	hhiii	U.1		ND	D Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22							
METHOMYL	0.01	nnm	0.1	DASS	ND	ND Consumables : 326250IW; 14725401							
METHOMYL MEVINPHOS MYCLOBUTANIL	0.01	ppm ppm	0.1 0.1	PASS	ND ND	Consumables : 326250IW; 1 Pipette : DA-080; DA-146; D							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/15/23



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.jones@qetfluent.com 
 Sample : DA30713004-005

 Harvest/Lot ID: 5414 6872 3336 6550

 Batch# : 5414 6872 3336 6550

 Sample : 07/12/23

 Complet

 Ordered : 07/12/23

 Sample

336 6550 Sample Size Received : 16 gram Total Amount : 1894 units Completed : 07/15/23 Expires: 07/15/24 Sample Method : SOP.T.20.010

Page 4 of 6

Type: Distillate



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
L,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
ENZENE	0.1	ppm	1	PASS	ND
UTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
ICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm	5000	PASS	ND
THYL ACETATE	40	ppm	400	PASS	ND
THYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
IETHANOL	25	ppm	250	PASS	ND
HEXANE	25	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
OLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0267g	Extraction date: 07/14/23 17:00		1/ 1/ Y/	Extracted by: 850
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA062309SOL nstrument Used : DA-GCMS-003 nalyzed Date : 07/14/23 17:07:02			ved On : 07/14/23 17:48:57 Date : 07/13/23 14:13:16		
bilution : 1 teagent : 030420.09 consumables : R2017.167; G201.167					

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/15/23





Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30713004-005 Harvest/Lot ID: 5414 6872 3336 6550 Batch# : 5414 6872 3336 6550

Sampled : 07/12/23 Ordered : 07/12/23

Sample Size Received : 16 gram Total Amount : 1894 units Completed : 07/15/23 Expires: 07/15/24 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

Ċ,	Micro	bial				PAS	SED	သို့	Мус	cotox	ins		I	PAS	SEC
Analyte		$\overline{}$	LOD	Units	Result	Pass / Fail	Action	Analyte		×.	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS	<	AFLATOXIN B	32		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		AFLATOXIN G	51		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	IE			Not Present	PASS		AFLATOXIN G	52		0.002	ppm	ND	PASS	0.02
	DLI SHIGELLA         Not Present         PASS           TAL YEAST AND MOLD         10         CFU/g         <10							Analyzed by:         Weight:         Extraction date:           3379, 585, 1440         0.2404g         07/13/23 15:22:35					Extracted by: 450,585		
	<b>35, 1440</b> <b>bd :</b> SOP.T.40.056 <b>ch :</b> DA062269MI		(	Extraction dat 07/13/23 10:0 8.FL, SOP.T.4	0:34 0.209.FL	Extracted 3621,339 wed On : 07	0	Analysis Metho SOP.T.30.102.F Analytical Batch Instrument Use Analyzed Date	L (Davie), S h : DA06228 d : N/A	OP.T.40.102	Review	ved On : 0	. (Gainesvi 7/15/23 14 13/23 10::	1:26:39	
MiniAmp Theri DA-020,fisheri Isotemp Heat	ed : PathogenDx mocycler DA-190 prand Isotemp He Block DA-021 : 07/13/23 15:36	,fisherbra eat Block I	nd Iso	temp Heat Bl	ock 08:52		13/23	Dilution : 250 Reagent : 0710 040521.11 Consumables : Pipette : DA-09	326250IW		1323.R03; 0707	23.R01; 0	60523.R2	5; 071323	3.R01;
Dilution : N/A Reagent : 0502 Consumables : Pipette : N/A	223.50; 062323. 7562003045	R18; 0208	23.14	; 092122.09				Mycotoxins testi accordance with	F.S. Rule 64	ER20-39.	graphy with Triple	-Quadrupo	$\langle \cdot \rangle$	$\mathcal{A}$	7
Analyzed by: 3336, 585, 144		<b>/eight:</b> .887g		xtraction date		tracted by: 21,3336		Нд	Неа	vy M	etals		$ \land $	PAS	SEC
Analytical Bate Instrument Use	od : SOP.T.40.208 :h : DA062276TY ed : Incubator (2) : 07/13/23 16:08	M 5-27C) DA		Revie	.FL wed On : 07/1 Date : 07/13/2			Metal	AMINANT I	OAD META	LOD	<b>Units</b> ppm	Result ND	Pass / Fail PASS	Action Level

Analyzed Date : 07/13/23 16:08:29
Dilution: 10
Reagent : 050223.50; 070523.R46
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

#### D ARSENIC 0.02 ND PASS 0.2 ppm PASS CADMIUM 0.02 ND 0.2 ppm PASS MERCURY 0.02 ND 0.2 mag PASS LEAD 0.02 ND 0.5 ppm Extracted by: Analyzed by: Weight: Extraction date: 07/13/23 10:37:36 1022, 585, 1440 0.2894q 3619,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On : 07/14/23 12:34:30 Analytical Batch : DA062281HEA Instrument Used : DA-ICPMS-003 Batch Date : 07/13/23 09:55:18 Analyzed Date : 07/13/23 16:51:50

Dilution: 50

Reagent : 061523.R17; 062723.R18; 070723.R17; 071123.R17; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 07/15/23

PASSED



Sour Diesel Cartridge Concentrate 1g (90%) Sour Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

Ordered : 07/12/23

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Tavlor.lones@detfluent.com Sample : DA30713004-005 Harvest/Lot ID: 5414 6872 3336 6550 Batch# : 5414 6872 3336 6550 Sample 5500 : 07/12/23 Complex

36 6550 Sample Size Received : 16 gram Total Amount : 1894 units Completed : 07/15/23 Expires: 07/15/24 Sample Method : 50P.T.20.010



Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/15/23

### PASSED

Page 6 of 6

Type: Distillate