

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g Sundae Driver

Matrix: Derivative Type: Distillate

Sample: DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505

Batch#: 5480 0246 8684 6505

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 9274 4514 4903 2194

Batch Date: 05/01/23

Sample Size Received: 15.5 gram

Total Amount: 2779 units Retail Product Size: 0.5 gram

Ordered: 07/13/23 Sampled: 07/13/23

Completed: 07/17/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE

SAFETY RESULTS





Jul 17, 2023 | FLUENT









Heavy Metals



Microbials



Mycotoxins Residuals Solvents PASSED





Filth



Water Activity

THCV

0.605

3.025

0.001

%



Moisture



MISC.

TESTED

PASSED

CBC

0.884

4.42

0.001

%



Cannabinoid

Total THC

91.223%

Total THC/Container: 456.115 mg

тнса

0.131

0.655

0.001



CRDA

ND

ND

0.001

D8-THC

0.37

1.85

%

0.001

Total CBD 0.235%

Total CBD/Container: 1.175 mg

CRG

1.599

7.995

0.001

%

Extraction date: 07/14/23 11:48:43



CBN

1.061

5.305

0.001

Total Cannabinoids

Total Cannabinoids/Container: 479.97

CRDV

ND

ND

Extracted by:

0.001

	D9-THC
%	91.109
ma/unit	455.545

Analyzed by: 1665, 585, 1440	
Analysis Method: SOP.T.40.031, SOP.T.30.	C
Analytical Batch : DA062319POT	
Instrument Used : DA-LC-007	

0.001

Analyzed Date: 07/15/23 17:32:23

LOD

Reagent: 071123.R01; 061623.02; 071123.R02 Consumables: 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Reviewed On: 07/16/23 15:02:06 Batch Date: 07/14/23 09:26:12

ND

ND

0.001

rum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.235

1.175

0.001

Weight: 0.1127g

%

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g

Sundae Driver Matrix : Derivative Type: Distillate

Page 2 of 6



PASSED

Certificate of Analysis

Sample : DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505 Batch#: 5480 0246 8684

Sampled: 07/13/23

Ordered: 07/13/23

Sample Size Received: 15.5 gram Total Amount : 2779 units Completed: 07/17/23 Expires: 07/17/24

Sample Method: SOP.T.20.010

82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

Terpenes

TESTED

erpenes	LOD (%)	mg/uni	it % Result (%)	Terpenes	LOD (%)	mg/unit	t %	Result (%)	
OTAL TERPENES	0.02	8.51	1.702	FARNESENE		0.19	0.038		
OTAL TERPINEOL	0.02	0.12	0.024	ALPHA-HUMULENE	0.02	ND	ND		
LPHA-BISABOLOL	0.02	0.13	0.026	VALENCENE	0.02	ND	ND		
LPHA-PINENE	0.02	0.365	0.073	CIS-NEROLIDOL	0.02	ND	ND		
AMPHENE	0.02	< 0.1	<0.02	TRANS-NEROLIDOL	0.02	ND	ND		
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXIDE	0.02	< 0.1	< 0.02		
ETA-PINENE	0.02	0.4	0.08	GUAIOL	0.02	< 0.1	< 0.02		
ETA-MYRCENE	0.02	1.255	0.251	CEDROL	0.02	ND	ND		
PHA-PHELLANDRENE	0.02	< 0.1	<0.02	Analyzed by:	Weight:	Extraction of	date:		Extracted by:
CARENE	0.02	ND	ND	2076, 585, 1440	0.9928g	07/14/23 15	5:56:43		2076
PHA-TERPINENE	0.02	ND	ND	Analysis Method : SOP.T.30.061A.FL	L, SOP.T.40.061A.FL				
MONENE	0.02	2.9	0.58	Analytical Batch : DA062329TER Instrument Used : DA-GCMS-004				07/16/23 15:02:09	
ICALYPTOL	0.02	< 0.1	<0.02	Analyzed Date : N/A		Batc	n Date: 07	//14/23 11:12:36	
CIMENE	0.02	0.605	0.121	Dilution: 10					
MMA-TERPINENE	0.02	ND	ND	Reagent: 121622.26					
	0.02	ND	ND	Consumables: 210414634; MKCN99	995; CE0123; R1KB14270				
BINENE HYDRATE	0.02 0.02	ND 0.27	ND 0.054	Consumables : 210414634; MKCN99 Pipette : N/A					
BINENE HYDRATE RPINOLENE				Consumables: 210414634; MKCN99		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE	0.02	0.27	0.054	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE IALOOL	0.02 0.04	0.27 <0.2	0.054 <0.04	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE VALOOL NCHYL ALCOHOL	0.02 0.04 0.02	0.27 <0.2 0.53	0.054 <0.04 0.106	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	I Flower sam	ples, the Total Terpenes %	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE NALOOL NCHYL ALCOHOL DPULEGOL	0.02 0.04 0.02 0.02	0.27 <0.2 0.53 0.265	0.054 <0.04 0.106 0.053	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes %	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE VALOOL NCHYL ALCOHOL DPULEGOL MPHOR	0.02 0.04 0.02 0.02 0.02	0.27 <0.2 0.53 0.265 ND	0.054 <0.04 0.106 0.053 ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BBINENE HYDRATE RPINOLENE INCHONE NALOOL INCHYL ALCOHOL OPULEGOL IMPHOR OBORNEOL	0.02 0.04 0.02 0.02 0.02 0.06	0.27 <0.2 0.53 0.265 ND <0.3	0.054 <0.04 0.106 0.053 ND <0.06	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE NALOOL NCHYL ALCOHOL OPULEGOL MIPHOR DOBORNEOL RNMEOL	0.02 0.04 0.02 0.02 0.02 0.06 0.02	0.27 <0.2 0.53 0.265 ND <0.3	0.054 <0.04 0.106 0.053 ND <0.06 ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes %	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE VALOOL NCHYL ALCOHOL PPULEGOL MPHOR BORONEOL RNEOL XXAHYDROTHYMOL	0.02 0.04 0.02 0.02 0.02 0.06 0.02 0.04	0.27 <0.2 0.53 0.265 ND <0.3 ND	0.054 <0.04 0.106 0.053 ND <0.06 ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes %	6 is dry-weight corrected
RBINENE HYDRATE RPINOLENE NCHONE NALOOL INCHYL ALCOHOL OPULEGOL MPHOR OBGORNEOL SRREOL CKAHYDROTHYMOL EROL	0.02 0.04 0.02 0.02 0.02 0.06 0.02 0.04	0.27 <0.2 0.53 0.265 ND <0.3 ND ND	0.054 <0.04 0.106 0.053 ND <0.06 ND ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	l Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
BINENE HYDRATE RPINOLENE NCHONE NALOOL NCHYL ALCOHOL PPULEGOL MPHOR DOBORNEOL NRHEOL KAHYDROTHYMOL RROL LEGONE	0.02 0.04 0.02 0.02 0.02 0.06 0.02 0.04 0.02	0.27 <0.2 0.53 0.265 ND <0.3 ND ND ND	0.054 <0.04 0.106 0.053 ND <0.06 ND ND ND ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	I Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
ABINENE HYDRATE RRPINOLENE INCHONE NALOOL NCHYL ALCOHOL OPULEGOL AMPHOR OBORNEOL DRIVEOL EXAHYDROTHYMOL EROL LLEGONE ERANIOL	0.02 0.04 0.02 0.02 0.06 0.02 0.04 0.02 0.02 0.02	0.27 <0.2 0.53 0.265 ND <0.3 ND ND ND ND	0.054 <0.04 0.106 0.053 ND <0.06 ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	I Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected
ABINENE HYDRATE REPINOLENE NALOOL NCHONE NALOOL NCHYL ALCOHOL OPPULEGOL AMPHOR OBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE ERANIL ERANYL ACETATE PHA-CEDRENE	0.02 0.04 0.02 0.02 0.06 0.02 0.04 0.02 0.02	0.27 <0.2 0.53 0.265 ND <0.3 ND ND ND ND ND	0.054 <0.04 0.106 0.053 ND <0.06 ND	Consumables : 210414634; MKCN99 Pipette : N/A		ectrometry. For all	I Flower sam	ples, the Total Terpenes 9	6 is dry-weight corrected

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g

Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505

Batch#: 5480 0246 8684

Sampled: 07/13/23 Ordered: 07/13/23

Sample Size Received: 15.5 gram Total Amount : 2779 units Completed: 07/17/23 Expires: 07/17/24

Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSEI	
---------------	--

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND		0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN				PASS	
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1		ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND			V / /			
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Evtra	tion date:		Extracte	d by
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440 0.2354q		23 18:33:58	3	450	u by.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines					Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	/ " \ /		. / / / /		
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062340PES			On: 07/17/23		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002		Batch Date	:07/14/23 1	.2:29:36	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 071123.R18; 071323.R03; 06052	2 026, 071	222 001, 04	0521 11.07	1022 004. 070	ח ככדו
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW	3.K20; U/1	323.RU1; U4	0521.11; 07	1023.R04; 070	7723.RI
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut	ilizing Liquid	Chromatog	raphy Triple-	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64E	R20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		tion date:		Extracte	d by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440 0.2354g		23 18:33:58		450	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaines					
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch: DA062341VOL Instrument Used: DA-GCMS-001			1:07/17/23 1 07/14/23 12:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/14/23 18:46:19	\ P	accii Date :	01/14/23 12:	J4.07	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 071323.R03; 050621.01; 071123	.R21; 0711	23.R22			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 14725401; 326250IW					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed ut in accordance with F.S. Rule 64ER20-39.	ilizing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectre

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g

Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505

Batch#: 5480 0246 8684

Sampled: 07/13/23 Ordered: 07/13/23

Sample Size Received: 15.5 gram Total Amount : 2779 units Completed: 07/17/23 Expires: 07/17/24 Sample Method: SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0211g	Extraction date: 07/17/23 11:47:		//	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062353SOL Instrument Used: DA-GCMS-003

Analyzed Date: 07/17/23 12:41:28 Dilution: 1

Reagent: 030420.09 Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 07/17/23 13:18:47 Batch Date: 07/14/23 13:38:37

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g

Sundae Driver Matrix : Derivative



Type: Distillate

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505

Batch#: 5480 0246 8684

Sampled: 07/13/23 Ordered: 07/13/23

Sample Size Received: 15.5 gram Total Amount: 2779 units Completed: 07/17/23 Expires: 07/17/24

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by	Eucha	nation dates		Evelupated	harr	7

xtracted by: 3336, 585, 1440 0.903g 07/14/23 11:41:44

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062316MIC

Reviewed On: 07/15/23

Batch Date: 07/14/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 **Analyzed Date :** 07/14/23 13:17:29

Dilution: N/A

Reagent: 050223.33; 062323.R18; 020823.14; 092122.09

Consumables: 7562003047

Pipet

ette : N/A				П
lyzed by: 6, 3963, 585, 1440	Weight: 0.903g	Extraction date: 07/14/23 11:41:44	Extracted by: 3336	4

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062349TYM Instrument Used : Incubator (25-27C) DA-096 Reviewed On: 07/16/23 18:43:38 Batch Date : 07/14/23 13:08:48 **Analyzed Date :** 07/14/23 13:14:03

Dilution: 10 Reagent: 050223.33; 070523.R46

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

J.	Mycotoxilis	PASSED				
nalyte		LOD	Units	Result	Pass / Fail	Action Level
FLATOXIN E	32	0.002	ppm	ND	PASS	0.02
FLATOXIN E	31	0.002	ppm	ND	PASS	0.02
CHRATOXIN	Δ	0.002	nnm	ND	PASS	0.02

AF **AFLATOXIN G1** 0.002 DASS ppm ND **AFLATOXIN G2** 0.002 ND PASS ppm Analyzed by: **Extraction date:** Extracted by: Weight: 3379, 585, 1440 0.2354g 07/14/23 18:33:58 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA062363MYC

Instrument Used: N/A Analyzed Date: N/A

Dilution: 250 Reagent: N/A

Consumables : N/A Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAM	.s 0.08	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2193g	Extraction day 07/14/23 12:1			ctracted b 022,3619	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA062325HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 07/14/23 17:02:26 **Reviewed On:** 07/15/23 16:13:50Batch Date: 07/14/23 09:58:49

Reviewed On: 07/17/23 08:50:05

Batch Date: 07/15/23 07:41:41

Dilution: 50

Reagent: 061523.R17; 062723.R18; 070723.R17; 071123.R17; 070723.R15; 070723.R16;

070723.R18; 071023.01; 062823.R15 Consumables: 179436: 15021042: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64FR20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sundae Driver Cartridge Concetrate 0.5g

Sundae Driver Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30714006-009 Harvest/Lot ID: 5480 0246 8684 6505

Batch#: 5480 0246 8684

Sampled: 07/13/23 Ordered: 07/13/23

Sample Size Received: 15.5 gram Total Amount : 2779 units Completed: 07/17/23 Expires: 07/17/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Reviewed On: 07/15/23 17:12:12

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 1879, 1440 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062385FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 07/15/23 16:49:55 Analyzed Date: 07/15/23 17:05:28

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level** 0.491 PASS Water Activity 0.1 aw 0.85 Extraction date: 07/15/23 13:18:42 Extracted by: 4056 Analyzed by: 4056, 585, 1440

Analysis Method: SOP.T.40.019

Analytical Batch: DA062333WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Reviewed On: 07/15/23 16:14:03 Batch Date: 07/14/23 11:44:53

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

