

Certificate of Analysis

COMPLIANCE FOR RETAIL

Jul 17, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US

1 10 11 11 11 11



Kaycha Labs

Original Watermelon Gels 10 Count Original Watermelon Matrix: Edible

Type: Soft Chew

Sample: DA30713004-004 Harvest/Lot ID: 6270 3309 2849 7366

Batch#: 6270 3309 2849 7366

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 0241 1677 1908 4759

Batch Date: 04/06/23

Sample Size Received: 900 gram

Total Amount: 4257 units

Retail Product Size: 63.6623 gram Ordered: 07/12/23

Sampled: 07/12/23

Completed: 07/17/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

PRODUCT IMAGE

FLUENT

SAFETY RESULTS







Heavy Metals



Microbials

Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity



Moisture



NOT TESTED

PASSED



Cannabinoid

Total THC

0.168% Total THC/Container: 106.953 mg



Total CBD

Total CBD/Container: 0 mg

Reviewed On: 07/14/23 14:03:38 Batch Date: 07/13/23 09:50:26



Total Cannabinoids

Total Cannabinoids/Container: 113.319 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|-------------------------------|---------|-------|-------|-------|--------|---------------------------|-------|-------|-------|--------------|-------|
| % | 0.168 | ND | ND | ND | ND | 0.004 | ND | 0.002 | 0.002 | ND | 0.002 |
| mg/unit | 106.952 | ND | ND | ND | ND | 2.546 | ND | 1.273 | 1.273 | ND | 1.273 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |
| nalyzed by: 665, 585, 1440 | | | Weigh | | | tion date: 23 11:52:00 | | | | xtracted by: | () |

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA062278POT Instrument Used: DA-LC-007 Analyzed Date: 07/13/23 11:54:07

Dilution: 40

Reagent: 070323.01; 071223.R12; 060723.50; 060723.37; 071123.R04
Consumables: 280670723; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Original Watermelon Gels 10 Count Original Watermelon

> Matrix : Edible Type: Soft Chew



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30713004-004 Harvest/Lot ID: 6270 3309 2849 7366

Batch#: 6270 3309 2849

Sampled: 07/12/23 Ordered: 07/12/23 Sample Size Received : 900 gram
Total Amount : 4257 units

Completed: 07/17/23 Expires: 07/17/24
Sample Method: SOP.T.20.010

PASSED

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | | Action Level | Pass/Fail | | Pesticide | LOD | Units | Action Level | Pass/Fail | Resu |
|------------------------------------|------|-----|-----------------|-----------|----|-----------------------------------------------------------------------------------------|----------------|--------------------------------|------------------------------|----------------|--------|
| OTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| OTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| OTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| OTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| OTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.4 | PASS | ND |
| OTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | | | | | | |
| CEPHATE | 0.01 | ppm | 3 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| CEQUINOCYL | 0.01 | ppm | 2 | PASS | ND | PYRIDABEN | 0.01 | ppm | 3 | PASS | ND |
| ETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| DICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| OXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| FENAZATE | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| FENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| DSCALID | 0.01 | ppm | 3 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| ARBARYL | 0.01 | ppm | 0.5 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| RBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | | 0.01 | PPM | 0.2 | PASS | ND |
| ILORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | | | | | |
| HLORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | PARATHION-METHYL * | 0.05 | PPM | 0.1 | PASS | ND |
| ILORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.35 | PPM | 3 | PASS | ND |
| OFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CHLORDANE * | 0.05 | PPM | 0.1 | PASS | ND |
| DUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.05 | PPM | 0.1 | PASS | ND |
| AMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.25 | PPM | 1 | PASS | ND |
| AZINON | 0.01 | ppm | 3 | PASS | ND | CYPERMETHRIN * | 0.25 | PPM | 1 | PASS | ND |
| CHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | Evtract | ion date: | | Extracted | hv |
| METHOATE | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 1.145g | | 3 15:27:54 | | 450.585 | by. |
| HOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gaines | ville), SOP.T | .30.102.FL (| Davie), SOP | .T.40.101.FL (| Gaines |
| OFENPROX | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| OXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | Analytical Batch : DA062294PES | | Reviewed On: 07/15/23 14:17:28 | | | |
| NHEXAMID | 0.01 | ppm | 3 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date | e:07/13/23 | 10:42:23 | |
| NOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| NPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | Dilution: 250 Reagent: 071023.R04; 071123.R18; 07132 | 2 002 070 | 722 001 - 06 | 0522 D26: 0 | 71222 001. 0 | 10521 |
| PRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 326250IW | .s.Nos, 070. | 723.NUI, UU | 0323.N20, 0 | /1323.R01, 0 | +0321. |
| ONICAMID | 0.01 | ppm | 2 | PASS | ND | Pipette: DA-093; DA-094; DA-219 | | | | | |
| UDIOXONIL | 0.01 | ppm | 3 | PASS | ND | Testing for agricultural agents is performed ut | ilizing Liquid | Chromatogr | aphy Triple-0 | Quadrupole Ma | SS |
| EXYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | Spectrometry in accordance with F.S. Rule 64 | ER20-39. | | | | |
| AZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: Weight: | Extracti | | | Extracted | by: |
| IIDACLOPRID | 0.01 | ppm | 1 | PASS | ND | 450, 585, 1440 1.145g | | 15:27:54 | (B) (1) === | 450,585 | |
| RESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gaines | | | | | |
| ALATHION | 0.01 | ppm | 2 | PASS | ND | Analytical Batch : DA062296VOL Instrument Used : DA-GCMS-001 | | | :07/14/23 1 :07/13/23 10: | | |
| TALAXYL | 0.01 | ppm | 3 | PASS | ND | Analyzed Date : 07/13/23 16:27:10 | В | ich bate i | J, 113/23 10. | 00 | |
| THIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution: 250 | | | | | |
| THOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent: 071323.R03; 040521.11; 071123 | .R21; 07112 | 23.R22 | | | |
| EVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables: 326250IW; 14725401 | | | | | |
| YCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| ALED | 0.01 | ppm | 0.5 | PASS | ND | Testing for agricultural agents is performed ut in accordance with F.S. Rule 64ER20-39. | ilizing Gas C | hromatograp | ohy Triple-Qu | adrupole Mass | Specti |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Original Watermelon Gels 10 Count Original Watermelon

Matrix : Edible Type: Soft Chew



PASSED

Certificate of Analysis Sample : DA30713004-004

Batch#: 6270 3309 2849

Harvest/Lot ID: 6270 3309 2849 7366

Sampled: 07/12/23 Ordered: 07/12/23

Sample Size Received: 900 gram Total Amount : 4257 units Completed: 07/17/23 Expires: 07/17/24 Sample Method: SOP.T.20.010

Page 3 of 5



82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.lones@getfluent.com

Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|--------------------------------|-----------------------|-----------------------------------|--------------|-----------|----------------------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |
| Analyzed by: 850, 585, 1440 | Weight: 0.026g | Extraction date: 07/17/23 15:49:1 | 15 | // // \ | Extracted by: 850 |

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062378SOL Instrument Used: DA-GCMS-002

Analyzed Date: 07/17/23 15:53:01

Reviewed On: 07/17/23 16:35:56 Batch Date: 07/15/23 13:07:11

Dilution: 1 Reagent: N/A Consumables: N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Original Watermelon Gels 10 Count Original Watermelon

Matrix : Edible Type: Soft Chew



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30713004-004 Harvest/Lot ID: 6270 3309 2849 7366

Batch#: 6270 3309 2849

Sampled: 07/12/23 Ordered: 07/12/23

Sample Size Received: 900 gram Total Amount : 4257 units

Completed: 07/17/23 Expires: 07/17/24 Sample Method: SOP.T.20.010

Page 4 of 5



Microbial



PASSED

| Analyte | LOD | Units | Result | Pass / Fail | Action Level | |
|--------------------------|----------|-------------------|-------------|--------------------|-----------------|---|
| ASPERGILLUS TERREUS | | | Not Present | PASS | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | |
| SALMONELLA SPECIFIC GENI | E | | Not Present | PASS | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | - |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | 1 |
| Analysis of him | Mr. Luke | Friday address of | | Profession at a st | h | 7 |

Extraction date: Extracted by: 3390, 3336, 585, 1440 0.9154g 07/13/23 10:00:34 3621,3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062269MIC Reviewed On: 07/14/23

Extracted by:

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Batch Date: 07/13/23 MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/13/23 15:36:23

Reagent: 050223.50; 062323.R18; 020823.14; 092122.09

Weight:

Consumables: 7562003045

| 246 | Mycocoxiiis | ' | | | | |
|-------------|-------------|-------|-------|--------|----------------|-----------------|
| Analyte | | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN E | 32 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN E | 31 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN | I A | 0.002 | ppm | ND | PASS | 0.02 |

AFLATOXIN G1 PASS mag 0.02 **AFLATOXIN G2** 0.002 ppm ND PASS 0.02 Analyzed by: Weight: **Extraction date:** Extracted by: 3379, 585, 1440 1.145g 07/13/23 15:27:54 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville).

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Reviewed On: 07/15/23 14:18:31

Analytical Batch: DA062295MYC Instrument Used: N/A

Analyzed Date: N/A

Dilution: 250

Reagent: 071023.R04; 071123.R18; 071323.R03; 070723.R01; 060523.R26; 071323.R01;

040521.11 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$

Pipette: N/A

Analyzed by: 3336, 585, 1440

| Hg | Heavy | Metals |
|----|-------|--------|
| | | |

PASSED

| 3336, 585, 1440 | 0.9154g | N/A | 3621,3336 |
|------------------------|----------------------|---------------------|---------------------|
| Analysis Method : SOP. | T.40.208 (Gainesvill | e), SOP.T.40.209.FL | |
| Analytical Batch: DA06 | 52276TYM | Reviewed Or | 1:07/15/23 14:55:31 |
| Instrument Used : Incu | bator (25-27C) DA-0 | 96 Batch Date: | 07/13/23 09:48:14 |
| Analyzed Date : 07/13/ | 23 16:08:29 | | |

Extraction date:

Dilution: 10 Reagent: 050223.50; 070523.R46 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|------------|-------|--------|----------------|-----------------|
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 |
| Analyzed by: Weight: Ext | raction da | te: | E | tracted b | v: |

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA062283HEA Instrument Used: DA-ICPMS-003 Analyzed Date: 07/13/23 17:10:54 Reviewed On: 07/14/23 12:26:37 Batch Date: 07/13/23 10:01:00

Batch Date: 07/13/23 10:44:07

Dilution: 50

1022, 585, 1440

Reagent: 061523.R17; 062723.R18; 070723.R17; 071123.R17; 070723.R15; 070723.R16; 070723.R18; 071023.01; 062823.R15

0.2542g 07/13/23 10:20:35

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Original Watermelon Gels 10 Count Original Watermelon

> Matrix : Edible Type: Soft Chew



PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Fmail: Taylor lones@getfluent.com Sample : DA30713004-004 Harvest/Lot ID: 6270 3309 2849 7366

Batch#: 6270 3309 2849

Sampled: 07/12/23 Ordered: 07/12/23

Certificate of Analysis

Sample Size Received: 900 gram Total Amount : 4257 units Completed: 07/17/23 Expires: 07/17/24

Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED

Homogeneity

Amount of tests conducted: 28

PASSED

| Analyte | | LOD Units | Result | P/F | Action Level |
|----------------------------|---------------|--------------|--------|---------------|--------------|
| Filth and Foreign Material | | 0.1 % | ND | PASS | 1 |
| Analyzed by: 585, 1440 | Weight: NA | Extraction o | late: | Extrac N/A | ted by: |

Analysis Method: SOP.T.40.090

Analytical Batch : DA062384FIL
Instrument Used : Filth/Foreign Material Microscope Analyzed Date: N/A

Reviewed On: 07/15/23 14:42:49 Batch Date: 07/15/23 14:31:52

Reviewed On: 07/14/23 14:01:38

Batch Date: 07/13/23 10:47:42

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte Water Activity | | LOD 0.1 | Units aw | Result 0.614 | P/F PASS | Action Level 0.85 |
|---------------------------------------------|--|----------------|---------------------------|-----------------|-------------|----------------------|
| Analyzed by: Weight: 3807, 585, 1440 5.297g | | | xtraction d 7/13/23 15 | | | tracted by: 07 |

Analysis Method: SOP.T.40.019 Analytical Batch: DA062298WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 07/13/23 15:09:46

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Pass/Fail Result Action Level

TOTAL THC - HOMOGENEITY 0.001 % **PASS** 2.45 25

Average Analyzed by Extraction date: Extracted By: Weight 3335, 585, 1440 07/13/23 09:49:36 6.228g

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA062268HOM Instrument Used : DA-LC-004

Reviewed On: 07/14/23 14:01:35 Batch Date: 07/13/23 08:28:54 Analyzed Date: 07/13/23 09:54:58

Reagent: 071023.01; 070823.R04; 071222.46; 071123.R02

Consumables: 947.109; 15021042; 250346; CE0123; 115C4-1151; 61691-131C6-131C;

R1KB14270

Pipette: DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

