



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30715005-007
Harvest/Lot ID: 8529 5214 2080 1932
Batch#: 8529 5214 2080 1932
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 9193 5120 7688 4802
Batch Date: 05/01/23
Sample Size Received: 67.5 gram
Total Amount: 1343 units
Retail Product Size: 11.25 gram
Ordered: 07/14/23
Sampled: 07/14/23
Completed: 07/18/23
Sampling Method: SOP.T.20.010

Jul 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
4.026%

Total THC/Container : 452.925 mg



Total CBD
0.011%

Total CBD/Container : 1.237 mg



Total Cannabinoids
4.213%

Total Cannabinoids/Container : 473.963 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.019	0.008	0.011	ND	0.015	0.053	ND	0.043	0.03	ND	0.034
mg/unit	452.137	0.9	1.237	ND	1.687	5.962	ND	4.837	3.375	ND	3.825
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3963, 3112, 585, 1440

Weight:
2.9811g

Extraction date:
07/17/23 10:46:21

Extracted by:
3963

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA062404POT
 Instrument Used : DA-LC-007
 Analyzed Date : 07/17/23 10:48:41

Reviewed On : 07/18/23 11:49:15
 Batch Date : 07/16/23 22:56:35

Dilution : 400
 Reagent : 071123.R05; 060723.24; 071123.R04
 Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
07/18/23



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30715005-007
 Harvest/Lot ID: 8529 5214 2080 1932

 Batch# : 8529 5214 2080
 Sample Size Received : 67.5 gram
 Total Amount : 1343 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 2 of 6

<

Analyzed by: 2076, 585, 1440
 Weight: 1.0164g
 Extraction date: 07/15/23 15:10:52
 Extracted by: 1879, 2076
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch: DA062380TER
 Instrument Used: DA-GCMS-008
 Analyzed Date: 07/17/23 12:31:19
 Reviewed On: 07/18/23 14:39:47
 Batch Date: 07/15/23 13:53:39
 Dilution: 100
 Reagent: 121622.26
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270
 Pipette: N/A
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715005-007

Harvest/Lot ID: 8529 5214 2080 1932

 Batch# : 8529 5214 2080
 1932

Sampled : 07/14/23

Ordered : 07/14/23


Sample Size Received : 67.5 gram

Total Amount : 1343 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	3	PASS	ND	3379, 585, 1440	0.2679g	07/17/23 13:30:41	3379,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062388PES			Reviewed On : 07/18/23 11:08:51		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/16/23 15:41:45		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analyzed Date : 07/17/23 13:31:51					
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	450, 585, 1440	0.2679g	07/17/23 13:30:41	3379,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch : DA062389VOL			Reviewed On : 07/18/23 11:06:57		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/16/23 15:43:59		
MALATHION	0.01	ppm	2	PASS	ND	Analyzed Date : 07/17/23 13:43:18					
METALAXYL	0.01	ppm	3	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715005-007

Harvest/Lot ID: 8529 5214 2080 1932

 Batch# : 8529 5214 2080
 1932

Sampled : 07/14/23

Ordered : 07/14/23

Sample Size Received : 67.5 gram

Total Amount : 1343 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0258g

 Extraction date:
 07/17/23 15:50:08

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06237850L
 Instrument Used : DA-GCMS-002
 Analyzed Date : 07/17/23 15:53:01

 Reviewed On : 07/17/23 16:36:29
 Batch Date : 07/15/23 13:07:11

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715005-007

Harvest/Lot ID: 8529 5214 2080 1932

 Batch# : 8529 5214 2080
 1932

 Sampled : 07/14/23
 Ordered : 07/14/23



Sample Size Received : 67.5 gram


Total Amount : 1343 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div>Microbial</div> <div>PASSED</div>						<div><div></div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2679g	Extraction date: 07/17/23 13:30:41		Extracted by: 3379,585	
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.0867g	Extraction date: 07/15/23 12:27:14	Extracted by: 3336			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/18/23 12:33:10 Batch Date : 07/15/23 09:21:27			Analytical Batch : DA062390MYC			Reviewed On : 07/18/23 10:07:10		
Analytical Batch : DA062366MIC						Instrument Used : N/A			Batch Date : 07/16/23 15:44:27		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 07/17/23 13:31:58					
Analyzed Date : 07/17/23 17:45:25						Dilution : 250					
Dilution : N/A						Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
Reagent : 050223.33; 062323.R18; 020823.19; 092122.09						Consumables : 326250IW					
Consumables : N/A						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 3702, 585, 1440			Weight: 1.0867g			Extraction date: 07/15/23 12:27:14			Extracted by: 3336,3621		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062376TYM			Reviewed On : 07/18/23 08:57:28								
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 07/15/23 12:27:45								
Analyzed Date : 07/15/23 14:41:13											
Dilution : 10											
Reagent : 050223.33; 070523.R46											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2424g	Extraction date: 07/15/23 13:23:32	Extracted by: 1022,3807,3619		



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715005-007

Harvest/Lot ID: 8529 5214 2080 1932

 Batch# : 8529 5214 2080
 1932

Sampled : 07/14/23

Ordered : 07/14/23

Sample Size Received : 67.5 gram

Total Amount : 1343 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by:
 1879, 1440

 Weight:
 NA

 Extraction date:
 N/A

 Extracted by:
 N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA062385FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/15/23 17:05:28

Reviewed On : 07/15/23 17:13:42

Batch Date : 07/15/23 16:49:55

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.504	TESTED	

 Analyzed by:
 4056, 585, 1440

 Weight:
 0.5g

 Extraction date:
 07/16/23 13:26:09

 Extracted by:
 4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA062383WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/16/23 15:07:55

Batch Date : 07/15/23 14:01:51

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.