



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30715005-008
Harvest/Lot ID: SA-ICH-063023
Batch#: 2439 6934 2694 8723
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5757 5575 9927 3975
Batch Date: 05/11/23
Sample Size Received: 91 gram
Total Amount: 6933 units
Retail Product Size: 3.5 gram
Ordered: 07/14/23
Sampled: 07/14/23
Completed: 07/18/23
Sampling Method: SOP.T.20.010

Jul 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
23.325%
Dry Weight



Total CBD
0.044%
Dry Weight



Total Cannabinoids
27.363%
Dry Weight



Total THC
20.125%
704.375 mg /Container

Total CBD
0.038%
1.33 mg /Container

Total Cannabinoids
23.609%
826.315 mg /Container

As Received

Analyzed by:
3112, 585, 1440

Weight:
0.2106g

Extraction date:
07/17/23 10:40:49

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062400POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 07/17/23 10:50:37

Reviewed On : 07/18/23 12:30:25
Batch Date : 07/16/23 22:53:28

Dilution : 400
Reagent : 070823.R04; 060723.24; 061623.R02
Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com


 Sample : DA30715005-008
 Harvest/Lot ID: SA-ICH-063023

 Batch# : 2439 6934 2694
 8723

 Sampled : 07/14/23
 Ordered : 07/14/23

 Sample Size Received : 91 gram
 Total Amount : 6933 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	57.925	1.655		FARNESENE		0.28	0.008	
TOTAL TERPINEOL	0.02	1.75	0.05		ALPHA-HUMULENE	0.02	2.94	0.084	
ALPHA-BISABOLOL	0.02	2.73	0.078		VALENCENE	0.02	<0.7	<0.02	
ALPHA-PINENE	0.02	1.925	0.055		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	<0.7	<0.02	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.7	<0.02	
BETA-PINENE	0.02	2.1	0.06		GUAIOL	0.02	2.905	0.083	
BETA-MYRCENE	0.02	3.255	0.093		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by: 2076, 585, 1440Weight: 1.0302gExtraction date: 07/16/23 14:23:01Extracted by: 1879				
3-CARENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.02	ND	ND		Analytical Batch : DA062387TER				
LIMONENE	0.02	11.095	0.317		Instrument Used : DA-GCMS-004				
EUCALYPTOL	0.02	<0.7	<0.02		Analyzed Date : 07/17/23 12:13:29				
OCIMENE	0.02	2.31	0.066		Dilution : 10				
GAMMA-TERPINENE	0.02	ND	ND		Reagent : N/A				
SABINENE HYDRATE	0.02	ND	ND		Consumables : N/A				
TERPINOLENE	0.02	<0.7	<0.02		Pipette : N/A				
FENCHONE	0.04	<1.4	<0.04		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.02	6.335	0.181						
FENCHYL ALCOHOL	0.02	2.17	0.062						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	<1.4	<0.04						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	10.185	0.291						
Total (%)			1.655						



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30715005-008
 Harvest/Lot ID: SA-ICH-063023

 Batch# : 2439 6934 2694
 8723
 Sampled : 07/14/23
 Ordered : 07/14/23
 Sample Size Received : 91 gram
 Total Amount : 6933 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440, 2023	1.1035g	07/17/23 13:41:36	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062391PES			Reviewed On : 07/18/23 11:36:45		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/16/23 15:50:53		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:31:49					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	1.1035g	07/17/23 13:41:36	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062392VOL			Reviewed On : 07/18/23 11:35:40		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/16/23 15:52:08		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:43:43					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30715005-008
 Harvest/Lot ID: SA-ICH-063023
 Batch# : 2439 6934 2694
 8723
 Sampled : 07/14/23
 Ordered : 07/14/23

 Sample Size Received : 91 gram
 Total Amount : 6933 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div>						<div> Mycotoxins</div>						<div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level						
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02						
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02						
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02						
ECOLI SHIGELLA			Not Present	PASS													
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000	Analyzed by: 3379, 585, 1440, 2023	Weight: 1.1035g	Extraction date: 07/17/23 13:41:36					Extracted by: 3379,450				
Analyzed by: 3390, 3621, 585, 1440, 2023						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)											
Weight: 0.92g						Analytical Batch : DA062393MYC						Reviewed On : 07/18/23 09:44:46					
Extraction date: 07/15/23 12:27:14						Instrument Used : N/A						Batch Date : 07/16/23 15:52:56					
Extracted by: 3336						Analyzed Date : 07/17/23 13:31:57											
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Dilution : 250											
Analytical Batch : DA062366MIC						Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01											
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Consumables : 326250IW											
Analyzed Date : 07/17/23 17:45:25						Pipette : DA-093; DA-094; DA-219											
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Reagent : 050223.33; 062323.R18; 020823.19; 092122.09																	
Consumables : N/A																	
Pipette : N/A																	
Analyzed by: 3621, 3702, 585, 1440						Weight: 0.92g						Extraction date: 07/15/23 12:27:14					
Extracted by: 3336,3621																	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL																	
Analytical Batch : DA062376TYM						Reviewed On : 07/18/23 08:49:24											
Instrument Used : Incubator (25-27C) DA-096						Batch Date : 07/15/23 12:27:45											
Analyzed Date : 07/15/23 14:41:13																	
Dilution : 10																	
Reagent : 050223.33; 070523.R46																	
Consumables : N/A																	
Pipette : N/A																	
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																	

<div> Heavy Metals</div>						<div>PASSED</div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level												
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1												
ARSENIC	0.02	ppm	ND	PASS	0.2												
CADMIUM	0.02	ppm	ND	PASS	0.2												
MERCURY	0.02	ppm	ND	PASS	0.2												
LEAD	0.02	ppm	<0.1	PASS	0.5												
Analyzed by: 1022, 585, 1440, 2023						Weight: 0.2166g						Extraction date: 07/17/23 08:26:58					
Extracted by: 1022,3619																	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL																	
Analytical Batch : DA062371HEA						Reviewed On : 07/18/23 08:46:36											
Instrument Used : DA-ICPMS-003						Batch Date : 07/15/23 10:23:43											
Analyzed Date : 07/17/23 15:52:33																	
Dilution : 50																	
Reagent : 061523.R17; 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 053023.R21; 070723.R18; 071023.01; 062823.R15																	
Consumables : 179436; 15021042; 210508058																	
Pipette : DA-061; DA-191; DA-216																	
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																	



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30715005-008
 Harvest/Lot ID: SA-ICH-063023
 Batch# : 2439 6934 2694
 8723
 Sampled : 07/14/23
 Ordered : 07/14/23

 Sample Size Received : 91 gram
 Total Amount : 6933 units
 Completed : 07/18/23 Expires: 07/18/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.72	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date : 07/15/23 17:05:28						Analyzed by: 4056, 585, 1440 Weight: 0.532g Extraction date: 07/16/23 13:14:29 Analyzed Date : N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062385FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/15/23 17:12:32 Batch Date : 07/15/23 16:49:55						Analysis Method : SOP.T.40.021 Analytical Batch : DA062381MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/16/23 15:07:57 Batch Date : 07/15/23 13:55:02					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.562	PASS	0.65
Analyzed by: 4056, 585, 1440 Weight: 0.866g Extraction date: 07/16/23 13:20:48 Analyzed Date : N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062382WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/16/23 15:07:57 Batch Date : 07/15/23 14:00:24					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.