



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30715015-005
Harvest/Lot ID: 2181 9422 6226 7342
Batch#: 2181 9422 6226 7342
Cultivation Facility: Tampa Cultivation
Source Facility : Tampa Cultivation
Seed to Sale# 9262 7764 8635 7447
Batch Date: 06/01/23
Sample Size Received: 59.5 gram
Total Amount: 4372 units
Retail Product Size: 3.5 gram
Ordered: 07/15/23
Sampled: 07/15/23
Completed: 07/18/23
Sampling Method: SOP.T.20.010

Jul 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
22.7%
Dry Weight



Total CBD
0.051%
Dry Weight



Total Cannabinoids
26.536%
Dry Weight



Total THC
19.852%
694.82 mg /Container

Total CBD
0.045%
1.575 mg /Container

Total Cannabinoids
23.206%
812.21 mg /Container

As Received

Analyzed by:
3112, 585, 1440

Weight:
0.2194g

Extraction date:
07/17/23 10:40:52

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062400POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 07/17/23 10:50:37

Reviewed On : 07/18/23 09:00:55
Batch Date : 07/16/23 22:53:28

Dilution : 400
Reagent : 070823.R04; 060723.24; 061623.R02
Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/18/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-005

Harvest/Lot ID: 2181 9422 6226 7342

Batch# : 2181 9422 6226 7342

Sampled : 07/15/23

Ordered : 07/15/23

Sample Size Received : 59.5 gram

Total Amount : 4372 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-005

Harvest/Lot ID: 2181 9422 6226 7342

Batch# : 2181 9422 6226 7342

Sampled : 07/15/23

Ordered : 07/15/23


Sample Size Received : 59.5 gram

Total Amount : 4372 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9297g	07/17/23 13:29:10	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062391PES			Reviewed On : 07/18/23 11:37:10		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/16/23 15:50:53		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:31:49					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9297g	07/17/23 13:29:10	3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062392VOL			Reviewed On : 07/18/23 11:35:55		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/16/23 15:52:08		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:43:43					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-005

Harvest/Lot ID: 2181 9422 6226 7342

Batch# : 2181 9422 6226 7342

Sampled : 07/15/23

Ordered : 07/15/23




Sample Size Received : 59.5 gram

Total Amount : 4372 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	Extracted by:
						3390, 3336, 585, 1440		0.9297g		07/17/23 13:29:10	3379
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.0669g Extraction date: 07/16/23 14:20:26 Extracted by: 3963,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062386MIC Reviewed On : 07/18/23 12:49:17 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 07/16/23 09:17:38 Analyzed Date : 07/17/23 10:26:41 Dilution : 10 Reagent : 050223.47; 062323.R18; 020823.19; 092122.09 Consumables : 7562003019 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062393MYC Instrument Used : N/A Analyzed Date : 07/17/23 13:31:57 Dilution : 250 Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.0669g Extraction date: 07/16/23 14:20:26 Extracted by: 3963,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062409TYM Instrument Used : Incubator (25-27C) DA-096 Batch Date : 07/17/23 12:00:18 Analyzed Date : 07/17/23 12:01:24 Dilution : 10 Reagent : 050223.47; 070523.R46 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2055g Extraction date: 07/17/23 08:35:35 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062371HEA Instrument Used : DA-ICPMS-003 Batch Date : 07/15/23 10:23:43 Analyzed Date : 07/17/23 15:52:33 Dilution : 50 Reagent : 061523.R17; 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 053023.R21; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-005

Harvest/Lot ID: 2181 9422 6226 7342

Batch# : 2181 9422 6226 7342

Sampled : 07/15/23

Ordered : 07/15/23

Sample Size Received : 59.5 gram

Total Amount : 4372 units

Completed : 07/18/23 Expires: 07/18/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	12.55	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date: 07/17/23 13:55:41						Analyzed by: 4056, 585, 1440 Weight: 0.518g Extraction date: 07/16/23 14:54:54 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062410FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/17/23 13:57:42 Batch Date : 07/17/23 13:52:40						Analysis Method : SOP.T.40.021 Analytical Batch : DA062381MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/16/23 15:10:37 Batch Date : 07/15/23 13:55:02					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.556	PASS	0.65
Analyzed by: 4056, 585, 1440 Weight: 0.979g Extraction date: 07/16/23 14:57:36 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062382WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/16/23 15:10:38 Batch Date : 07/15/23 14:00:24					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.