



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30715015-003
Harvest/Lot ID: 4063 7572 6100 3261
Batch#: 4063 7572 6100 3261
Cultivation Facility: Tampa Cultivation
Source Facility : Tampa Cultivation
Seed to Sale# 9395 5245 3747 4019
Batch Date: 04/20/23
Sample Size Received: 16 gram
Total Amount: 1930 units
Retail Product Size: 1 gram
Ordered: 07/15/23
Sampled: 07/15/23
Completed: 07/19/23
Sampling Method: SOP.T.20.010

Jul 19, 2023 | FLUENT


 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
86.171%



Total THC/Container : 861.71 mg


Total CBD
0.204%

Total CBD/Container : 2.04 mg


Total Cannabinoids
91.558%

Total Cannabinoids/Container : 915.58 mg


 D9-THC
86.085
 mg/unit
860.85
 LOD
0.001
 %

 THCA
0.099
 mg/unit
0.99
 LOD
0.001
 %

 CBD
0.204
 mg/unit
2.04
 LOD
0.001
 %

 CBDA
ND
 mg/unit
ND
 LOD
0.001
 %

 D8-THC
0.337
 mg/unit
3.37
 LOD
0.001
 %

 CBG
2.025
 mg/unit
20.25
 LOD
0.001
 %

 CBGA
ND
 mg/unit
ND
 LOD
0.001
 %

 CBN
0.712
 mg/unit
7.12
 LOD
0.001
 %

 THCV
0.817
 mg/unit
8.17
 LOD
0.001
 %

 CBDV
ND
 mg/unit
ND
 LOD
0.001
 %

 CBC
1.279
 mg/unit
12.79
 LOD
0.001
 %

 Analyzed by:
 3963, 3112, 585, 1440

 Weight:
 0.0995g

 Extraction date:
 07/17/23 10:46:22

 Extracted by:
 3963

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062404POT

Instrument Used : DA-LC-007

Analyzed Date : 07/17/23 10:48:41

Reviewed On : 07/18/23 12:50:56

Batch Date : 07/16/23 22:56:35

Dilution : 400

Reagent : 071123.R05; 060723.24; 071123.R04

Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.


Jorge Segredo

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 07/19/23



Type: Distillate



PASSED

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	18.1	1.81		FARNESENE	0.009	<0.09	<0.009	
TOTAL TERPINEOL	0.02	ND	ND		ALPHA-HUMULENE	0.02	0.66	0.066	
ALPHA-BISABOLOL	0.02	0.79	0.079		VALENCENE	0.02	0.24	0.024	
ALPHA-PINENE	0.02	1.48	0.148		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.2	<0.02		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.2	<0.02	
BETA-PINENE	0.02	0.63	0.063		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	5.25	0.525		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	1.06	0.106		Analized by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.02	<0.2	<0.02		2076, 585, 1440	0.9716g	07/16/23 14:12:28	1879,2076	
ALPHA-TERPINENE	0.02	<0.2	<0.02		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.02	0.85	0.085		Analytical Batch : DA062380TER			Reviewed On : 07/18/23 15:23:38	
EUCALYPTOL	0.02	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 07/15/23 13:53:39	
OCIMENE	0.02	0.94	0.094		Analyzed Date : 07/17/23 12:31:19				
GAMMA-TERPINENE	0.02	ND	ND		Dilution : 100				
SABINENE HYDRATE	0.02	ND	ND		Reagent : 121622.26				
TERPINOLENE	0.02	3.44	0.344		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.04	ND	ND		Pipette : N/A				
LINALOOL	0.02	1.19	0.119		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.02	ND	ND						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	<0.2	<0.02						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	1.57	0.157						
Total (%)		1.81							

A hand-drawn diagram showing a triangle with several internal lines. A vertical line segment is drawn on the right side of the triangle, extending from the top vertex down to the base. The diagram is labeled with 'a' and 'b' near the top vertex, and 'c' near the bottom vertex. The lines are drawn in a way that suggests a geometric proof or construction.

Signature
07/19/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-003

Harvest/Lot ID: 4063 7572 6100 3261

Batch# : 4063 7572 6100 3261

Sampled : 07/15/23

Ordered : 07/15/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 07/19/23 Expires: 07/19/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2215g	07/17/23 13:27:51	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062394PES			Reviewed On : 07/18/23 13:53:06		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/16/23 15:56:45		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:31:45					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2215g	07/17/23 13:27:51	3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062395VOL			Reviewed On : 07/18/23 13:51:42		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/16/23 15:59:21		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/17/23 13:43:49					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071323.R03; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-003

Harvest/Lot ID: 4063 7572 6100 3261

Batch# : 4063 7572 6100 3261

Sampled : 07/15/23

Ordered : 07/15/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 07/19/23 Expires: 07/19/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0229g

 Extraction date:
 07/18/23 13:01:57

 Extracted by:
 3605,850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062412SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 07/19/23 11:28:03

 Reviewed On : 07/19/23 11:46:17
 Batch Date : 07/17/23 16:43:43

 Dilution : 1
 Reagent : 030420.09
 Consumables : G201.062; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-003

Harvest/Lot ID: 4063 7572 6100 3261

Batch# : 4063 7572 6100 3261

Sampled : 07/15/23

Ordered : 07/15/23




Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 07/19/23 Expires: 07/19/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.177g Extraction date: 07/16/23 14:19:27 Extracted by: 3963,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062386MIC Reviewed On : 07/18/23 12:49:13 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 07/16/23 09:17:38 Analyzed Date : 07/17/23 10:26:41 Dilution : 10 Reagent : 050223.47; 062323.R18; 020823.19; 092122.09 Consumables : 7554003049 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2215g Extraction date: 07/17/23 13:27:51 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062396MYC Instrument Used : N/A Reviewed On : 07/18/23 09:48:55 Batch Date : 07/16/23 16:00:03 Analyzed Date : 07/17/23 13:31:53 Dilution : 250 Reagent : 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26; 071323.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.177g Extraction date: 07/16/23 14:19:27 Extracted by: 3963,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062409TYM Instrument Used : Incubator (25-27C) DA-096 Reviewed On : 07/18/23 15:30:25 Batch Date : 07/17/23 12:00:18 Analyzed Date : 07/17/23 12:01:24 Dilution : 10 Reagent : 050223.47; 070523.R46 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2041g Extraction date: 07/17/23 08:52:19 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062398HEA Instrument Used : DA-ICPMS-003 Reviewed On : 07/18/23 09:00:12 Batch Date : 07/16/23 16:57:17 Analyzed Date : 07/17/23 15:57:18 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30715015-003

Harvest/Lot ID: 4063 7572 6100 3261

Batch# : 4063 7572 6100 3261

Sampled : 07/15/23

Ordered : 07/15/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 07/19/23 Expires: 07/19/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062410FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/17/23 13:55:41

Reviewed On : 07/17/23 13:57:41

Batch Date : 07/17/23 13:52:40

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.49	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.428g	Extraction date: 07/16/23 15:03:45	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062383WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/16/23 15:10:34

Batch Date : 07/15/23 14:01:51

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.