

**COMPLIANCE FOR RETAIL** 

### **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour

Matrix: Derivative Type: Distillate



Sample: DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870 6451

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Source Facility: Tampa Cultivation** Seed to Sale# 5051 7338 4148 1815

> Batch Date: 04/06/23 Sample Size Received: 16 gram

Total Amount: 1944 units Retail Product Size: 1 gram

> Ordered: 07/15/23 Sampled: 07/15/23

Completed: 07/19/23

Sampling Method: SOP.T.20.010

**PASSED** 

Pages 1 of 6

Miami, FL, 33137, US

82 NE 26th street

Jul 19, 2023 | FLUENT

SAFETY RESULTS











**Certificate of Analysis** 

Heavy Metals



Microbials



Mycotoxins Residuals Solvents PASSED



Filth



Water Activity



Moisture



MISC.

TESTED

**PASSED** 



#### Cannabinoid

**Total THC** 

85.79% Total THC/Container: 857.9 mg



**Total CBD** 

0.215%Total CBD/Container: 2.15 mg

Reviewed On: 07/18/23 12:50:53 Batch Date: 07/16/23 22:56:35



**Total Cannabinoids** 

Total Cannabinoids/Container: 907.82

mg



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062404POT Instrument Used : DA-LC-007

Analyzed Date: 07/17/23 10:48:41

Reagent: 071123.R05; 060723.24; 071123.R04

Consumables: 947.109; 15021042; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

rum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





#### **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative Type: Distillate



# **Certificate of Analysis**

Sample : DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870

Sampled: 07/15/23 Ordered: 07/15/23

Sample Size Received: 16 gram Total Amount : 1944 units Completed: 07/19/23 Expires: 07/19/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 2 of 6



82 NE 26th street Miami, FL, 33137, US

Telephone: (305) 900-6266

Email: Taylor.Jones@getfluent.com

#### **Terpenes**

TESTE
-------

Terpenes	LOD (%)	mg/uni	t % Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES		18.25	1.825	FARNESENE		0.009	< 0.09	< 0.009	
OTAL TERPINEOL	0.02	ND	ND	ALPHA-HUMULENE		0.02	0.29	0.029	
ALPHA-BISABOLOL	0.02	0.6	0.06	VALENCENE		0.02	< 0.2	< 0.02	
LPHA-PINENE	0.02	0.35	0.035	CIS-NEROLIDOL		0.02	ND	ND	
CAMPHENE	0.02	ND	ND	TRANS-NEROLIDOL		0.02	ND	ND	
ABINENE	0.02	ND	ND	CARYOPHYLLENE OXID	E	0.02	< 0.2	< 0.02	
ETA-PINENE	0.02	0.43	0.043	GUAIOL		0.02	ND	ND	
ETA-MYRCENE	0.02	2.45	0.245	CEDROL		0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	0.97	0.097	Analyzed by:	Weight:		Extraction date		Extracted by:
-CARENE	0.02	0.25	0.025	2076, 585, 1440	1.0775g		07/16/23 14:13		1879,2076
LPHA-TERPINENE	0.02	< 0.2	<0.02		0.061A.FL, SOP.T.40.061A.	FL			
IMONENE	0.02	0.99	0.099	Analytical Batch : DA062					7/18/23 15:23:27
JCALYPTOL	0.02	ND	ND	Instrument Used : DA-GC Analyzed Date : 07/17/23			Batch	Date : 07/.	15/23 13:53:39
CIMENE	0.02	2.07	0.207	Dilution: 100					
AMMA-TERPINENE	0.02	< 0.2	< 0.02	Reagent : 121622.26					
ABINENE HYDRATE	0.02	ND	ND		4; MKCN9995; CE0123; R1k	B14270			
RPINOLENE	0.02	8.64	0.864	Pipette : N/A					
NCHONE	0.04	ND	ND	Terpenoid testing is perform	ed utilizing Gas Chromatograph	y Mass Spec	trometry. For all F	lower samp	les, the Total Terpenes % is dry-weight correct
NCHONE									
	0.02	0.2	0.02						
VALOOL		0.2 <0.2	0.02 <0.02						
NALOOL ENCHYL ALCOHOL	0.02								
NALOOL ENCHYL ALCOHOL OPULEGOL	0.02 0.02	<0.2	<0.02						
NALOOL ENCHYL ALCOHOL OPULEGOL IMPHOR	0.02 0.02 0.06	<0.2 ND	<0.02 ND						
NALOOL ENCHYL ALCOHOL OPULEGOL AMPHOR OBORNEOL	0.02 0.02 0.06 0.02	<0.2 ND ND	<0.02 ND ND						
NALOOL ENCHYL ALCOHOL OPULEGOL AMPHOR OBORNEOL ORNEOL	0.02 0.02 0.06 0.02 0.04	<0.2 ND ND ND	<0.02 ND ND ND						
NALOOL NCHYL ALCOHOL OPULEGOL AMPHOR GBORNEOL ORNEOL EXAHYDROTHYMOL	0.02 0.02 0.06 0.02 0.04 0.02	<0.2 ND ND ND ND	<0.02 ND ND ND ND						
NALOOL NCHYL ALCOHOL OPULEGOL MMPHOR OBORNEOL SINEOL ERCAHYDROTHYMOL EROL	0.02 0.02 0.06 0.02 0.04 0.02 0.02	<0.2 ND ND ND ND ND <0.2	<0.02 ND ND ND ND ND						
NALOOL NCHYL ALCOHOL OPPULEGOL AMPHOR OBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE	0.02 0.02 0.06 0.02 0.04 0.02 0.02 0.02	<0.2 ND ND ND ND ND <0.2	<0.02 ND ND ND ND ND ND ND ND						
NALOOL NCHYL ALCOHOL OPULEGOL MMPHOR OBORNEOL STRIED EXAMYDROTHYMOL EROL LIEGONE ERANIOL	0.02 0.02 0.06 0.02 0.04 0.02 0.02 0.02	<0.2 ND ND ND ND <0.2 ND	<0.02 ND ND ND ND <0.02 ND						
INALOOL ENCHYL ALCOOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL ENZAHYDROTHYMOL IEROL ULEGONE ERANIUL ERANIYL ACETATE	0.02 0.02 0.06 0.02 0.04 0.02 0.02 0.02 0.02	<0.2 ND ND ND ND ND <0.2 ND ND ND	<0.02 ND						
ENCHONE INALOOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL IERAHYPROTHYMOL IEROL IERAHYL ACETATE IERANIOL IERAHYL ACETATE ILHA-CAETORENE	0.02 0.02 0.06 0.02 0.04 0.02 0.02 0.02 0.02 0.02	<0.2 ND ND ND ND <0.2 ND ND ND ND ND	<0.02 ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative

Matrix : Derivative Type: Distillate



### **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870

Sampled: 07/15/23 Ordered: 07/15/23 Sample Size Received: 16 gram
Total Amount: 1944 units

Completed: 07/19/23 Expires: 07/19/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 3 of 6



#### **Pesticides**

**PASSED** 

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN		0.01	mag	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND			0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR				0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm			
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBEN	IZENE (DCND) *	0.05	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	WZENE (PCNB)	0.05	PPM	0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND			0.35	PPM	0.7	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *						
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND ND	CHLORFENAPYR *		0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm			ND	CYFLUTHRIN *		0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.25	PPM	0.5	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracte	d by:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2848g	07/17/	23 13:27:53	1	3379	1
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	30.101.FL (Gainesv	ille), SOP.T	.30.102.FL	(Davie), SOP	.T.40.101.FL (	Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	20.4050		_ \ / .	. 07/10/0	2 12 52 05	
TOXAZOLE	0.01	ppm mag	0.1	PASS	ND	Analytical Batch : DA0623 Instrument Used : DA-LCM				On:07/18/2 te:07/16/23		
ENHEXAMID		F F	0.1	PASS	ND	Analyzed Date: 07/17/23			Dateii Dat	.e .07/10/23	15.50.45	
ENOXYCARB	0.01	ppm ppm	0.1	PASS	ND	Dilution: 250	20.021.10					
ENPYROXIMATE	0.01		0.1	PASS	ND	Reagent: 071323.R03; 04	10521.11; 071023.	R04; 07112	23.R18; 070	723.R01; 06	0523.R26; 07:	1323.R0
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW						
LONICAMID	0.01	ppm ppm	0.1	PASS	ND	Pipette: DA-093; DA-094;						
LUDIOXONIL EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural ager Spectrometry in accordance			Chromatog	raphy Triple-0	Quadrupole Ma	ISS
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:		Extracte	d leve
MIDACLOPRID	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2848q		3 13:27:51		3379	u by:
RESOXIM-METHYL	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.3				L (Davie), SO		
ALATHION	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0623				1:07/18/23 1		
ETALAXYL	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCI		Ва	atch Date :	07/16/23 15:	:59:21	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/17/23	13:43:49					
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	10501 11 071100	071				
EVINPHOS	0.01	maa	0.1	PASS	ND	Reagent: 071323.R03; 04		RZ1; 0/112	23.R22			
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW Pipette: DA-080; DA-146;						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager		izina Gas C	hromatogra	nhy Trinla-Ou	iadrunole Macc	Spectr
ALED	0.01	phili	0.25	PASS	IVD	in accordance with F.S. Rule		iziriy das C	momatogra	priy Triple-Qu	iaui upule 14d55	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### **Kaycha Labs**

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative Type: Distillate



**PASSED** 

## **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870

Sampled: 07/15/23 Ordered: 07/15/23

Sample Size Received: 16 gram Total Amount : 1944 units Completed: 07/19/23 Expires: 07/19/24 Sample Method: SOP.T.20.010

Page 4 of 6



#### **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by:	Weight:	Extraction date:	1/1//	Extract	ed by:

07/18/23 13:01:57

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062412SOL Instrument Used: DA-GCMS-003 Analyzed Date: 07/19/23 11:28:03

Dilution: 1 Reagent: 030420.09

850, 585, 1440

Consumables: G201.062; G201.062 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 07/19/23 11:46:15 Batch Date: 07/17/23 16:43:43

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

0.0247g

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





#### Kaycha Labs

Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative

Type: Distillate



### **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870

Sampled: 07/15/23 Ordered: 07/15/23

Sample Size Received: 16 gram Total Amount : 1944 units Completed: 07/19/23 Expires: 07/19/24 Sample Method: SOP.T.20.010

Page 5 of 6



#### **Microbial**



### **Mycotoxins**

#### **PASSED**

Action

Level

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Reviewed On: 07/18/23 09:48:54

Batch Date: 07/16/23 16:00:03

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fail
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 1440	<b>Weight:</b> 0.2848g	Extraction da 07/17/23 13:			Extra 3379
Analyzed by: Weigh 3390, 3621, 585, 1440 0.91g		Extraction da 07/16/23 14:		Extracted 3963,339		Analysis Method : SOP SOP.T.30.102.FL (Davi		2.FL (Davie)		(Gainesv	

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062386MIC Reviewed On: 07/18/23

Instrument Used: PathogenDx Scanner DA-111. Applied Biosystems Batch Date: 07/16/23 MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/17/23 10:26:41

Dilution: 10

Reagent: 050223.47; 062323.R18; 020823.19; 092122.09

Consumables: 7554003049 Pipette: N/A

Hg	Heavy	Metals	PASSED

Reagent: 071323.R03; 040521.11; 071023.R04; 071123.R18; 070723.R01; 060523.R26;

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 

Analyzed by: 3390, 3336, 585, 1440	Weight: 0.91g	Extraction date: 07/16/23 14:18:29	Extracted by: 3963,3390
Analysis Method : SOP.T.40.	208 (Gainesville	e), SOP.T.40.209.FL	
Analytical Batch: DA062409	TYM	Reviewed On :	07/18/23 15:30:24
Instrument Used : Incubator		96 Batch Date: 07	/17/23 12:00:18
<b>Analyzed Date :</b> 07/17/23 12	2:01:24		

Dilution: 10 Reagent: 050223.47; 070523.R46 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

LEAD 0.02 Analyzed by: Weight: **Extraction date:** 07/17/23 08:50:48 1022, 585, 1440 0.2271g

Reviewed On: 07/18/23 09:00:11

LOD

0.08

0.02

0.02

0.02

Units

ppm

ppm

ppm

mag

ppm

Batch Date: 07/16/23 16:57:17

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Extracted by:

Result

ND

ND

ND

ND

Action

Level

1.1

0.2

0.2

0.2

0.5

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch: DA062398HEA

Instrument Used : DA-ICPMS-003 Analyzed Date: 07/17/23 15:57:18

TOTAL CONTAMINANT LOAD METALS

Analytical Batch: DA062396MYC

Analyzed Date: 07/17/23 13:31:53

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Dilution: 250

071323.R01 Consumables: 326250IW

Metal

ARSENIC

CADMIUM

MERCURY

Dilution: 50 Reagent: N/A Consumables: N/A Pipette: N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164







Golden Hour Cartridge Concentrate 1g (90%)

Golden Hour Matrix : Derivative Type: Distillate



**PASSED** 

Page 6 of 6

### **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30715015-002 Harvest/Lot ID: 9803 0582 9870 6451

Batch#: 9803 0582 9870

Sampled: 07/15/23 Ordered: 07/15/23

Sample Size Received: 16 gram Total Amount : 1944 units Completed: 07/19/23 Expires: 07/19/24 Sample Method: SOP.T.20.010



**PASSED** 

Reviewed On: 07/17/23 13:58:09

Reviewed On: 07/16/23 15:10:32

Batch Date: 07/15/23 14:01:51

Analyte LOD Units Result **Action Level** Filth and Foreign Material ND PASS 0.1 %

Analyzed by: 1879, 1440 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062410FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 07/17/23 13:52:40 Analyzed Date: 07/17/23 13:55:41

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



#### **Water Activity**

#### PASSED

Analyte LOD Units Result P/F **Action Level** 0.533 PASS Water Activity 0.1 aw 0.85 Extraction date: 07/16/23 15:03:44 Extracted by: 4056 Analyzed by: 4056, 585, 1440

Analysis Method: SOP.T.40.019

Analytical Batch: DA062383WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.04 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

