



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30718005-006  
Harvest/Lot ID: 3370 5052 5823 9539  
Batch#: 3370 5052 5823 9539  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Processing  
Seed to Sale# 3555 9095 9119 6946  
Batch Date: 05/01/23  
Sample Size Received: 67.5 gram  
Total Amount: 1421 units  
Retail Product Size: 11.25 gram  
Ordered: 07/17/23  
Sampled: 07/17/23  
Completed: 07/20/23  
Sampling Method: SOP.T.20.010

Jul 20, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**4.096%**

Total THC/Container : 460.8 mg



Total CBD

**0.011%**

Total CBD/Container : 1.237 mg



Total Cannabinoids

**4.289%**

Total Cannabinoids/Container : 482.512 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.091	0.006	0.011	ND	0.015	0.054	0.002	0.045	0.031	ND	0.034
mg/unit	460.237	0.675	1.237	ND	1.687	6.075	0.225	5.062	3.487	ND	3.825
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3112, 3605, 585, 4044

Weight:  
1.5276g

Extraction date:  
07/18/23 13:57:55

Extracted by:  
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062431POT  
Instrument Used : DA-LC-007  
Analyzed Date : 07/18/23 13:59:48

Reviewed On : 07/19/23 10:15:48  
Batch Date : 07/18/23 10:24:46

Dilution : 200  
Reagent : 071123.R05; 060723.24; 071123.R04  
Consumables : 266969; 280670723; CE123; 115C4-1151; R1KB45277  
Pipette : DA-079; DA-108; DA-050

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
07/20/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-006

Harvest/Lot ID: 3370 5052 5823 9539

 Batch# : 3370 5052 5823  
 9539


Sample Size Received : 67.5 gram

Total Amount : 1421 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 2 of 6



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	9.787	0.087		FARNESENE		<0.202	<0.0018	
TOTAL TERPINEOL	0.02	ND	ND		ALPHA-HUMULENE	0.02	<2.25	<0.02	
ALPHA-BISABOLOL	0.02	<2.25	<0.02		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	<2.25	<0.02		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	ND	ND		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<2.25	<0.02	
BETA-PINENE	0.02	<2.25	<0.02		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	5.062	0.045		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		<div>Analyzed by: 2076, 585, 4044</div> <div>Weight: 0.9405g</div> <div>Extraction date: 07/18/23 14:42:29</div> <div>Extracted by: 2076,3702</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA062425TER</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : 07/20/23 09:15:18</div> <div>Dilution : 10</div> <div>Reagent : 121622.26</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.02	ND	ND						
ALPHA-TERPINENE	0.02	ND	ND						
LIMONENE	0.02	<2.25	<0.02						
EUCALYPTOL	0.02	<2.25	<0.02						
OCIMENE	0.02	2.475	0.022						
GAMMA-TERPINENE	0.02	ND	ND						
SABINENE HYDRATE	0.02	ND	ND						
TERPINOLENE	0.02	ND	ND						
FENCHONE	0.04	<4.5	<0.04						
LINALOOL	0.02	<2.25	<0.02						
FENCHYL ALCOHOL	0.02	ND	ND						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	<2.25	<0.02						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	<2.25	<0.02						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	2.25	0.02						
Total (%)			0.087						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-006

Harvest/Lot ID: 3370 5052 5823 9539

 Batch# : 3370 5052 5823  
 9539

Sampled : 07/17/23

Ordered : 07/17/23


Sample Size Received : 67.5 gram

Total Amount : 1421 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	3	PASS	ND	3379, 585, 4044	0.267g	07/18/23 15:00:11	3379,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062418PES			Reviewed On : 07/19/23 13:13:05		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/18/23 09:29:29		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analyzed Date : 07/18/23 14:51:27					
FENHEXAMID	0.01	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	450, 585, 4044	0.267g	07/18/23 15:00:11	3379,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analytical Batch : DA062423VOL			Reviewed On : 07/19/23 10:32:52		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/18/23 10:01:28		
MALATHION	0.01	ppm	2	PASS	ND	Analyzed Date : 07/18/23 15:12:07					
METALAXYL	0.01	ppm	3	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R04; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.5	PASS	ND						





Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-006

Harvest/Lot ID: 3370 5052 5823 9539

 Batch# : 3370 5052 5823  
 9539

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 67.5 gram

Total Amount : 1421 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0227g

 Extraction date:  
 07/19/23 11:52:47

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA062448SOL  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 07/19/23 11:57:27

 Reviewed On : 07/19/23 13:01:09  
 Batch Date : 07/18/23 12:57:15

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-006

Harvest/Lot ID: 3370 5052 5823 9539

Batch# : 3370 5052 5823 9539

Sampled : 07/17/23

Ordered : 07/17/23


Sample Size Received : 67.5 gram


Total Amount : 1421 units


Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3336, 3621, 585, 4044	Weight: 1.076g	Extraction date: 07/18/23 11:42:12		Extracted by: 3336		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/19/23 11:38:13			
Analytical Batch : DA062416MIC			Batch Date : 07/18/23 09:03:33			
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						
Analyzed Date : 07/18/23 13:47:37						
Dilution : N/A						
Reagent : 050223.36; 062323.R18; 020823.19; 092122.09						
Consumables : 7554003049						
Pipette : N/A						
Analyzed by: 3336, 585, 4044	Weight: 1.076g	Extraction date: 07/18/23 11:42:12		Extracted by: 3336		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 07/20/23 16:39:50			
Analytical Batch : DA062441TYM			Batch Date : 07/18/23 11:53:06			
Instrument Used : Incubator (25-27C) DA-096						
Analyzed Date : 07/18/23 13:25:11						
Dilution : 10						
Reagent : 050223.36; 070523.R46						
Consumables : N/A						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	<b>Mycotoxins</b>	<b>PASSED</b>				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 4044	Weight: 0.267g	Extraction date: 07/18/23 15:00:11		Extracted by: 3379,585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA062422MYC			Reviewed On : 07/19/23 13:08:58			
Instrument Used : N/A			Batch Date : 07/18/23 10:01:25			
Analyzed Date : 07/18/23 14:51:47						
Dilution : 250						
Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11						
Consumables : 326250IW						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	<b>Heavy Metals</b>	<b>PASSED</b>				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						
ARSENIC	0.08	ppm	ND	PASS	5	
CADMIUM	0.02	ppm	ND	PASS	1.5	
MERCURY	0.02	ppm	ND	PASS	0.5	
LEAD	0.02	ppm	ND	PASS	3	
Analyzed by: 1022, 585, 4044	Weight: 0.2703g	Extraction date: 07/18/23 11:54:07		Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA062436HEA			Reviewed On : 07/19/23 10:18:42			
Instrument Used : DA-ICPMS-003			Batch Date : 07/18/23 11:04:51			
Analyzed Date : 07/18/23 16:18:41						
Dilution : 50						
Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15						
Consumables : 179436; 15021042; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-006

Harvest/Lot ID: 3370 5052 5823 9539

 Batch# : 3370 5052 5823  
 9539

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 67.5 gram

Total Amount : 1421 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062463FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/19/23 10:00:42

Reviewed On : 07/19/23 10:09:54

Batch Date : 07/19/23 09:33:57

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.527	TESTED	

Analyzed by: 3807, 585, 4044	Weight: 0.767g	Extraction date: 07/18/23 19:59:46	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062446WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 07/19/23 10:12:27

Batch Date : 07/18/23 12:22:46

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.